

ELCOME TO THE GROWERS SUPPLY FAMILY



It's our mission to enhance your life by bringing you products that solve your problems and simplify managing your business, garden center or home. Since 1979, we have been committed to meeting your needs. That commitment encompasses many things. It provides shopping from a collection of over 30,000 of the highest quality products available. It means our friendly National Account Managers are here to listen to you and respond with accurate, helpful solutions. We hope you enjoy your Growers Supply experience. - Barry Goldsher, CEO



Shop our FULL LINE of Growers Supply Products at www.GrowersSupply.com We've recently condensed our catalog to improve and simplify your shopping experience. Although you

PAYMENT OPTIONS

Sending a Payment - Mail it to: A.R. Department, 1395 John Fitch Blvd., South Windsor, CT 06074









Credit Cards - Simple, fast & convenient

Contact one of our National Account Managers to place and pay for your order all in one quick and easy process.

We are proud to announce a new in-house financing plan that includes rates as low as 5.99%. Whether you are adding a fabric structure or simply upgrading your light fixtures, our flexible financing plans allow you to get your projects completed. Finance as little as \$5,000 by trusting your next project to us. Contact us for more information or to begin planning your next project today.

Returns - 100% Guarantee

If for any reason you are not satisfied with your purchase, you can return the item(s) to us within 30 days. Simply call 1,800,245,9881 and our friendly Customer Service Associates will then instruct you where to send the merchandise. Please note, special order items are not returnable.

Returns will not be accepted if shipped COD.

ORDERING OPTIONS & INFORMATION

To order, call toll free

1 800 476 9715 Monday-Friday: 7.30am-5:30pm CT

Fax

1.800,457,8887

Shop online 24 hours a day, 7 days a week www.GrowersSupply.com

Customer Service

Monday-Friday: 8:00am-5:00pm CT Call us at 1,800,719,9827 Email us at ContactUs@GrowersSupply.com

Se habla Español/All calls from outside the U.S.

Línea de telefono 1.860 289.7261, Línea de fax 1.860.289.4711

Catalog Pricing

We try to guarantee the prices in our catalog. However, price changes may occur due to the increase in the cost of goods or products. All pricing is in U.S. dollars.



INDEX

AGRICULTURAL

PEST CONTROL

84-85

BENCHES

PANELS, MESH, SYSTEMS AND KITS, TRAYS, DISPLAY RACKS

134-141

CLEARSPAN

WELCOME TO GLEARSPAN

76-77

ENVIRONMENTAL

DEHUMDIFIERS, EVAPRATIVE COOLERS, COOLING SYSTEMS FANS, SHUTTERS, VENTS, INSECT SCREENING. CONTROLLERS, FILM & FABRIC

106-121,144

GROWSPAN

HIGH TUNNELS, GREENHOUSES & SYSTEMS, GOLD FRAMES, SHADE HOUSES, POLYCARBONATE

2-29,142-143

GROW ACCESSORIES

AERATION SYSTEMS, FITTERS & CARTRIDGES, CHILLERS, COOLERS, NUTRIENTS, METERS, POTS, TRAYS

46 - 75

HARDWARE

DOORS, CONDUIT, GROUND POSTS

134

HYDROGYGLE

NFT CHANNELS, LETTUCE & HERB SYSTEMS, AQUAPONICS, RAFT BEDS, FLOAT STATIONS, DUTCH BUCKETS & SYSTEMS, TRAYS & TANKS

30 - 45

LAWN & GARDEN

FENCING, IRRIGATION, HOSE, WAGONS, WHEELS

82-83,94-105,128-133

LIGHTING

BULBS AND FIXTURES

122-127

PLUMBING

AERATION SYSTEMS, PUMPS, FILTERS CARTRIDGES, INJECTORS, ACCESSORIES

86 - 93

A GrowSpan Round Premium High Tunnel will enhance your crop yield, quality and profitability up to 50%.

- · Frames are manufactured from our USA-made, triple-galvanized structural steel tubing.
- Available with our 6 mil 4 year Clear Greenhouse Film or our 5.2 oz., 12 mil Clear Greenhouse Covering.
- · Our Sun Master" 6 mil 4 year Clear Greenhouse Film is made from strong copolymer resin, with tri-layer construction and UV additives. This film offers 92% light transmission and comes with a 4 year warranty.
- Our PolyMax* 5.2 oz., 12 mil Clear Woven Greenhouse Covering, with added UV inhibitors, is superior to all greenhouse fabrics, offers 85% light transmission and comes with a 4 year warranty.
- Structures 20'W or wider can be designed with Zippered or Roll-Up Ends. Both options are manufactured from 10 oz., 22 mil premium rip-stop translucent fabric.
- · Triple-zippered end panels feature our Heavy Duty, industrial-strength #15 Heavy Duty Zippers and come complete with fabric clips for attaching.
- Four-sided ventilation is easy. Roll-Up Sides and Ends feature our exclusive "Twist-of-the-Wrist" Roll-Up Assembly,
- · Rafter spacing: 4'.
- · Heavy Duty ground posts are included.
- We recommend using a baseboard.
- Optional Rafter Support Kits provide extra support for areas with heavy snow or high winds.

ORDERING: GROWSPAN ROUND PREMIUM HIGH TUNNELS

Add C to end of the STK# for High Tunnel with Film Covering and Zippered End. Example: PB01660R4C.

Add F to end of the STK# for High Tunnel with Fabric Covering and Zippered End. Example: PB01660R4F.

Add CR to end of STK# for High Tunnel with Film Covering and Roll-Up End. Example: PB01680R4CR.

Add FR to end of STK# for High Tunnel with Fabric Covering and Roll-Up End. Example: PB01680R4FR.

GROWSPAN ROUND PREMIUM HIGH TUNNELS WITHL WITH 5.2 OZ. FABRIC PIPE SIZE FILM. **PURLINS** STK# SIZE AND GAUGE EACH EACH PB01660R4 14"W x 10'5"H x 24'L 1.315 17 ga \$ 2,595.00 \$ 2,855.00 1.315"/17 ga PB01662R4 14'W x 10'5'H x 36'L 4.045.00 3,665,00 PB01664R4 14"W x 10'6"H x 48'L 1.315"/17 ga 4,655.00 5,085.00 PB01670R4 20'W x 12'H x 24'L 1.66°/14 ga 3,375.00 3,725.00 PB01675R4 1.66°/14 ga 20'W x 12'H x 36'L 4,689.00 5,085.00 1.66"/14 ga PB01680R4 PB01681R4 20'W x 12'H x 48'L 5.509.00 6,055.00 651500 7 155 00 20'W v 12'H v 60'I 1 66"/14 62

FDUTUSTN4	ZU WE X IZ II X OU L.	1.00 / 14 94		טענוכוכים	7,133,00	
PB01685R4	20'W x 12'H x 72'L	1.66°/14 ga	3	6,919.00	7,609.00	
PB01686R4	20'W x 12'H x 84'L	1.66°/14 ga	3	7,725.00	8,415.00	
PB01690R4	20'W x 12'H x 96'L	1.66"/14 ga	3	8,339.00	9,135.00	
PB01692R4	20'W x 12'H x 120'L	1.66"/14 ga	3.	10,365.00	11,419.00	
PB01695R4	26°W x 12'H x 24'L	1.66°/14 qa	5	3,629.00	3,989.00	
PB01697R4	26'W x 12'H x 36'L	1.66"/14 ga	5	4,945.00	5,475.00	
PB01700R4	26'W x 12'H x 48'L	1.66"/14 ga	5	6,065,00	6,675.00	
PB01701R4	26'W x 12'H x 60'L	1.66"/14 ga	5	7,495.00	8,139.00	
PB01705R4	26'W x 12'H x 72'L	1.66°/14 ga	5	7,909.00	8,685,00	
PB01706R4	26'W x 12'H x 84'L	1.66"/14 ga	5	8,465.00	9,225.00	
PB01710R4	26'W x 12'H x 96'L	1.66"/14 ga	.5	8,879.00	9,705.00	
PB01712R4	26'W x 12'H x 120'L	1.66°/14 ga	5	11,025.00	12,129.00	
PB01720R4	30'W x 12'H x 36'L	1.90"/14 ga	5	5,265.00	6,035.00	
PB01725R4	30'W x 12'H x 48'L	1.90"/14 ga	5	6,395.00	6,945.00	
PB01726R4	30'W x 12'H X 60'L	1.90"/14 ga	5	7,979.00	8,685.00	
PB01730R4	30'W x 12'H x 72'L	1.90"/14 ga	5	8,515.00	8,989.00	
PB01731R4	30'W x 12'H x 84'L	1.90"/14 ga	5	9,085.00	9,775.00	

1.90"/14 ga

1.90°/14 ga

5

9,619,00

12,229,00

GrowSpan Single Bay High Tunnels

- · These economically priced high tunnels reap payback with most crops in just 2 to 3 years,
- Plant earlier, harvest late into fall or early winter.
- · Frames are manufactured from our 14-gauge, USA-made, triplegalvanized structural steel tubing.
- 24'W high tunnels use 1.66" OD pipe. 28'W high tunnels use 1.90" OD pipe.
- Our Sun Master* 6 mil 4 year clear greenhouse film covering is made from strong copolymer resin for strength and durability. Anti-dust additives repel dirt and dust and allow for 92% light transmission.
- Tri-layer film has UV additives and comes with a 4 year warranty.
- End Panels are manufactured from our 10 oz. 22 mil clear premium rip-stop greenhouse fabric and each comes complete with 20'W x 10'H Roll-Up Door that utilizes our Hand-Crank Assembly.
- Purchase 4 x 4s locally to strengthen and finish off the ends.
- Well-sealed tunnel during the cold months allows early production. Late spring and hot summer months, enjoy the benefits of full ventilation. Unique cross-bracing feature adds extra strength and durability.
- Rafter spacing: 7'. Sidewall height: 4'.
- Ridge purlin and heavy Duty ground posts are included.



GROWSPAN SINGLE BAY HIGH TUNNELS

30'W x 12'H x 96'L

30'W x 12'H x 120'L

STK#	SIZE	EACH
108203	24'W x 11'1-1/8"H x 56'L	\$ 3,685.00
108204	24'W x 11'1-1/8"H x 105'L	6,189.00
108205	24'W x 11'I-1/8"H x 154'L	8,475.00
108206	24'W x 11'I-1/8"H x 203'L	10,599.00
108207	28'W x 10'11-1/2"H x 56'L.	4,249.00
108208	28'W x 10'11-1/2"H x 105'L	6,885.00
108209	28'W x 10'11-1/2"H x 154'L	10,465.00
108210	28'W x 10'11-1/2"H x 203'L	13,095.00



Save money on watering by utilizing rainwater.

PB01735R4

PB01740R4

- This system is designed to catch rainwater off of a greenhouse or high tunnel. The water can then be used to keep plants hydrated and healthy and can cut back on watering and irrigation costs,
- It can be used on both sides of the structure to catch as much water as possible.
- Installation is simple and the system won't interfere with Roll-Up or Drop-Down Sides,
- Tank not included.

RAINWATER CATCH DRAINS

STK#	ITEM	EACH
113577	36' High Tunnel Rain Catchment System	\$475.00
113578	48' High Tunnel Rain Catchment System	535.00
113579	60' High Tunnel Rain Catchment System	659.00
113580	72' High Tunnel Rain Catchment System	789.00
113581	96' High Tunnel Rain Catchment System	915.00



10,345.00

13,189,00

GrowSpan Gothic Premium High Tunnels, with 6'H sidewalls, sufficiently modify the environment to enhance crop growth, quality and yield. These high tunnels offer temperature control, protection from wind, rain, disease and predators.

- Frames are constructed with our 14-gauge, USA-made, triple-galvanized structural steel tubing. 20'W and 26'W tunnels use 1.66" OD pipe. 30'W tunnels use 1.90" OD pipe.
- Available with either our superior PolyMax* 5.2 oz., 12 mil thick Clear Woven Greenhouse Covering or our Sun Master* 6 mil 4 year Clear Greenhouse Film.
- Our PolyMax* 5.2 oz., 12 mil Clear Woven Greenhouse Covering comes with a 4 year warranty. With added UV inhibitors, this cover offers 85% light transmission, has excellent cold-crack resistance and will not tear.
- Our Sun Master 6 mil 4 year clear film is made from strong copolymer resin
 with an anti-static additive that repels dust and dirt and keeps the light
 shining through. This film, with tri-layer construction and UV additives, offers
 92% light transmission and comes with a 4 year warranty.
- Choose Roll-Up or Drop-Down Sides, manufactured from our 5.2 oz. fabric, to control the air entering the high tunnel and provide four-sided ventilation. Includes our exclusive "Twist-of-the-Wrist" Assembly, complete with all necessary hardware for installation.
- Roll-up doors, which utilize our Hand-Crank Assembly, and end panels are manufactured from 10 oz., 22 mil translucent fabric.
- 20'W units have 16'W x 10'H doors, 26'W and 30'W units have 20'W x 10'H doors.
- · Purchase 4 x 4s locally to strengthen and finish off the ends.

GROWSPAN GOTHIC PREMIUM HIGH TUNNELS

STK#	SIZE	HIGH TUNNEL WITH FILM EACH	HIGH TUNNEL WITH 5.2 OZ. FABRIC EACH
108179H	20'W x 14'H x 24'E	\$ 4,129.00	\$ 4,535.00
108180H	20'W x 14'H x 36'L	5,149.00	5,665.00
108181H	20'W x 14'H x 48'L	6,395.00	6,915.00
108182H	20'W x 14'H x 60'L	7,239.00	7,795.00
108183H	20'W x 14'H x 72'L	7,909.00	8,805.00
108184H	20'W x 14'H x 96'L	10,209.00	11,049.00
108195H	20'W x 14'H x 120'L	12,699.00	13,759.00
108185H	26'W x 14'H x 36'L	5,599.00	6,099.00
108186H	26'W x 14'H x 48'L	6,955.00	7,519.00
108187H	26'W x 14'H x 60'L	8,035.00	8,555.00
108188H	26'W x 14'H x 72'L	9,185.00	9,925.00
108189H	26'W x 14'H x 96'L	10,505.00	11,419.00
108196H	26'W x 14'H x 120'L	13,055.00	14,208.99
108190H	30'W x 14'H x 36'L	6,089.00	6,665.00
108191H	30'W x 14'H x 48'L	7,505.00	8,259.00
108192H	30'W x 14'H x 60'L	9,209.00	10,059.00
108193H	$30'W \times 14'H \times 72'L$	9,895.00	10,879.00
108194H	$30'W \times 14'H \times 96'L$	11,239.00	12,019.00
108197H	30'W x 14'H x 120'L	13,585.00	14,955.00



- 4' rafter spacing.
- For additional strength and durability, particularly in heavy-snow areas, add our GrowSpan Gothic High Tunnel Support Kits or our Gothic High Tunnel Rafter Kits.
- 6' sidewalls provide additional, valuable growing space.
- · Heavy Duty ground posts are included.
- Baseboards are required to attach Drop-Down Sides. Our Recycled Plastic Lumber, sold separately.
- The optional Flush Door Mounting Kit (115083) provides an ideal entryway for high tunnels that are 30'W and have Roll-Up Ends. The kit features a 36"W x 80"H polycarbonate door for optimum light transmission. Flange provides a tight seal, ensuring control over the high tunnel's environment.
- To comply with NRCS requirements, all 30'W Gothic Premium High Tunnels can be outfitted with a Five Part Rafter Kit.

ORDERING: GROWSPAN GOTHIC PREMIUM HIGH TUNNELS

Add CD for High Tunnel with Film Covering and Drop-Down Sides. Example: 108179HCD.

Add CRU for High Tunnel with Film Covering and Roll-Up Sides.

Example: 108179HCRU. Add FD for High Tunnel with 5.2 oz. Fabric and Drop-Down Sides.

Example: 108179HFD.

Add FRU for High Tunnel with 5.2 oz. Fabric and Roll-Up Sides, Example: 108179HFRU.

GROWSDAN GOTHIC BREMILIN HIGH TUNNELS

GROWSPAN GOTHIC PREMIUM HIGH TUNNELS WITH 5 PART RAFTER KIT

STK#	SIZE	WITH FILM EACH	HIGH TUNNEL WITH 5.2 OZ. FABRIC EACH
108190H5	30'W x 12'H x 36'L	\$ 6,969.00	\$ 9,035.00
108191H5	30'W x 12'H x 48'L	10,505.00	11,015.00
108192H5	30'W x 12'H x 60'L	10,525.00	11,525.00
108193H5	30'W x 12'H x 72'L	11,329.00	14,459.00
108194H5	30'W x 12'H x 96'L	17,829.00	18,859.00
108197H5	30'W x 12'H x 120'L	21,719,00	22,399.00

Increase yield up to 50% with a GrowSpan High Tunnel.

- Manufactured from 14-gauge, USA-made, triple-galvanized structural steel tubing.
- · 6' rafter spacing.
- 6 mil 4 year single layer greenhouse film, for cover and solid ends, comes complete with all hardware necessary for installation.
- · Universal Joint Roll-Up for sides, including all hardware.
- · Heavy Duty ground posts included,
- Baseboards are recommended. Our Recycled Plastic Lumber, sold separately, is ideal.

GROWSPAN ROUND ECONOMY HIGH TUNNELS

STK#	SIZE	PIPE DIMENSION	PURLINS	EACH
PB01670R6C	20'W x 12'H x 24'L	1.66"	3	\$ 2,839.00
PB01675R6C	20'W x 12'H x 36'L	1.66"	3	3,685.00
PB01680R6C	20'W x 12'H x 48'L	1.66"	3	4,109.00
PB01685R6C	20'W x 12'H x 72'L	1.66"	3	5,855.00
PB01690R6C	20'W x 12'H x 96'L	1.66"	3	7,055.00
PB01695R6C	20'W x 12'H x 120'L	1.66*	3	8,819.00
PB01700R6C	26'W x 12'H x 48'L	1.66"	5	4,535.00
PB01710R6C	26'W x 12'H x 96'L	1.66*	5	7,665.00
PB01715R6C	26'W x 12'H x 120'L	1.66*	5	9,539.00
PB01720R6C	30'W x 12'H x 36'L	1.90"	5	4,319.00
PB01725R6C	30'W x 12'H x 48'L	1.90"	5	5,229.00
PB01730R6C	30'W x 12'H x 72'L	1.90*	5	7,435.00
PBD1735R6C	30'W x 12'H x 96'L	1.90"	5	8,505.00
PB01740R6C	30'W x 12'H x 120'L	1.90"	5	10,595.00





GrowSpan Series 500 Tall High Tunnels offer superior ventilation and maximum usable growing space.

- 20'W, 24'W, 30'W and 35'W have a premium 2.375" OD, 16-gauge galvanized steel
 frame that ensures strength, durability and long life. The 42'W frame has a premium
 3.50" OD, 14-gauge, galvanized steel frame.
- GrowSpan Series 500 Tall High Tunnels are covered with Sun Master* Pull-and-Cut Clear Greenhouse Film that offers 92% light transmission and repels dust and dirt to keep light shining through.
- Choose between Roll-Up and Drop-Down Side options that will allow you to better control the ventilation within the greenhouse. Both options include our exclusive "Twist-of the Wrist" Assembly that comes complete with all necessary hardware.
- Roll-Up Sides are made of our 6 mil 4 year Greenhouse Film. Drop-Down Sides are manufactured from our 5.2 oz. Clear Greenhouse Fabric.
- 20'W and 24'W have three rows of purlins. The 30'W, 35'W and 42'W frame has five rows
 of purlins which are ideal for hanging baskets in nurseries and more.
- Rafter spacing: 6' for 20'W, 24'W, 30'W and 35'W frames; 4' spacing for the 42'W frame.
- 20'W greenhouses are 16'H, 24'W greenhouses are 16'6'H, 30'W greenhouses are 17'4'H, 35'W greenhouses are 18'H, 42'W greenhouses are 19'H.
- Heavy Duty ground posts are included with your greenhouse. Ground posts are made of 2.197* OD 10-gauge steel to provide exceptional support.
- Baseboards are recommended. Our Recycled Plastic Lumber, sold separately.
- Optional End Frame Kits, Doors, Post Driver, Roll-Up Ends and Support Packages are sold separately.



ORDERING: SERIES 500 TALL HIGH TUNNELS

For 6 mil 4 year Film, Roll-Up Sides and Ground Post Mounting: STK# + GSCR For 6 mil 4 year Film, Drop-Down Sides and Ground Post Mounting: STK# + GSCD For 5.2 oz. Fabric, Roll-Up Sides and Ground Post Mounting: STK# + GCCD For 5.2 oz. Fabric, Drop-Down Sides and Ground Post Mounting: STK# + GCCD For 6 mil 4 year Film, Roll-Up Sides and Heavy Duty Base Plates: STK# + BSCR For 6 mil 4 year Film, Drop-Down Sides and Heavy Duty Base Plates: STK# + BSCD For 5.2 oz. Fabric, Roll-Up Sides and Heavy Duty Base Plates: STK# + BCCR For 5.2 oz. Fabric, Drop-Down Sides and Heavy Duty Base Plates: STK# + BCCD

20'W SERIES 500 TALL HIGH TUNNELS

			FILM	5.2 OZ, FABRIC
STK#	SIZE	PEAK HEIGHT	EACH	EACH
GS052024	20'W x 24'L	16'	\$ 3,295.00	\$ 3,529.00
GS052036	20'W x 36'L	16'	4,435.00	4,779.00
GS052048	20'W x 48'L	16'	5,295.00	5,705,00
GS052060	20'W x 60'L	16'	6,615.00	7,145.00
GS052072	20'W x 72'L	16'	7,549.00	8,099.00
GS052084	20'W x 84'L	16'	8,185.00	8,795.00
GS052096	20'W x 96'L	16'	8,725.00	9,655.00
GS0520120	20'W x 120'L	16'	10,059.00	11,625.00

24'W SERIES 500 TALL HIGH TUNNELS

STK#	SIZE	PEAK HEIGHT	FILM EACH	5.2 OZ. FABRIC EACH
GS052424	24'W x 24'L	16'6"	\$ 3,579.00	\$ 3,845.00
GS052436	24'W x 36'L	16'6"	5,119.00	5,269.00
GS052448	24'W x 48'L	16'6"	5,885.00	6,395.00
GS052460	24'W x 60'L	16'6"	7,469.00	8,065.00
GS052472	24'W x 72'L	16'6"	8,815.00	9,305.00
GS052484	24'W x 84'L	16'6"	9,205.00	9,935.00
GS052496	24'W x 96'L	16'6"	11,325.00	12,349.00
GS0524120	24'W x 120'L	. 16'6"	11,455,00	12,355.00

30'W SERIES 500 TALL HIGH TUNNELS

STK#	SIZE	PEAK HEIGHT	FILM EACH	5.2 OZ. FABRIC EACH
GS053036	30'W x 36'L	17'4"	\$ 5,675.00	\$ 6,319.00
GS053048	30'W x 48'L	17'4"	6,945.00	7,495.00
GS053060	30'W x 60'L	17'4"	8,595.00	9,259.00
GS053072	30'W x 72'L	17'4"	9,875.00	10,659.00
GS053084	30'W x 84'L	17'4"	12,245.00	11,425.00
GS053096	30'W x 96'L	17'4"	12,245.00	12,279.00
GS0530120	30'W x 120'L	17'4"	14,539.00	15,545.00

35'W SERIES 500 TALL HIGH TUNNELS

			FILM	5.2 OZ. FABRIC
STK#	SIZE	PEAK HEIGHT	EACH	EACH
GS053536	35'W x 36'L	18'	\$ 6,125.00	\$ 6,699.00
GS053548	35'W x 48'L	18'	7,439.00	8,185.00
GS053560	35'W x 60'L	18'	9,449.00	10,135.00
GS053572	35'W x 72'L	18'	10,875.00	11,745.00
GS0535B4	35'W x 84'L	18'	11,669.00	12,555.00
GS053596	35'W x 96'L	18'	12,739.00	13,649.00
GS0535120	35'W x 120'l	18'	15.519.00	16,705.00

42'W SERIES 500 TALL HIGH TUNNELS

STK#	SIZE	PEAK HEIGHT	FILM	5.2 OZ. FABRIC EACH
GS054236	42'W x 36'L	19'	\$ 11,359.00	\$ 12,499.00
GS054248	42'W x 48'L	19'	13,855.00	17,995.00
GS054260	42'W x 60'L	19'	17,289.00	18,629.00
GS054272	42'W x 72'L	19"	19,879.00	21,669.00
GS054284	42'W x 84'L	19'	21,309.00	23,009.00
GS054296	42'W x 96'L	19'	24,959.00	28,019.00
GS0542120	42'W x 120'L	. 19'	34,005.00	34,609.00





GrowSpan Series 500 Tall Greenhouses allow more overhead space for improved ventilation for healthy crop production. High sidewalls mean maximum usable growing space, too.

- 20'W, 24'W, 30'W and 35'W have a premium 2.375" OD, 16-gauge galvanized steel frame that ensures strength, durability and long life. The 42'W frame has a premium 3.50" OD, 14-gauge, galvanized steel frame.
- GrowSpan Series 500 Tall Greenhouses are covered with double-laver film. This film is manufactured using an outer layer of our Sun Master' 6 mil 4 year Greenhouse film and an inside layer of our Sun Master' infrared Anti-Condensate Thermal Film that maximizes heat retention and offers excellent drip control.
- Choose between Roll-Up and Drop-Down Side options that will allow you to better control the ventilation within the greenhouse. Both options include our exclusive "Twist-of the Wrist" Assembly that comes complete with all necessary hardware.
- · Roll-Up Sides are made of our 6 mil 4 year Greenhouse Film, Drop-Down Sides are manufactured from our 5.2 oz. Clear Greenhouse Fabric.
- 20'W and 24'W have three rows of purlins. The 30'W, 35'W and 42'W frame has five rows of purlins which are ideal for hanging baskets in nurseries, garden centers and more.
- Rafter spacing: 6' for 20'W, 24'W, 30'W and 35'W frames; 4' spacing for the 42'W frame.
- 20'W greenhouses are 16'H, 24'W greenhouses are 16'6"H, 30"W greenhouses are 17'4"H, 35'W greenhouses are 18'H, 42'W greenhouses are 19'H.
- Heavy Duty ground posts are included with your greenhouse. Ground posts are made of 2,197" OD 10-gauge steel and provide exceptional support.
- Baseboards are recommended. Our Recycled Plastic Lumber, sold separately, is ideal.
- Optional End Frame Kits, Doors, Post Driver, Roll-Up Ends and Support Packages are sold separately.

ORDERING: SERIES 500 TALL GREENHOUSES

For Rolf-Up Sides and Ground Post Mounting: STK# + GDCR For Drop-Down Sides and Ground Post Mounting: STK# + GDCD For Roll-Up Sides and Heavy Duty Base Plates: STK# + BDCR For Drop-Down Sides and Heavy Duty Base Plates: STK# + BDCD

SERIES 500 TALL GREENHOUSES

STK#	SIZE	EACH
GS052020	20'W x 20'L	\$ 4,115.00
GS052024	20'W x 24'L	4,239,00
GS052036	20'W x 36'L	5,735.00
GS052048	20'W x 48'L	*
7,249.00GS052424	24'W x 24'L	4,425.00
GS05243 6	24'W x 36'L	6,279.00
GS052448	24'W x 48'L	7,929.00
GS052460	24'W x 60'L	9,595.00
GS052472	24'W x 72'L	
11,265.00GS053036	30'W x 36'L	7,035.00
GS053048	30'W x 48'L	8,715.00
GS053060	30'W x 60'L	10,389.00
GS053072	30'W x 72'L	12,085.00
GS053084	30'W x 84'L	13,739.00
GS053096	30'W x 96'L	
15,275.00GSQ53536	35'W x 36'L	7,619.00
GS053548	35'W x 48'L	9,645.00
GS053560	35'W x 60'L	11,715.00
G5053572	35'W x 72'L	13,629,00
GS053584	35'W x 84'L	15,315.00
G5053596	35'W x 96'L	
16,785.00GS054236	42'W x 36'L	14,159.00
GS054248	42'W x 48'L	15,295.00
GS054260	42'W x 60'L	21,759.00
GS054272	42'W x 72'L	25,155.00
G5054284	42'W x 84'L	28,365.00
GS054296	42'W x 96'L	31,209.00



Customize your GrowSpan Series 500 Tall Growing Structure with accessories to meet your needs.

- Zippered End Panels are made from our 10 oz., 22 mil clear, rip-stop, polyethylene fabric.
- GrowSpan Series 500 Rafter Support kit Packages are ideal for heavy-snow and wind areas. Also great for hanging lights, heaters and fans. Each package includes all necessary hardware for installation and supports one rafter.
- Roll-Up End options, which use our "Twist-of-the-Wrist" feature, are made from 10 oz., 22 mil translucent fabric.
- Greenhouse Door Kits are available in single-hung (48"W x 92"H) or double-hung (96"W x 92"H) and include all necessary hardware for installation. Choose either single or double style and clear polycarbonate or blackout polycarbonate.

SERIES 500 DOOR KITS

STK#	ITEM	EACH
G505KDR1SWT	Single Swinging Door, 8 mm Polycarbonate	\$ 559.00
GS05KDR1SWC	Single Swinging Door, Corrugated Polycarbonate	559.00
GS05KDR1SLT	Single Sliding Door, 8 mm Polycarbonate	575.00
GS05KDR1SLC	Single Sliding Door, Corrugated Polycarbonate	575.00
G505KDR2SWT	Double Swinging Door, 8 mm Polycarbonate	1,049.00
GS05KDR2SWC	Double Swinging Door, Corrugated Polycarbonate	1,025.00
G505KDR2SLT	Double Sliding Door, 8 mm Polycarbonate	1,049.00
GS05KDR2SLC	Double Sliding Door, Corrugated Polycarbonate	1,025.00

SERIES 500 BLACKOUT DOOR KITS

STK#	ITEM	EACH
115709	3' x 7' Blackout Single-Hung Aluminum Door	\$1,129.00
115710	4' x 7' Blackout Double-Hung Aluminum Door	1,969.00

SERIES 500 BLACK OUT END WALLS

STK#	ITEM	EACH
GB05KBEWT30D	30'W Blackout End Wall, w/ Door Framing	\$3,295.00
GB05KBEWT30S	30'W Blackout End Wall, Solid	3,029.00
GB05KBEWT30V	30'W Blackout End Wall, For Vent	3,295.00

SERIES 500 STEEL END FRAME KITS STK# SIZE **EACH** 0 0 G

GS05KEW20G72	20'W	\$1,109.00
GS05KEW24G72	24'W	1,249.00
GS05KEW30G72	30'W	1,655,00
GS05KEW35G72	35'W	1,799.00
GS05KEW42G72	42'W	2,165.00
For base plate option, ad	d B to the end	of desired STK#.
SERIES 500 RAFTE	RKITS	

STK#	SIZE	EACH		
GS05KRF20G72	20'W	\$389.00		
GS05KRF24G72	24'W	429.00		
GS05KRF30G72	30'W	525.00		
GS05KRF35G72	35'W	549.00		
GS05KRF42G72	42'W	845.00		

For base plate option, add 8 to the end of desired ST
SERIES 500 CORRUGATED
POLYCARBONATE PACKAGES (1 END)

GS05KCC2072	20'W	\$1,039.00			
GS05KCC2472	24'W	1,099.00			
G505KCC3072	30'W	1,285.00			
GS05KCC3572	35'W	1,485.00			
GS05KCC4272	42'W	1,775.00			
SERIES 500 TWIN-WALL POLYCARBONATE PACKAGE (1 END)					
STK#	SIZE	EACH			
CCACUCTOATA	SABIT	61 240 00			

STK#	SIZE	EACH
GS05KCT2072	20'W	\$1,249.00
GS05KCT2472	24'W	1,389.00
GS05KCT3072	30'W	1,775.00
GS05KCT3572	35'W	2,079.00
GS05KCT4272	42'W	2,505.00

POST DRIVER

1377				
2848				

SERIES 500 RAFTER SUPPORT KIT PACKAGE

STK#	SIZE	EACH
GS05KSP20	20'W	\$205.00
GS05KSP24	24'W	285.00
GS05KSP30	30'W	375.00
GS05KSP35	35'W	429.00
GS05KSP42	42'W	459.00

SERIES 500 2-ZIPPERED CLEAR

HOLL OF DUDI	H. P	
STK#	SIZE	EACH
GS05KC2Z2072	20'W\$	1,059.00
GS05KC2Z2472	24'W	1,055.00
GS05KC2Z3072	30'W	1,175.00
GS05KC2Z3572	35'W	1,199.00
GS05KC2Z4272	42"W	1.415.00

SERIES 500 3-ZIPPERED CLEAR ROLL-UP DOORS

STK#	SIZE	EACH
GS05KC3Z2072		1.079.00
GS05KC3Z2472	24'W	1.065.00
GS05KC3Z3072	30'W	1,175,00
G505KC3Z3572	35'W	1.215.00
GS05KC3Z4272	42'W	1,315.00

SERIES 500 ROLL-UP ENDS

STK#	SIZE	EACH
GS05KCR2072	20'W	\$469.00
GS05KCR2472	24'W	519.00
GS05KCR3072	30'W	659.00
GS05KCR3572	35'W	636.95
GS05KCR4272	42"W	679.00

STK#



These greenhouses are suitable for the backyard hobbyist or the professional grower. The twin-wall polycarbonate covering provides strength, durability and elegance. Clear sheets are flame retardant, will not discolor and have up to 78% light transmission.

- Frame is manufactured from highest quality USA-made, triple-galvanized structural steel tubing.
- End frame is constructed from strong 16-gauge, 1.5" square USA-made, triple-galvanized structural steel tubing.
- Ends and top covering are constructed from our 8 mm twin-wall polycarbonate sheets that are light in weight, virtually unbreakable and come with a 10 year warranty.
- · Panels contain UV inhibitors which prevent degradation.
- Built-in condensate control eliminates water droplet formation for a healthier plant environment.
- Units come equipped with a 36"W x 80"H Heavy Duty aluminum entry door, complete with 6 mm polycarbonate sections at both top and bottom, stainless steel hinges and latch.
- 4'H sidewall offers more valuable growing space.
- · Optional Double Door Kits sold separately.
- Heavy Duty ground posts are included. Baseboards are recommended. We recommend our Recycled Plastic Lumber, sold seperatley.
- Save hundreds of dollars on equipment and accessories when you purchase the Greenhouse System. We've done all the calculations for you. The size and quantity of items are determined by the size of your greenhouse.



Optional Single Door Kit

 Includes 36 W x 80 H door, complete with stainless steel hinges and latch and all necessary hardware for installation.

Optional Double Door Kit

 Includes heavy-duty double doors, each 48"W x 92"H, stainless steel hinges and latch and all necessary hardware for installation, Double Door Kit not for use with 14"W Greenhouses.





SINGLE DOOR KIT

	. 44
STK#	EACH
104706	\$399.00


DOUBLE DOOR KIT

	STK#	EACH
-		\$839.00
	105105	うひろう.しし

GROWSPAN GOTHIC PRO GREENHOUSE SYSTEMS INCLUDE

HeatStar Blue Flame Heater
In your choice of natural gas or
propane. Comes with built-in 110 V
blower fan and thermostat. Heater is
not for use at altitudes above
4,500'. Cannot be sold in
California. In Massachusetts,
must be installed in
compliance with
CMR 248.









ValuTek" 12" Combo





ValuTek" Motorized Heavy-Duty Aluminum Intake Shutters



GROWSPAN GOTHIC PREMIUM GREENHOUSES AND SYSTEMS

		GREENHOUSE	SYSTEM
STK#	SIZE	EACH	EACH
106205	14'W x 9'4"H x 16'L	\$ 7,635.00	\$ 8,355.00
106206	14'W x 9'4"H x 20'L	8,889.00	9,905.00
106207	14'W x 9'4"H x 24'L	10,039.00	11,059.00
106208	14'W x 9'4"H x 28"L	11,115.00	11,815.00
106209	16'W x 9'8"H x 16'L	8,305.00	9,245.00
106210	16'W x 9'8"H x 20'L	9,985.00	11,025.00
106211	16'W x 9'8"H x 24'L	11,085.00	12,355.00
106212	16'W x 9'8"H x 28'L	12,275.00	13,285.00
106213	18'W x 12'H x 20'L	10,205.00	11,355.00
106214	18'W x 12'H x 24'L	11,699.00	12,945.00
106215	18'W x 12'H x 28'L	12,949.00	14,309.00
106216	18'W x 12'H x 32'L	13,855.00	15,065.00
1			

For Greenhouse only, add C to the end of your desired STK#. To order the entire GrowSpan Premium Greenhouse and System add SP for Propane or SN for Natural Gas to the end of your STK# to indicate your desired heater type.

GROWSPAN ROUND PREMIUM GREENHOUSES AND SYSTEMS

		GREENHOUSE	SYSTEM
STK#	SIZE	EACH	EACH
106197	12'W x B'1"H x 12'L	\$ 5,47 9 .00	\$ 6,189.00
106198	12°W x 8'1"H x 16'L	6,649.00	7,375.00
106199	12"W x 8'1"H x 20'L	7,545.00	8,405.00
106200	12'W x 8'1"H x 24'L	8,319.00	9,285.00
106201	14'W x 8'3"H x 16'L	7,065.00	7,909.00
106202	14"W x 8'3"H x 20'L	8,305.00	9,155.00
106203	14"W x 8'3"H x 24'L	9,565.00	10,475.00
106204	14'W x 8'3"H x 28'L	10,815.00	11,669.00

For Greenhouse only, add C to the end of your desired STK#. To order the entire GrowSpan Premium Greenhouse and System add SP for Propane or

SN for Natural Gas to the end of your STK# to indicate your desired heater type.



GrowSpan Gothic Pro Greenhouses and Systems are available with Solid Polycarbonate, Greenhouse Film with Roll-Up or Drop-Down Sides or Polycarbonate with Roll-Up or Drop-Down Sides.

- · Frame is constructed from highest quality USA-made, triple-galvanized structural steel tubing.
- End frame is constructed from strong 16-gauge, 1,5° square USA-made, triple-galvanized structural steel tubing.
- Available in Gothic Style with Polycarbonate Ends and Film Top with either Roll-Up or Drop-Down Sides, Polycarbonate Ends and Tops or Polycarbonate Ends and Tops with either Roll-Up or Drop-Down Sides.
- All greenhouses come with polycarbonate gable ends.
- Drop-Down Sides use our 5.2 oz. greenhouse fabric.
- 8 mm twin-wall polycarbonate provides superior insulating qualities, offers reduced heating costs and comes with a 10 year warranty.
- "Twist-of-the-Wrist" Roll-Up or Drop-Down Sides make ventilation easy.
- Double-layer film covering, with Inflation Fan Kit, is manufactured using an outer layer of our Sun Master* 6 mil, 4 year Greenhouse Film and an inside layer
 of our Sun Master* Infrared Anti-Condensate Thermal Film that maximizes heat retention and offers excellent drip control. Poly latches are included.
- Heavy-duty double doors are 48"W x 92'H each, and come complete with stainless steel hinges and latch. Optional Double Door Kit is also available.
- Heavy-duty ground posts are included.
- Baseboards are required for Drop-Down Sides. We recommend our Recycled Plastic Lumber, sold separately.
- · For added strength and durability, especially in heavy snow areas, we recommend adding our Gothic-Style Support Packages, sold separately.

GROWSPAN GOTHIC PRO GREENHOUSE SYSTEMS INCLUDE



Commercial-Grade Exhaust Fan with Shutters



DuroStat™ NEMA 4 Dua Voltage Thermostat Controls heating and cooling from 30°F to 110°F.



ValuTek" Horizontal



Modine™ Power-Vented Greenhouse Heater* *High Altitude Kit is required at altitudes over 2,000 ft.



ValuTek™ Motorized Heavy-Duty Aluminum Intake Shutters

ORDERING: GROWSPAN GOTHIC PRO GREENHOUSES AND SYSTEMS

For Greenhouse with Polycarbonate Ends and Roll-Up Film Sides add C to the end of the desired STK# (Example: 106306C).

For Greenhouse System with Polycarbonate Ends and Roll-Up Film Sides add SN (Natural Gas) or SP (Propane) to the end of the STK# to indicate your desired type of heater (106306SP).

For Greenhouse with Polycarbonate Ends and Drop-Down Fabric Sides add D to the end of the desired STK# (106306D).

For Greenhouse System with Polycarbonate Ends and Drop-Down Fabric Sides add SN (Natural Gas) or SP (Propane) to the end of the STK# to indicate your desired type of heater (106306DSP).

For Greenhouse with Solid Polycarbonate add PC to the end of the desired STK# (106306PC).

For Greenhouse System with Solid Polycarbonate add SN (Natural Gas) or SP (Propane) to the end of the STK# to indicate your desired type of heater (106306PCSN).

For Greenhouse with Polycarbonate and Roll-Up Film Sides add R to the end of the desired STK# (106306R).

For Greenhouse System with Polycarbonate and Roll-Up Film Sides add SN (Natural Gas) or SP (Propane) to the end of the STK# to indicate your desired type of heater (106306RSN).

For Greenhouse with Polycarbonate and Drop-Down Fabric Sides add DD to the end of the desired STK# (106306DD).

For Greenhouse System with Polycarbonate and Drop-Down Fabric Sides add SN (Natural Gas) or SP (Propane) to the end of the STK# to indicate your desired type of heater (106306DDSN).

GROWSPAN GOTHIC PRO GREENHOUSES AND SYSTEMS

STK#	SIZE	PIPE SIZE AND GAUGE	PURLINS	GREENHOUSE W/POLYCARBONATE ENDS & ROLL-UP OR DROP-DOWN SIDES EACH	SYSTEM EACH	GREENHOUSE W/SOLID POLYCARBONATE OR POLYCARBONATE W/ROLL-UP OR DROP-DOWN SIDES EACH	SYSTEM EACH
113836	20'W x 12'H x 28'L	1.66'/14 ga	4	\$ 7,979.00	\$ 9,875.00	\$13,815.00	\$14,925.00
113837	20'W x 12'H x 36'L	1.56*/14 ga	4	9,115.00	11,279.00	15,525.00	17,725.00
113838	20'W x 12'H x 48'L	1.66"/14 ga	4	10,965.00	12,725.00	19,945.00	22,385.00
113839	20'W x 12'H x 72'L	1,56°/14 ga	4	13,815.00	16,525.00	27,919.00	29,819.00
106306	26'W x 12'7-3/4"H x 28'L	1.661/14 ga	4	8,069.00	9,989.00	13,875.00	15,845.00
106307	26'W x 12'7-3/4"H x 36'L	1.66'/14 ga	4	9,329.00	11,565.00	15,779.00	17,865.00
106308	26'W x 12'7-3/4"H x 48'L	1.561/14 ga	4	11,205.00	13,339.00	20,705.00	22,805.00
106309	26'W x 12'7-3/4"H x 72'L	1,66"/14 ga	4	12,289.00	17,015.00	29,345.00	31,779.00
106310	30'W x 12'6-3/8"H x 36'L	1.90"/14 ga	6	10,059.00	12,485.00	18,335.00	20,089.00
106311	30'W x 12'6-3/8"H x 48'L	1.90"/14 qa	6	12,085.00	14,959.00	23,109.00	25,189.00
106312	30'W x 12'6-3/8"H x 72'L	1.90°/14 ga	6	16,309.00	19,405.00	31,175.00	33,445.00
106313	30'W x 12'6-3/8"H x 96'L	1.90'/14 ga	6	19,275.00	22,929.00	40,305.00	42,479.00
106314	34'W x 12'3-5/8"H x 40'L	1,90"/14 ga	6	12,149.00	15,045,00	22,919,00	25,035.00
106315	34'W x 12'3-5/8"H x 48'L	1.90°/14 ga	6	13,335.00	16,505,00	26,179.00	28,269.00
106316	34'W x 12'3-5/8"H x 72'L	1.90°/14 ga	6	17,609.00	20,959.00	36,565.00	39,109.00
106317	34'W x 12'3-5/8"H x 96'L	1.90"/14 ga	6	21,345.00	25,405.00	47,625.00	50,759.00

GrowSpan Round Pro Greenhouses are energy efficient, economical and ideal for the professional grower or backyard hobbyist. Choose either the greenhouse alone or save hundreds of dollars and purchase the entire Greenhouse System. You get exactly the equipment you need for your size greenhouse.

- · Frame is constructed from highest quality USA-made, triple-galvanized structural steel tubing.
- End frame is constructed from strong 16-gauge, 1.5" square USA-made, triple-galvanized structural steel tubing.
- GrowSpan Round Pro Greenhouse has polycarbonate ends and greenhouse film top covering.
- Available as stand-alone greenhouses or complete greenhouse systems.
- · 8 mm twin-wall polycarbonate provides superior insulating qualities, offers reduced heating costs and comes with a 10 year warranty.
- Double-layer film covering, with Inflation Fan Kit, is manufactured using an outer layer of our Sun Master' 6 mil, 4 year Greenhouse Film and an inside layer of our Sun Master' Infrared Anti-Condensate Thermal Film that maximizes heat retention and offers excellent drip control. Poly latches are included.
- "Twist-of-the-Wrist" Roll-Up Sides make ventilation easy.
- · Heavy Duty doors are 48"W x 92"H each and come complete with stainless steel hinges and latch. Optional Double Door Kit is also available.
- Heavy Duty ground posts are included with 20'W and 26'W units.
- · Heavy Duty Base Plates, that can be used on any surface and come with predrilled fastening holes, are included with 38'W units.
- During extreme heat, we recommend our SunBlocker" Black Knitted 60% Shade Panels, sold separately, to eliminate heat stress and to ensure optimum plant growth. Ask your National Account Manager for details.

GrowSpan Round Pro Greenhouse Systems include:

- Modine Corrosion-Resistant Vented Heater in natural gas or propane.
- · Commercial-Grade Exhaust Fan with shutters.
- ValuTek[®] Motorized, Heavy Duty Aluminum Intake Shutters.
- · ValuTek" Horizontal Airflow Fan,
- DuroStat® NEMA 4 Dual-Voltage, Waterproof Thermostat.
- Please note that size and quantity of items are determined by the size of your greenhouse. Ask your National Account Manager for more details.

GROWSPAN ROUND PRO GREENHOUSES AND SYSTEMS

SIZE	PIPE SIZE	PURLINS	GREENHOUSE	SYSTEM EACH
20'W x 10'7"H x 20'L		3		\$ 7,379,00
20'W x 10'7"H x 24'L		3	6.145.00	7,795,00
20'W x 10'7"H x 36'L	1.66"/14 ga	3	7,795.00	9,785.00
20W x 10'7"H x 48'L	1.66°/14 ga	3	8,889.00	10,775.00
26'W x 12'11"H x 28'L	1.66"/14 ga	4	7,075.00	9,205.00
26'W x 12'11"H x 36'L	1.66°/14 ga	4	8.195.00	10,305.00
26'W x 12'11"H x 48'L	1.66°/14 ga	4	9,825.00	12,049.00
26'W x 12'11"H x 60'L	1.66°/14 ga	4	11,629.00	14,029.00
38'W x 15'H x 40'L	2.375"/14 ga	9	15,419.00	18,309.00
38'W x 15'H x 48'L	2.375"/14 ga	9	16,635.00	20,135.00
38'W x 15'H x 72'L	2.375"/14 ga	9	21,325.00	26,979.00
38'W x 15'H x 96'L	2,375"/14 ga	9	26,015.00	31,425.00
	20'W x 10'7"H x 24'L 20'W x 10'7"H x 48'L 20'W x 12'7"H x 48'L 26'W x 12'11"H x 28'L 26'W x 12'11"H x 36'L 26'W x 12'11"H x 48'L 26'W x 12'11"H x 60'L 38'W x 15'H x 40'L 38'W x 15'H x 72'L	SIZE AND GAUGE 20'W x 10'7"H x 20'L 1.66"/14 ga 20'W x 10'7"H x 24'L 1.66"/14 ga 20'W x 10'7"H x 48'L 1.66"/14 ga 20'W x 12'11"H x 28'L 1.66"/14 ga 26'W x 12'11"H x 36'L 1.66"/14 ga 26'W x 12'11"H x 46'L 1.66"/14 ga 26'W x 12'11"H x 46'L 1.66"/14 ga 26'W x 12'11"H x 40'L 2.375"/14 ga 38'W x 15'H x 40'L 2.375"/14 ga 38'W x 15'H x 72'L 2.375"/14 ga	SIZE AND GAUGE PURLINS 20'W x 10'7"H x 20'L 1.66"/14 ga 3 20'W x 10'7"H x 24'L 1.66"/14 ga 3 20'W x 10'7"H x 36'L 1.66"/14 ga 3 20'W x 10'7"H x 48'L 1.66"/14 ga 3 20'W x 12'11"H x 28'L 1.66"/14 ga 4 26'W x 12'11"H x 36'L 1.66"/14 ga 4 26'W x 12'11"H x 48'L 1.66"/14 ga 4 26'W x 12'11"H x 46'L 1.66"/14 ga 4 26'W x 12'11"H x 40'L 2.375"/14 ga 9 38'W x 15'H x 40'L 2.375"/14 ga 9 38'W x 15'H x 72'L 2.375"/14 ga 9	SIZE AND GAUGE PURLINS EACH 20'W x 10'7"H x 20'L 1.66"/14 ga 3 \$ 5,695.00 20'W x 10'7"H x 24'L 1.66"/14 ga 3 6,145.00 20'W x 10'7"H x 48'L 1.66"/14 ga 3 7,795.00 20'W x 10'7"H x 48'L 1.66"/14 ga 3 8,889.00 26'W x 12'11"H x 28'L 1.66"/14 ga 4 7,075.00 26'W x 12'11"H x 48'L 1.66"/14 ga 4 8,195.00 26'W x 12'11"H x 48'L 1.66"/14 ga 4 9,825.00 26'W x 12'11"H x 60'L 1.66"/14 ga 4 11,629.00 38'W x 15'H x 40'L 2.375"/14 ga 9 15,419.00 38'W x 15'H x 48'L 2.375"/14 ga 9 21,325.00

Greenhouse and System add S (for Propane), or SN (for Natural Gas), to the end of your STK# to indicate your desired heater type.

GrowSpan Commercial Educator Greenhouse are available in a variety of lengths, making them ideal for research, education and other institutional facilities.

- Greenhouse frames are made from American-made, triple-galvanized, structural steel for corrosion resistance, durability and long life in any location.
- These structures are covered with 8 mm Twin-Wall Polycarbonate which is clear, UV resistant and twelve times lighter than glass. Polycarbonate will not develop a film after long exposure to sunlight and carries a 10 year warranty.
- All GrowSpan Commercial Educator Greenhouses come with two ends. One end has a built-in 3' x 7' Premium Pre-Hung Single Greenhouse Door.

GROWSPAN COMMERCIAL EDUCATOR GREENHOUSES

STK#	SIZE	EACH
GH51412BP	14'W x 12'L	\$13,865.00
GHS1424BP	14'W x 24'L	19,395.00
GHS14368P	14'W x 36'L	24,935.00
GHS1448BP	14'W x 48'L	29,109.00







Optional Single Door Kit

includes 36"W x 80"H door, complete with stainless steel hinges and latch and all necessary hardware for installation.

Optional Double Door Kit

 Includes Heavy Duty double doors, each 48"W x 92"H, stainless steel hinges and latch and all necessary hardware for installation. Double Door Kit not for use with 14W Greenhouses.

DOOR KITS

STK#	ITEM	EACH
104706	Single Door	\$399.00
105105	Double Door	839.00

GROWSPAN GOTHIC PRO GREENHOUSE SYSTEMS INCLUDE



Commercial-Grade Exhaust Fan

with Shutters Modine™

Power-Vented Greenhouse Heater *High Altitude Kit is required at altitudes over 2,000 ft.



ValuTek" Horizontal Airflow Fan



30°F to 110°F. ValuTek™ Motorized

Heavy-Duty

Aluminum Intako

Shutters

DuroStat™ NEMA 4 Dual Voltage Thermostat Controls heating

and cooling from





GrowSpan Pro Greenhouses offer you more valuable growing space. Purchase the greenhouse alone or save hundreds of dollars and purchase the entire GrowSpan Pro Greenhouse System.

- Frame is manufactured from highest quality USA-made, triple-galvanized structural steel tubing, with 4' rafter spacing.
- GrowSpan Round Pro Greenhouses the 1.315" OD with 17 gauge triple gaivanized structural stee tubing.
- GrowSpan Gothic Pro Greenhouses the 1.66° OD with 14-gauge triple-galvanized structural steel tubing.
- End frame is constructed from strong 16-gauge, 1.5" square USA made, triple-galvanized structural steel tubing.
- Ends are covered with 8 mm twin wall polycarbonate that offers superior insulating qualities and reduced heating costs and comes with a 10 year warranty.
- · Heavy Duty ground posts are included.
- We do recommend using a baseboard Our Recycled Plastic Lumber, sold sepratley, is ideal.
- Double-layer top covering, with Inflation Fan Kit, is manufactured using an outer layer of our Sun Master' 6 mi, 4 year Greenhouse Film and an inside layer of our Sun Master' Infrared Anti Condensate Thermal Film that maximizes heat retention and offers excellent drip control.
- Gothic Style is available with either Roll Up or Drop Down Sides. Drop Down Sides use our 5.2 oz. greenhouse fabric and come complete with our "Tw st of the Wrist" Assembly Baseboards are required for drop down sides.
- Units come equipped with a 36"W x 80"H heavy-duty, aluminum entry door, complete with 6 mm polycarbonate sections at both top and bottom, stainless steel hinges and latch.
- Optional Single Door Kit, sold separately.
- During extreme heat, use our SunBlocker* Black Knitted 60%
 Shade Panels, sold separately to eliminate heat stress and to ensure opt mum plant growth

GROWSPAN ROUND PRO GREENHOUSES AND SYSTEMS

		GREENHOUSE	SYSTEM
STK#	SIZE	EACH	EACH
104832	12'W x 8'1"H x 16'L	\$4,455.00	\$5,329.00
104833	12'W x 8'1"H x 20'L	4,745.00	5,635.00
104834	12'W x 8'1"H x 24'E	5,189 00	6,175 00
104835	12'W x 8'1"H x 28'L	5,755.00	6,855.00
104836	14'W x 8'3"H x 20'L	5,389.00	6,425.00
104837	14'W x 8'3"H x 24'L	6,165.00	7,045 00
104838	14'W x 8'3"H x 26'L	6,879.00	7,805 00
104839	14'W x 8'3"H x 32'L	7,405.00	8,405 00
For Greenho	use only acid C to the and of a	your desired STK# To on	for the entire

For Greenhouse only, add C to the end of your desired STK#. To order the entire GrowSpan Pro Greenhouse and System, add 5 (for Propane), or SN (for Natura) Gas), to the end of your STK# to indicate your desired heater type.

GROWSPAN GOTHIC PRO GREENHOUSES AND SYSTEMS

		GREENHOUSE	SYSTEM
STK#	SIZE	EACH	EACH
104840	14'W x 9'6"H x 16'L	\$5,629.00	\$6,309.00
104841	14'W x 9'6"H x 20'L	6,139.00	7,009.00
104842	14'W x 9'6"H x 24'L	6,609 00	7,579 00
104843	14'W x 9'6"H x 28'L	7,095 00	8,095 00
104844	16'W x 9'8"H x 20'L	6,515.00	7,439 00
104845	16'W x 9'8"H x 24'L	7,115.00	8,095 00
104846	16'W x 9'8"H x 28'L	7,695.00	8,699.00
104847	16'W x 9'8"H x 32'L	8,005.00	8,919.00
104848	18'W x 10'H x 20'L	6,955.00	7,965 00
104849	18'W x 10'H x 24'L	7,375.00	8,405 00
104850	18'W x 10'H x 28'L	7,825.00	8,705 00
104851	18'W x 10'H x 32'L	8,349.00	9,249.00
104852	18'W x 10'H x 36'L	8,715.00	9,729 00
Fra Consulto	and the state of the first and the first and the first and the state of the state o	Annual Company of the American	CTION To and a state of

For Greenhouse w/Roll-Up Sides add C to the end of your desired STK# To order the entire GrowSpan Pro Greenhouse and System add S (Propane) or SN (Natural Gas) to the end of the STK# to indicate desired heater type (ex. 104840SN).

For Greenhouse w/Dro-Down Sides add CD to the end of your desired STK#. To

For Greenhouse w/Drop-Down Sides add CD to the end of your desired STK#. To order the entire GrowSpan Pro System, add 5 (Propane) or SN (Natural Gas) to the end of the STK#, including CD, to indicate desired heater type iex. 104840CDSN).







ValuTex® Direct Drive Exhaust Fan with Shutters



Heavy-Duty Aluminum Intake Shutters





GrowSpan Series 2000 Commercial Greenhouses are the solution to the demand for modernized vegetable, bedding plant and hydroponic production. Designed to provide the optimal growing environment, these structures feature an energy efficient 6/12 roof design.

• Choose between 20, 24, 30, 35, 41 and 50 widths. Heavy Duty Base Plate and ground post mounting options are available, depending on your needs.

Gutter Heights Available up to 20'

Extra tall 10' side walls provide max mum usable space.

· Peak-roof design allows ventilation during almost all weather conditions. Optional end vent kits are also available for added ventilation. Ask your greenhouse specialist for details

· 6/12 roof design minimizes snow, ice and

water buildup and increases air flow for a more comfortable production environment. Energy-saving 8 mm polycarbonate roof, sides and end walls are impact and UV-resistant.

 End Frame Kits are sold separately below, along with End Cladding Kits, available in 8 mm Twin-Wall Polycarbonate or Corrugated Polycarbonate

GROWSPAN 20'W SERIES 2000 COMMERCIAL GREENHOUSES			GROWSPAN 30'W SER ES 2000 COMMERCIAL GREENHOUSES		
STK#	SIZE	EACH	STK#	SIZE	EACH
GS220048	20'W x 48'L	\$20,045.00	GS230048	30'W x 48'L	\$28,985.00
GS220060	20'W x 60'L	23,639.00	GS230060	30'W x 60'L	30,949.00
GS220072	20'W x 72'L	28,489.00	GS230072	30'W x 72'L	34,939.00
GS220084	20'W x 84'L	34,305.00	GS230084	30'W x 84'L	43,395.00
GS220096	20W x 96L	39,005.00	GS230096	30'W x 96'L	47,339.00
To indicate your desired anchoring method, add GP for Ground Posts		To Indicate your desired anchoring method, add GP for Ground			
or BP for Heavy Duty Base Plates to the end of the STK#.		Posts or BP for Heavy Duty Base Plates to the end of the STK#.		id of the STK#.	
COONICDAN DAIN/ CEDIEC 2000			CDOINCDANG	THE CED SC 2000	

				,,		
GROWSPAN 24'W SERIES 2000 COMMERCIAL GREENHOUSES			GROWSPAN 35'W SER ES 2000 COMMERCIAL GREENHOUSES			
	STK#	SIZE	EACH	STK#	SIZE	EACH
	GS224048	24'W x 48'L	\$22,719.00	GS235048	35'W x 48'L	\$29,969.00
	GS224060	$24W \times 60L$	27,429.00	GS235060	35'W x 60'L	33,225.00
	GS224072	24W x 72'L	29,729.00	GS235072	35'W x 72'L	38,069.00
	G5224084	24W x 84°L	35,325.00	G5235084	35'W x 84'L	44,119.00
	GS224096	24W x 96'L	40,295.00	GS235096	35'W x 96'L	50,209.00
To indicate your desired anchoring method, add GP for Ground Posts			To indicate your desired anthoring method, add GP for Ground			
or BP for Heavy Duty Base Plates to the end of the STK#.		Posts or BP for Heavy Duty Base Plates to the end of the STK#				

GROWSPAN SERIES 2000 COMMERCIAL END GREENHOUSE CLADDING KITS

STK#	WIDTH	CORRUGATED POLYCARBONATE EACH	B MM TWIN WALL POLYCARBONATE EACH
GK2FWC22120	20.	\$1,389.00	\$1,669.00
GK2EWC24120	24'	1.529.00	1,799.00
GK2EWC30120	30'	1.669.00	2,055.00
GK2FWC35120	35'	1,799.00	2,359.00
GK2EWC41120	41'	2,079.00	2,749.00
GK2EWC50120	50'	2,325.00	3,455.00

For Corrugated Polycarbonate, add C to the end of your desired STK# For 8 mm Twin-Wall Polycarbonate, add T to the end of your desired STK# or B for Heavy Duty Base Plates to the end of the STK#.



GROWSPAN 41'W SERIES 2000

COMMERCIAL	GKEENHOODE3	
STK#	SIZE	EACH
GS241048	41 W x 48 L	\$31,759.00
GS241060	41'W x 60'L	39,039.00
GS241072	41 W × 72'L	44,685.00
GS241084	41 W × 84 L	52,679.00
GS241096	41'W x 96'L	58,785.00
To indicate your dec	ized anchoring method add	GP for Ground Posts

or BP for Heavy Duty Base Plates to the end of the STK#.

GROWSPAN 50'W SERIES 2000 COMMERCIAL GREENHOUSES

	111111111111111111111111111111111111111			
STK#	SIZE	EACH		
GS250048	50'W x 48'L	\$34,975.00		
GS250060	50'W × 60'L	43,089.00		
GS250072	50'W × 72'L	51,065.00		
GS250084	50'W x 84'L	59,009.00		
GS250096	50W x 96'L	69,275.00		
To indicate your desired anchoring method, add GP for Ground Posts				
or BP for Heavy Duty Base Plates to the end of the STK#				

GROWSPAN SERIES 2000 COMMERCIAL **GREENHOUSE END FRAME KITS**

STK#	SIZE	EACH
GK2EW22120	20'	\$1,999.00
GK2EW24120	24	2,195 00
GK2EW30120	30'	3,035.00
GK2EW35120	35	3,465.00
GK2EW41120	41	4,335.00
GK2EW50120	50'	4,965 00
To indicate your desir	ed anchoring method ad-	d G for Ground Poets



GrowSpan Series 1000 Commercial Greenhouses were developed to meet the ever-increasing demand for economical production of vegetables and bedding plants, as well as hydroponic growing. Featuring galvanized-steel frames that ensure durability, these greenhouses are the most cost-effective, versatile and energy-eff cient available.

- Choose between 21, 24, 30, 35 and 42 widths. Heavy Duty Base Plate and ground post mounting
 options are available, depending on your needs.
- Extra-tal 10' side walls provide maximum usable space.
- . The roof is made from double poly, and the greenhouse comes with an inflation kit for the sidewarks
- · Both sides of greenhouse comes with gutters.
- Arched-roof design minimizes snow, ice and water buildup.
- End Frame Kits are sold separately below, along with End Cladding Kits, available in 8 mm Twin Wall Polycarbonate or Corrugated Polycarbonate.

Options for Bay Width: 21', 22', 24', 30', 35', 42'

GROWSPAN 21'W SERIES 1000
COMMERCIAL GREENHOUSES

COMMERCE	AL GIVEEN HOUSES	
STK#	SIZE	EACH
GS121048	21 W x 48 L	\$12,479.00
GS121060	21 W x 60 L	14,669 00
GS121072	21 W x 72 L	16,055.00
G5121084	21W x 84L	18,735.00
GS121096	21 W x 96 L	21,019.00
To indicate your	desired anchoring method, add GP fo	r Ground Posts or

To indicate your desired anchoring method, add GP for Ground Post BP for Heavy Duty Base Plates to the end of the STK#

GROWSPAN 24'W SERIES 1000 COMMERCIAL GREENHOUSES

STK#	SIZE	EACH
GS124048	24"W x 48"L	\$13,199.00
GS124060	24"W x 60'L	16,305.00
GS124072	24'W x 72'L	18,855.00
GS124084	24'W x 84'L	20,479.00
GS124096	24'W x 96'L	22,365 00

To indicate your desired anchoring method, add GP for Ground Posts or BP for Heavy Duty Base Plates to the end of the STK#.

GROWSPAN 30'W SERIES 1000 COMMERCIAL GREENHOUSES

STK#	SIZE	EACH
GS130048	30'W x 48'L	\$14,075.00
GS130060	30'W x 60'L	17,105.00
GS130072	30'W x 72'L	19,909 00
GS130084	30W x 84'L	22,815.00
GS130096	30W x 96'L	25,565.00
T 1 . 1 . 1 . 1	The second of the second	C C ID .

To indicate your desired anchoring method, add GP for Ground Posts or BP for Heavy Duty Base Plates to the end of the STK#

GROWSPAN 35'W SERIES 1000 COMMERCIAL GREENHOUSES

STK#	SIZE	EACH	
GS135048	35'W x 48'L	\$15,485.00	
GS135060	$35'W \times 60'L$	20,279.00	
GS135072	35'W x /2'L	21,555.00	
GS135084	35'W x 84'L	24,009.00	
GS135096	35'W x 96'L	29,619.00	
To indicate your desired anchoring method, add GP for Ground Posts or			

To indicate your desired anchoring method, add GP for Ground Posts of BP for Heavy Duty Base Plates to the end of the STK#

GROWSPAN 42'W SERIES 1000 COMMERCIAL GREENHOUSES

COMMERCIAL	GREENHOUSES	
STK#	SIZE	EACH
GS142048	42'W x 48'L	\$20,325.00
GS142060	42'W × 60'L	25,365.00
GS142072	42'W x 72'L	30,215.00
GS142084	42'W x 84'L	35,075.00
G\$142096	42'W x 96'L	41,345 00

To indicate your desired anchoring method, add GP for Ground Posts or BP for Heavy Duty Base Plates to the end of the STK#.

GROWSPAN SERIES 1000 COMMERCIAL

GREENHOUSE END FRAME KITS						
STK#	SIZE	EACH				
GK1EW21120	21'	\$1,879.00				
GK1FW24120	24'	1,935.00				
GK1EW30120	30'	2,475.00				
GK1EW35120	35'	2,629.00				
GK1EW42120	42'	3,175.00				
To indicate your desired anchoring method, add G for Ground Posts or B						

for Heavy Duty Base Plates to the end of the STK#

GROWSPAN SERIES 1000 COMMERCIAL GREENHOUSE END CLADDING KITS

		CORRUGATED	8 MM TWIN-WALL
		POLYCARBONATE	POLYCARBONATE
STK#	WIDTH	EACH	EACH
GK1EWC21120	21'	\$1,255 00	\$1,529.00
GK1EWC24120	24'	1,389 00	1,669.00
GK1EWC30120	30'	1,529 00	1,825.00
GK1EWC35120	35'	1,669.00	2,225.00
GK1EWC42120	42'	1,945.00	2,579.00
For Correspond Balanchana	es add fits the end of vour de	and CTK# For 9 was Turn Wall Relayadonate add	Teneba and after a darring billish





Reliable, low-maintenance Power Vent System includes durable rack and pinion setup for automated greenhouse ventilation.

- Ideal for new greenhouses, our Power Vent System can be customized for any size side, roof or end wall vents.
- Manufactured from high-quality components for long-lasting use
- Single phase 115 V motor features a self-braking, worm-drive transmission and a patented integrated linear limit switch system.
- Make your system complete with one of our Link4 (Grow Controllers, sold separately.
- We offer all the components you need to create a custom vent system for your greenhouse. Call one of our greenhouse specialists to design your system today.

GREENHOUSE POWER VENT SYSTEM

STK#	ITEM	EACH
115093	Polydrive Vent Motor, Single Phase, 115 V	\$939.00
111680	Vent Rack	9.95
111673	Curved Vent Rack	11 <i>.9</i> 5
111679	Vent Rack Drive	11.95
111674	Vent Bearing Plate	9.00
111675	Vent Chair Bolt Coupling	35 95
111678	Vent Mounting Plate	20.95
111681	Vent Window Connector	2,95

Customize the ideal gutters for Arch-Type and A-Frame Greenhouses with our gutter components and accessories.

Manufactured from durable 12-gauge galvanized steel

- Gutter Sadd es ensure secure installation of gutters to roofs.
- Two gutter types available: with or without downspout.
- Install your gutter system with our Drip Gutters to collect condensation from gutter undersides. Drip Gutters are available in two lengths and are manufactured from 6063 grade aluminum

GUTTERS AND ACCESSORIES FOR ARCH-TYPE GREENHOJSES

	THE PRODUCTION OF THE PARTY OF					
STK#	ITEM	LENGTH	EACH			
111629	Gutter Saddle	4*	\$ 10.95			
111630	Open Ended Gutter	143 5/8"	159.50			
111631	Gutter w/Downspout	143-5/8"	115.95			
111632	Extension w/Closed End and Downspout	12"	109.95			
111633	Extension w/Closed End	12"	115.95			
111634	Extension w/Open Ends	12"	35.95			
GUTTERS AND ACCESSORIES FOR A-FRAME GREENHOUSES						
GUTTERS A	ND ACCESSORIES FOR A-F	RAME GREEN	HOUSES			
GUTTERS A STK#	IND ACCESSORIES FOR A-F ITEM	RAME GREENI LENGTH	HOUSES EACH			
STK#	ITEM	LENGTH	EACH			
5TK# 111908	ITEM Gutter Saddle	LENGTH 4"	EACH \$ 7.95			
5TK# 111908 111909	ITEM Gutter Saddle Open Ended Gutter	LENGTH 4" 143:5/8"	EACH \$ 7.95 135.95			
5TK# 111908 111909 111910	ITEM Gutter Saddle Open-Ended Gutter Gutter w/Downspout	LENGTH 4" 143-5/8" 143-5/8"	EACH \$ 7.95 135.95 75.95			

111673 w/ 111679 111680 w/ 111679 111678 111681 111679 111675 115093 111674







Gutter Extension w/Closed End

12


Gutter w/Downspout



Customize your new or existing greenhouse roof, ventilation system and more with Aluminum Extrusions.

- Manufactured from 6063-grade aluminum for durability.
 Design the ideal roof, sidewall or end-wall vents for your structures.

STK#	ITEM	EACH
111601Z096	8' Roof Mullion Gasket System	\$25 95
111601Z144	12' Roof Mullion Gasket System	29 95
111601	24' Roof Mullion Gasket System	56.95
111604Z096	8' Roof Mullion Cap Gasket System	19 95
111604Z144	12' Roof Mullion Cap Gasket System	27 95
111604D	24' Roof Mullion Cap Gasket System	75 95
ALUMINUM EXTE	RUSIONS FOR ARCH-TYPE GREENHOUSE CON	STRUCTION
STK#	ITEM	EACH
111612Z096	8' Polyethylene Roof Vent Bottom Rail	\$22.95
111612Z144	12' Polyethylene Roof Vent Bottom Rail	29 95
111612	24' Polyethylene Roof Vent Bottom Rail	52.95
ALLMINUM EXT	RUSIONS FOR A-FRAME AND ARCH-TYPE	
GREENHOUSE CO	DNSTRUCTION	
STK#	ITEM	EACH
111608Z096	8' End Wall Bar/Vent Bar Cap	\$ 9 95
1116087144	12' End Wall Bar/Vent Bar Cap	12.95
111608	24' End Wall Bar/Vent Bar Cap	30.95
111609Z096	8' End Wall Bar/Vent Bar	18.95
111609Z144	12' End Wall Bar/Vent Bar	36.95
111609	24' End Wall Bar/Vent Bar	66.95
111610Z096	8' End Wall Vent Bottom Rail	24.95
1116102144	12' End Wall Vent Bottom Rail	26.95
111611Z096	8' End Wall Vent Top Rail	30 95
111611Z144	12' End Wall Vent Top Rail	36.95





GrowSpan's Series 750 Commercial Greenhouse is an industry game changer. This structure features a fully automated light deprivation system at a price point operations can't ignore.

GrowSpan Blackout System:

- Cost effective automated light deprivation has never been this simple. This light depisystem sits
 on a substructure within the greenhouse, and when in use, the biackout material ascends to the
 building's peak, creating total darkness in a matter of moments.
- The light deprivation system is cable driven and designed with fewer parts, so installation and maintenance are easier than traditional systems.
- The system is completely internal, so it's not susceptible to damage from wind or the elements.
- Optional Series 750 Equipment Packages are available.
- The greenhouse is manufactured with galvanized steel and designed for strength and resilience.
 Each structure can be engineered upon request for up to
 25 psf ground snow load, 12 psf live load and 105 mph wind speed.
- Greenhouses are available at 32'W at a standard w dth, b ackout width of 30' and lengths of 48', 72', 96' and 120'. It features a 16'H peak, 7'H sidewalls and a 6.3:12 roof pitch.
- Covered with inflatable film for improved insulation. End walls are white black white polycarbonate to provide superior energy efficiency and a clean, professional look.
- Inc udes Plyco double door
- Option of lumber baseboard or galvanized steel baseboard. Lumber baseboard sold separately.
 The Series 750 comes with hardware for lumber baseboard. Galvanized steel baseboard option does include the steel baseboard.

Series 750 Equipment Packages

- GrowSpan's Greenhouse Specialists have already sized out these packages, so growers are
 ensured to get the proper setup for their GrowSpan Series 750 Commercial Greenhouse.
- Equipment packages include two exhaust fans with centrifugally activated shutters and lowprofile light traps, an evaporative cooling system and end wall vent with white-black-white cladding and horizontal airflow fans with hanging equipment
- Evaporative Wall is 4' x 19".

Mounting equipment in your GrowSpan Series 750 is a simple task with this Equipment Mounting Kit

- This kit is great for mounting add tion lights, circulation fans, wiring conduit and much more.
- Each kit contains a 2 x 2 square chord and hardware that spans the internal rafters and is suspended from the peak of the 6 x 6 main structure by a threaded rod.
- The equipment mounting height is approximately 9' above ground level
- Maximum recommended weight per chord is 150 lbs.

EQUIPMENT MOUNTING KIT STK# EACH 117278 \$205.95

GROWSPAN SERIES 750 COMMERCIAL GREENHOUSES

		LUMBER	GALVAN ZED
		BASEBOARD	STEEL
STK#	SIZE	HARDWARE	BASEBOARD
GS7532048	32'W X 48'L	\$32,935.00	\$33,725.00
GS7532072	32'W X 72'L	42,389.00	42,995.00
GS7532096	32'W X 96'L	51,679,00	52,319.00
GS7532120	32'W X 120'L	61,315,00	62,799.00

*Add an I. to the end of the STK# for lumber baseboard, S for galvanized steel baseboard and/or E for the equipment package







LJMBER BASEBOARD HARDWARE PLUS EQUIPMENT PACKAGE \$42,089 00 52,675.00 62,439 00 72,555.00 GALVANIZED STEEL BASEBOARD PLUS EQJIPMENT PACKAGE \$42,855.00 53,695.00 63,719.00 73,319.00







GrowSpan Series 500 Tall Cold Frames, with 6'H sidewalls, provide maximum usable growing space and increased overhead space for great ventilation.

- Premlum 2 375" OD 16-gauge galvanized steel frame ensures strength, durability and long life.
- Cover with fabric of your choice, sold separately.
- Rafter spacing is 6' for 20'W, 24'W, 30'W and 35'W frames, 4' spacing for the 42'W frame.

 • Sidewall height .s 5'.
- · 20'W cold frames are 16'H.
- · 24'W cold frames are 16'6"H.
- 30'W cold frames are 17'4"H
- 35'W cold frames are 18'H.
- 42'W cold frames are 19'H.
 Heavy Duty ground posts are included with your cold frame. Ground posts are made of 2.197" OD 10-gauge steel to provide exceptional support.
- Baseboards are recommended. Our Recycled Plastic Lumber, sold separately, is idea, or purchase lumber of your choice locally.
- Optiona End Frame Kits, Doors, Ridge Vent Kits, Rol Up Ends and Support Packages are available.
- Optiona Post Driver, for easy installation, sold separately.

SERIES	500	TALL	COLD	FRAME	

STK#	SIZE	EACH
GS052036GCF	20'W x 36'L	\$ 3,005.00
GS052048GCF	20'W x 48'L	4,365.00
GS052060GCF	20'W x 60'L	5,125.00
GS052072GCF	20'W x 72"L	5,899.00
GS052096GCF	20'W x 96'L	
7.029 00GS052436GCF	24'W x 36'L	4,005 00
GS052448GCF	24'W x 48'L	4.849.00
GS052460GCF	24'W x 60'L	5.735.00
G5052472GCF	24'W x 72'L	6,585.00
GS052496GCF	24'W x 96'L	•
8,015.00GS053036GCF	30'W x 35'L	4,689.00
GS053048GCF	30'W x 48'L	5,735.00
GS053060GCF	30W x 60L	6,765 00
GS053072GCF	30'W' x 72'L	7,699.00
GS053096GCF	30'W x 95'L	
9,155.00GS053536GCF	35'W x 36'L	5,075.00
GS053548GCF	35'W x 48'L	6,149.00
GS053560GCF	$35'W \times 60'L$	7,279.00
GS053572GCF	35'W x 72'L	8,315 00
GS053596GCF	35'W x 96'L	
9,619.00G5054236GCF	42'W x 36'L	9,649.00
G5054248GCF	42'W x 48'L	11,175.00
GS054260GCF	42'W x 60'L	13,785.00
GS054272GCF	42'W x 72'L	16,329.00
G5054296GCF	42'W x 96'L	21 365 00
		4.00



GrowSpan Straight Sided Cold Frames provide a comfortable growing environment.

- · Encourages better air circulation, with less hum dity and more stable air temperature.
- Constructed from 14-gauge USA-made, triple-galvanized structural steel tubing.
- 20'W models have a 4'6" sidewall height and a 9'6" height at peak.
- 28'W models have a 4' sidewall height and an 11' height at peak.
- Ground posts and purlins included.
- Can be covered with greenhouse film, shade cloth or lightweight PolyMax* fabric, a I sold separately. 20'W requires 32'W film 28'W requires 42'W film.
- Top and bottom baseboards are recommended. Our Recycled Plastic Lumber, sold separately, is ideal.

Expand your existing Cold Frame with one of our Cold Frame Rafter Kits. Any length, any spacing. Gain additional, valuable growing space

- Rafter Kits add extra strength and durability particularly in heavy-snow areas.
- Kits come complete with two ground posts.
- Simply add purlins and cross connectors, sold separately, as needed.

Rafter Kit Accessories

- Universal swaged purlins are manufactured from 17 gauge, USA-made, triple galvanized structural steel tubing and are corrosion resistant
- 1,315° OD, 1-3/16° ID, 3° swage.
- · Unique aluminum universal cross connectors are ideal for purlin to rafter connections and will add strength to your greenhouse.

GROWSPAN STRAIGHT SIDED COLD FRAMES

		PIPE	RAFTER					PIPE	RAFTER		
STK#	SIZE	DIMENSION	SPACING	PURLINS	EACH	STK#	SIZE	DIMENSION	SPACING	PURLINS	EACH
104224	$20'W \times 24'L$	1.66"	6'	3	\$1,545.00	104381	$28'W \times 24'L$	1.90*	6'	3	\$2,239.00
105038	20'W x 36'L	1.66"	6'	3	2,325.00	105044	$28'W \times 36'L$	1.90"	6'	3	3,189.00
104225	20'W x 48'L	1.66"	€"	3	2,945.00	104382	$28'W \times 48'L$	1.90"	6"	3	4,025.00
105039	20'W x 60'L	1.66"	6'	3	3,479.00	105045	28'W x 60'L	1,90"	6'	3	4,835.00
105040	20'W x 72'1	1 66"	l© ^r	3.	3,765.00	105046	28'W x 72'L	1 90*	6"	3	5,469.00
104226	20'W x 96'L	1.66"	€°	3	4,549.00	104383	28'W x 96'L	1.90"	6"	3	6,455.00
104221	20'W x 24'L	1.66"	4'	1	1,705.00	104378	28'W x 24'L	1.90"	4"	3	2,365.00
105041	$20'W \times 36'L$	1.66"	4'	T	2,545.00	105047	28'W x 36'L	1,90"	4'	3.	3,495.00
104222	20'W x 48'L	1.66"	4'	1	3,225.00	104379	28'W x 48'L	1 90"	4"	3	4,435.00
105042	20'W x 60'L	1.66"	4'	1	3,765.00	105048	28'W x 60'L	1,90"	4	3	5,239.00
105043	20'W x 72'l	1 66"	4'	1	4,289.00	105049	28'W x 72'L	1 90*	4'	3	6,019.00
104223	20'W x 96'L	1.66"	4'	1	5,419.00	104380	28'W x 96'L	1.90"	4"	3	7,095.00
Film covering	g sold reparately.					Film coverin	ng sold separately				



Connector



STRAIGH	T SIDED CO	OLD FRAME RAFTER	R KITS	UNIVERSA	AL GALVANI	ZED SWAGEE	PURLINS	UNIVERS	SAL CROSS CON	NECTORS	
STK#	WIOTH	PIPE DIMENSION	EACH	STK#	LENGTH	EACH	50 & UP	STK#	F TS PIPE OD	EACH	200 & JF
107028	20'	T.66 [™]	\$275 00	1315075	75*	\$18. 9 5	\$18.19	102548	1.66" x 1.315"	\$3.85	\$3.69
107029	28'	1.90 ^t	339.00	1315096	96 ²⁶	19.09	17 95	102547	1.90" x 1.315"	4.05	3.79

Un'versal End Frames


- Durable in all environments,
- Manufactured from 16-gauge, 1.5" square USA made, triple-galvanized structural steel tubing.
- · Vertical metal studs are installed on 2' centers and can be covered with any material of your choice.
- Door, fan and shutter openings are easily created on the jobsite.
- Polycarbonate cladding kits are available for Universal End Frames. The 8mm twin-wall polycarbonate is available in clear and white-blackwhite options. These kits cover a single end wall and come with a,lithe required accessories.
- Ask one of our National Account Managers for recommendations for the fans, shutters, doors and coverings that will best suit your exact needs.


UNIVERSAL END FRAMES

VINITERSAL END I MAINES						
STK#	FITS FRAME WIDTHS	EACH				
107939	12'-16'	\$ 819.00				
107940	17' 20'	945.00				
107941	21' 24'	1,025.00				
107942	25'-28'	1,135.00				
107943	29'-32'	1,255.00				
107944	32'-36'	1,339.00				



		FITS FRAME	
STK#	TYPE	WIDTHS	EACH
116796	Clear	Up to 20'W	\$ 679.00
116796B	Blackout	Up to 20'W	1,339.00
116797	Clear	21' 26'W	955.00
116797B	Blackout	21'-26'W	1,905.00
116798	Clear	27'-30'W	1,019.00
11679RR	Blackout	37'-30'W	1 965 00











Ideal for starting seedlings or transitioning greenhouse plants prior to autdoor planting

- Easy to assemble, no drilling or welding.
 Frame is manufactured from heavy-gauge, JSA-made, triple-galvanized. structural steel tubing.
- 4' rafter spacing.
- Two styles to choose from, Gothic or Round.
 Gothic style has 4'H side walls. For added strength and durability, especially in heavy-snow areas, we recommend adding our Gothic Style Support Packages, sold separately

 All units come complete with ground posts
- Baseboards are recommended. Our Recycled Plastic Lumber, sold separately, is ideal.

GROWSPAN ROUND COLD FRAMES

CHORD	WILL LACO. AT	COLD I MAINI	LJ									
									REQJIRED			
		24'L		36'L			48'_		PO∟Y	CENTER	# OF	PIPE SIZE
WIDTH	STK#	EACH	STK#		EACH	STK#		EACH	WIDTH*	HEIGHT	PURLINS	AND GAUGE
8'	103083	\$ 1,009.00	105002		\$1,445.00	103084		\$1,869.00	28'	8, 2,	1	1.315 ¹ /17 ga
10'	103087	859.00	105003		1,215.00	103088		1,519.00	28'	8'7-1/16"	1	1.315 ¹ /17 ga
12'	103099	905.00	105006		1,305 00	103100		1,735 00	28'	8'7 9/16"	1	1 315'/17 ga
14'	103101	985.00	105009		1,755 00	103102		2,245.00	28'	8'5-7/16"	1	1.315 ³ /17 ga
20'	103103	1,609.00	105012		2,285 00	103104		2,945.00	361	10'7-9/16"	3	1.66°/14 ga
26'	103106	1,769.00	105015		2,685.00	103107		3,589.00	42'	13'1/4"	4	1.66°/14 ga
38'	-	_	-		-	103757		6,309.00	52'	15'3 1/4"	9	2.375"/14 ga
	1	50'L		72'L			96'L		÷			_
10'	105004	\$1,909.00	105005		\$2,205 00	103089		\$ 2,685.00	28 ⁷	8"7 1/16"	1	1.315 ³ /17 ga
12'	105007	2,059.00	105008		2,375.00	102859		2,825.00	28'	8'7 9/16"	1	1.315 ³ /17 ga
14'	105010	2,299.00	105011		2,555.00	103086		3,139.00	28'	8'5-7/16"	1	1.315'/17 ga
20'	105013	3,625.00	105014		3,965 00	103105		4.835.00	36'	10'7-9/16"	-3	1.56"/14 ga
26'	105015	4,465.00	105017		4,925.00	102861		6.049.00	42'	13'1/4"	4	1.66*/14 ga
38'	105018	7,885.00	105019		8,635 00	103758		10,985.00	52'	15'3-1/4"	9	2.375*/14 ga
					·				*Poly coverin	igs sold separatel	y.	-

GROWSPAN GOTHIC COLD FRAMES

									REQUIRED			
		2	JAPL		36'L			48'L	POLY	CENTER	# OF	PIPE SIZE
WIDTH		STK#	EACH	STK#		EACH	STK#	EACH	WIDTH*	HEIGHT	PURLINS	AND GAUG
14'		113355	\$1,609.00	113356		\$2,305.00	113357	\$2,899.00	36	10 6"	4	1.66°/14 ga
18'	- 1	106318	1,795.00	106319		2,555.00	106320	3,225.00	36'	11'6-3/4"	4	1.66"/14 ga
20'		106324	1,915.00	106325		2,685.00	106326	3,405.00	36'	121	4	1.66*/14 ga
24'		106330	2,259.00	106331		3,215 00	106332	4,029.00	40'	12'	4	1.66°/14 ga
26'		106336	2,399.00	106337		3,355 00	106338	4,335.00	48'	12'	4	1.66"/14 ga
30'	i	106342	2,685.00	106343		3,899.00	106344	4,835.00	48'	12'	δ	1.90"/14 ga
34'		106348	2,955.00	106349		4,029.00	106350	4,969.00	48'	12'	6	1.90"/14 ga
		6	0'L		72'L			96'L				-
14'	Ť	113358	\$3,619.00	113359		\$4,229.00	113360	\$4,955.00	36'	10'-6"	4	1.66°/14 ga
1.81	i	106321	4,039.00	106322		4,699 00	106323	5,379 00	36'	11'6-3/4"	4	1.66"/14 ga
20'	i	106327	4,315.00	106328		4,905.00	106329	5,795.00	36'	12'	4	1.66"/14 ga
24'		106333	4,945.00	106334		5,745.00	106335	6,625.00	40'	12'	4	1.66"/14 ga
26"		106339	5,379.00	106340		6,125.00	106341	7,125.00	48'	12'	4	1.66"/14 ga
30"		106345	5,735.00	106346		6,585.00	106347	8,425.00	48'	12'	5	1.90"/14 ga
34"	- 1	106351	6,029.00	106352		6,855.00	106353	8,789.00	48'	12'	5	1.90"/14 ga
									*Poly coverir	ngs sold separate	lly.	







GrowSpan Economy Cold Frames

- Choose from a large selection of frame widths and lengths.
- Frames are made from 19-gauge, 1.05" OD USA made, triple-galvanized structural steel tubing, with 5' rafter spacing and one pur in
- Extra rafter k ts are available, as well as pipe for additional purlins.
 To provide stab lity and durability for your frame, we recommend using our Recycled Plastic Lumber for upper and lower baseboards. UV stabilizers protect this lumber. and it will not rot, split, crack or splinter. Sold separately
- Available frame only or choose frame with 6 mil 4 year greenhouse film, just like the professionals use. Film contains UV block, which helps to reduce the harmful effects of ultraviolet rad ation while providing a more comfortable working environment, and an anti-dust additive for better film clarity over the life of the covering. 8' single U-Channe's and Stainless Steel Springs are included with purchase of Cold Frame with Film to provide a professional, finished appearance (not included with frame only option)
- Ground posts and post driver are included for anchoring.

GROWSPAN ECONOMY COLD FRAMES

		COLD	COLD FRAME
STK#	SIZE	FRAME	WITH FILM*
105158F	6W x 7'H x 5'l	\$195.00	\$ 329 00
105159F	6'W x 7'H x 10'L	249.00	395.00
105160F	6'W x 7'H x 15'L	315.00	485.00
105161F	6'W x 7'H x 20'L	365.00	525.00
105163F	$8'W \times 7'H \times 10'L$	265.00	399.00
105164F	8'W x 7'H x 15'L	365.00	525.00
105165F	$8'W \times 7'H \times 20'L$	425 00	689.00
105166F	8'W x 7'H x 25'l	505.00	729 00
105167F	8'W x 7'H x 30'L	589.00	815.00
105169F	10'W x 7'H x 10'L	315.00	485.00
105170F	10'W x 7'H x 20'L	429.00	709.00
105171F	10'W x 7'H x 30'L	555.00	955.00
105172F	10'W x 7'H x 40'L	705.00	1,155.00
105173F	10'W x 7'H x 50'L	825.00	1,399 00
105175F	12'W x 7'H x 10'L	339.00	555.00
105176F	12'W x 7'H x 20'L	465.00	995.00
105177F	12'W x 7'H x 30'L	605.00	1,119.00
105178F	12'W x 7'H x 40'L	729.00	1,229.00
105179F	12'W x 7'H x 50'L	859.00	1,409.00

"To order Cold Frame with Film, add F to the end of your STK# (ex. 105179FF).



Get your family growing today or give your small business a poost with the GrowSpan Hydroponic & Gothic Greenhouse Package. With this package you'll be able to grow everything from large vine crops, like tomatoes or cucumbers, to smaller herbs, like basil and parsley.

The GrowSpan Hydroponic & Gothic Greenhouse Package comes with some of our most popular hydroponic products

- If you like tomatoes, peppers, eggplant or other vine crops, you'll love the two HydroCycle H2-4 Micro Dutch Bucket Systems that we've included.
- There's also a HydroCycle 4" Pro NFT Lettuce System to grow green and leafy lettuce. These systems are great for hobbyists and commercial growers alike.
- You'l also find a 4' x 8' and 4' x 4 Propagation Float Station. The larger station has been used with success for growing pacchoi, swiss chard, kale and more, while the smaller is great for fresh herbs, ike basil, parsley, cilantro and more.
- We've also included a 2' x 8' Low Tide Tray that is great for seed propagation.
- With all of the plants you'll cultivate you'll need a workspace. and place to keep things organized and for this there are two 2' x 8' PolyMax' Benches

You'll also have the option of including the GrowSpan Gothic Pro Greenhouse System.

- HeatStar Blue Flame Heater that comes in a model that runs on propane or one that runs on natural gas. Heater is not for use at altitudes above 4,500 Cannot be sold in California. In Massachusetts, must be installed in compliance with CMR 248.
- ValuTek® Direct Drive Exhaust Fan with Shutters promotes air quality and helps to remove condensation,
- DuroStat® NEMA 4 Dual Voltage Thermostat is an easy-to-use thermostat that allows you to keep your greenhouse at the proper temperature.
- ValuTek" 12" Combo Air Circulation Fan is ideal for hanging from purlins in your greenhouse and promotes air circulation and quality.
- ValuTek Motorized Heavy Duty Aluminum Intake Shutters can be used with thermostatic controls or manually and it helps to keep fresh air within the greenhouse.
- Net Pots are sold separately and Float Rafts can be sourced locally.

These packages can be housed in your choice of GrowSpan Gothic Pro Greenhouses or GrowSpan Gothic Premium Greenhouses

- The GrowSpan Gothic Pro Greenhouse is covered by double-layer Sun Master Greenhouse Film and is available with Roll-Up or Drop-Down sides.
- Our GrowSpan Gothic Premium Greenhouse is covered with polycarbonate for strength and durability.





GROWSPAN GOTHIC PRO GREENHOUSE SYSTEMS INCLUDE DuroStat" NEMA

HeatStar Blue Flame Heater in your choice of natural gas or propane. Comes with built-in 110 V blower fan and thermostat. Heater is not for use at altitudes above 4,500'. Cannot be sold in California In Massachusetts. must be installed in compliance with CMR 248.





Va LTek" 12" Combo Air Circulation Fan





ValuTek Motorized ValuTex® Direct Drive Exhaust Fan with Shutters Heavy-Duty Aluminum Intake Shutters

GROWSPAN HYDROPONIC GREENHOUSE PACKAGE

EACH 5TK# 113620 \$5,579.00

GROWSPAN 14'W X 24'L GROWSPAN HYDROPONIC AND GOTHIC GREENHOUSE PACKAGES

		GREENITOUSE	
STK#	ITEM	SYSTEM	
104842C	GrowSpan Gothic Pro w/Roll Up Sides	Not Included	
104842CD	GrowSpan Gothic Pro w/Drop-Down Sides	Not Included	
104842CDS	GrowSpan Gothic Pro w/Drop Down Sides	Included w/Propage	
1D4842CDSN	GrowSpan Gothic Pro w/Drop-Down Sides	Included w/Gas	
1048425	GrowSpan Gothic Pro w/Roll-Up 5ides	Included w/Propane	
1048425N	GrowSpan Gothic Pro w/Roll-Up 5ides	Included w/Gas	
106207C	GrowSpan Gothic Premium	Not Included	
106207SN	GrowSpan Gothic Premium	Included w/Gas	
106207SP	GrowSpan Gothic Premium	Included w/Propane	



Excellent resistance to moisture, chemicals ,acids, alkalis, oils, abrasion and weathering.

- Primarily used for splicing polyethylene film.
- Also ideal as a weather seal for plastic storm windows, door jambs and window casings in low temperature environments.
- 6 mil, high sheer, UV-resistant acrylic adhesive with excellent holding properties and cold stick.
- Excellent moisture barrier
- Conforms well to irregular surfaces.

STK#	ROLL SIZE	EACH	DISCOUNT PRICE
105434	2" x 108'	\$20.95	\$18.95 (24 & up)
105435	4" x 108'	36.95	34.95 (12 & up)
105436	6" x 108'	55.95	49 95 (8 & up)
105437	10" × 108"	83.95	77.95 (4 & up)

Foam sealant weather strip is designed to seal against rain, wind, humidity, sound, draft and dust.

- · Use around doors, windows and vents.
- · Pre-compressed, self-expanding black polyurethane foam sealant.
- Easy to apply and long lasting.
- · Self adhesive, adhering to both sides of
- · Excellent resistance to weather, aging and fungi.

 20' roll expands from 1/4" x 1" to 1" squared when appiled.



Saver Aluminum Fabric Clips.

LABOR SAVER ALUMINUM FABRIC CLIPS

STK#	FITS	EACH	100 & UP
CC6209	0.706" OD Pipe	\$0.62	_
CC6211	0.922" OD Pipe	1.39	\$1.23
105107	1.05" OD Pipe	1.59	1.49
CC6212	1.315" OD Pipe	1.67	1.55
CC6213	1.66' OD Pipe	1.85	1.61
CC6214	1.90" OD Pipe	2.15	1.99
CC6216	2.375" OD Pipe	3.25	2.90



Extend the life of your greenhouse covering.

- · Run this one-sided adhesive felt tape along your greenhouse rafters to reduce wearing and chafing of your greenhouse covering
- Prevents film degrading as film does not rub against pipe.
- · Comes in easy-to use 1.5" x 40 rolls.





STIC#	EACH	12 & UP
104437	\$24.95	\$23.49

60 ft. of clear, durable polyethylene tape per roll Single sided strength No backup tape needed

Just peel off backing and place

for quick, long-lasting repairs.

· Ideal for patching rips or tears in

curtains, tarps and vapor barriers.



Fabric Seam


SUPERTAPE SEAMING AND FABRIC REPAIR TAPE

STK#	SIZE	EACH
101616	3" x 60'	\$3319
102376	6" x 60'	47 95

Makes greenhouse film, shade cloth and curtain installation fast and easy.

- Reusable latches hold material up to 20 mil thick.
- Creates a professional, finished appearance.





ALUMINUM	POLY LAI CHES			
STK#	ITEM	EACH	50-99	100 & UP
102197	Single U-Channel 8'L	\$ 9.97	\$ 9.59	5 9 45
104211	Double U Channel 8'L	36.95	29.95	25 95
102198A	0.10 Spring 6.5'L	3.05	2.79	2.69

SEE FULL-LINE @

Polypropylene Curtain Retaining Strapping

- Extremely durable and highly UV resistant.
- · Smooth, wide surface retains curtain and prevents wear
- · Ratchets help to keep strap tight.
- May contain up to two splices per roll.



POLYPROPYLENE CURTAIN RETAINING STRAPPING

STK#	SIZE	COLOR	CAPACITY	ROLL	EACH	6 & UP
CC5330	1-3/4"	Black	Utility	300'	\$ 14.29	\$ 13.33
CC5335	2-3/4"	Brack	Utility	300	18 5 9	17 95
CC5340	2-3/4"	White	Utility	300'	18 90	1751
111390	1"	Biack	3,000 lbs.	300"	B3.95	78.25
109621	2 °	White	3,000 lbs.	300,	59.95	46.95
108013	2°	Brack	3,000 lbs.	300'	59.95	55.95
109748*	2"	Premium White	2,500 lbs.	300'	58. 9 5	
112109	2°	Yellow	10,000 lbs.	300'	162,95	149.95
109622	4"	White	5,000 lbs.	150'	51.95	47 95
108014	4"	Brack	5,000 lbs.	150'	55.95	49.95
*Premium W	fhice Stran	oloo baca dabtar waa	ws making ir mor	durable and	Heavy (color)	

anti-billowing applications.

Quality remnants that save you money.

- · Economical way to secure poly film to greenhouses or to any structure.
- Prevents wind lift up and ripping
- · Flexible and easy to use. Just unroll, hold in place and fasten
- · Can be used to hold tarps down over construction projects and as tree wrap.
- · 3" woven polyethylene or laminated vinyl strips are UV resistant and come in assorted colors in 6 mil to 24 mil thickness. Let us choose, based on availability.



ALL-PURPOSE BATTEN STRIPS

MEE LOW OR	C DIMITICITY STATES	
STK#	SIZE	EACH
105552	3" x 200'	\$ 100 29
105553	3" x 300'	127.85
105554	3" x 400'	107 55
105555	3" x 1,500"	143.65
105556	3" x 2,400"	168.59

Making gutter repairs has never been easier or more economical.

- Patch holes and line existing gutters with minimal labor and cost.
- Lightweight, Heavy Duty, reinforced geomembrane black fabric is available in either 24 mil or 36 mi
- Specially formulated polyester scrim, with polypropylene barrier layers will not rot and has a long life expectancy
- UV resistant mater al holds shape we l'and can handle extreme
- weather conditions. We recommend using our Premium Sealing and Repair tape, sold
- separately Adheres to metal, plastic and rusted areas
- Priced per linear ft. Minimum order 20 ft.

GUTTER REPAIR SYSTEM

			PRICE PER L	JNEAR FT
STK#	WIDTH	MIL	20' 99'	100' & UP
105543	12"	24	\$1.39	\$1.22
105547	12"	36	1.69	1.55
105544	18"	24	2.09	1.89
105548	18"	36	2.39	2.15
105545	24"	24	2.75	2.45
105549	24"	36	3.05	2.75
105550	36"	36	4.65	4.05









Recycled Plastic Lumber is the environmentally-friendly and maintenancefree choice for your next building project.

- Perfect for use in construction of tables and benches, fencing, raised beds and sand boxes.
- · Extremely durable. Will not rot, split, crack, splinter or need to be replaced after time like real wood. No need for painting, staining or waterproofing.
- Color goes through the entire piece and is protected by UV stabilizers, so there is no dramatic fading after exposure to the elements.
- Can either be nailed or screwed.
- For best results please predrill holes at least one size bigger
- · Color: Black.

RECYCLED P	LASTIC LUMBER		
STK#	SIZE	EACH	
116632	5/8"Ŵ x 2: 1/2"Ĥ x 8"L	\$16.75	
116633	5/8"W x 2-1/2"H x 12"L	23.65	
116634	1-1/2"W x 3-1/2"H x 12'L	70 95	
116635	1-1/2"W x 5-1/2"H x 8"L	55.95	
116636	1-1/2"W x 5-1/2"H x 12"L	83.95	









Top-quality greenhouse for the serious gardener, clubs, schools or any group that requires a larger growing area.

- 11'8"W x 8'10"H x 24'8"...
- Sidewall height, 5'3"
- Door width. 3 10" (one 23"W Dutch door and one 23"W standard man door). Doors are 6"H and come complete with rugged stainless steel locking door handle and nickel plated dead bolt.
- 2'W side panels are tough, 6 mm twin-wall polycarbonate.
- Multiple roof vents allow for proper ventilation.
- For best results, install the energy-saving, Solar-Powered Vent Opener (104037), sold separately.
- Use SunBlocker Black Knitted 60% Shade Panels, sold separately, during extreme heat to eliminate heat stress and to ensure optimum plant growth.
- Optional galvanized steel base is recommended.
- 10 year warranty on both frame and polycarbonate.

Includes 3 roof vents. GROWSPAN ESTATE PRO LARGE GREENHOUSES.

Ficiality 2 foot vertex	OICO II JI	AN ESTABLISHO CANGE ONCE	41100313
	AND ACC	ESSORIES	
Ground Anchor for GrowSpan Estate Pro	STK#	FTEM	EACH
Greenhouses (104778)	103967	Estate Pro Large Greenhouse	\$7,639.00
17-gauge, 2'x 1.315" OD galvanized ground	103968	Steel Base for 103967	489.00
post anchor.	104244	18' x 24' Black Knitted	235.95
Each comes complete with carriage bolts,		60% Shade Panel for 103967	
	103600*	18" Ground Stake	6.95
washers and nuts.	FA1415*	31" Super Strap	1 95
M nimum recommendation is six anchors	104778	Ground Anchor	17 79
per greenhouse.	*Requires six	to anchor shade panel.	



justable roof vents


104778

The finest backyard hobby greenhouse for the serious home gardener or small professional nursery.

Gr

GrowSpan Estate Hobby Medium Greenhouse (104558) 9" "W x 7'3"H x 9'9"L GrowSpan Estate Hobby Large Greenhouse (103993) 9'1"W x 7'3"H x 12'2"L.

- Constructed of sturdy aluminum framing in attractive landscape green
- Panels are of the toughest UV-stabilized 4 mm polycarbonate for superior heat retention and hotspot reduction.
- Advanced features include corresion-fighting gutters and end caps, weather-tight seams joining panels to frame and the ability to accommodate optional fans heaters and benches



- Install the energy-saving Solar-Powered Vent Opener (104037), sold separately.
- Optional galvanized steel base is recommended.
- Four adjustable roof vents.
- Door width: 3 11" (two 23-1/2"W x 5' 5"H sliding doors).
- Side panels are 4'H with a 7'3"H peak.
- 10 year warranty on both frame and polycarbonate.

GROWSPAN ESTATE HOBBY GREENHOUSES AND ACCESSORIES

STK#	(TEM	EACH
104558	Estate Hobby Medium Greenhouse	\$2,189.00
104559	Steel Base for 104558	295.00
104579	14' x 9' Black Knitted	135.99
	60% Shade Panel for 104558	
103993	Estate Hobby Large Greenhouse	2,809.00
103994	Steel Base for 103993	319.00
104243	14' x 12' Black Knitted	145.99
	60% Shade Panel for 103993	
103600#	18" Ground Stake	6.99
FA1415*	31" Super Strap	1.99
104778	Ground Anchor	17.79
"Requires t	four to six to anchor shade panel.	





GrowSpan Estate Pro Small Greenhouses have professional features at home gardener prices.

Dimensions.

GrowSpan Estate Hobby Small (103846): 7'2"W x 6'3"H x 9'9"L.

- 300 cu. ft. of growing space.
- Constructed of sturdy aluminum framing in landscape green.
- · Panels are of the toughest, LV-stabilized 4 mm polycarbonate for superior heat retention and hot-spot reduction.
- Advanced features include corrosion fighting gutters and end caps, weather tight seams jo ning panels to frame and optional fans, heaters and benches,
- For best results, use optional galvanized steel base, sold below.
- Use energy-saving Solar Powered Vent Opener, sold separacely, for automatic climate control and improved growing conditions.
- Two adjustable roof vents.
- 2'W x 5'5"H sliding door
- Side panels are 4'H with 6'3"H peak.
- Use SunBlocker Black Knitted 60% Shade Panels, sold separately, during extreme heat to eliminate heat stress and to ensure optimum plant health.
- 10 year warranty on both frame and polycarbonate.

GROWSPAN ESTATE HOBBY SMALL GREENHOUSE

STK#	1TEM.	EACH
103846	Estate Hobby Small Greenhouse	\$1 575.00
103847	Steel Base	229.00
104242	10' x 10' Black Knitted	101.95
	60% Shade Panel	
103600°	18" Ground Stake	6.95
FA1415*	31" Super Strap	1.95
104778	Ground Anchor	17.79
*Requires for	ur to anchor shade nanel	

Estate Eite Greenhouses, the ultimate in backyard growing.

- 5'H sidewalls give you more growing space, as well as more headroom.
- Panels are constructed from UV-stabilized 6 mm polycarbonate for superior heat retention and bot-spot reduction
- Heavy-duty, powder-coated aluminum profiles create a stable and sturdy frame.
- · Frame has a bright white, powder-coated finish that is attractive in any backyard
- Decorative peak adds elegance and beauty.
- 9'1"W units have one 2 6"W Dutch door. 11'8"W units have total door width of 3'10" (one 23"W Dutch door and one 23"W standard entry door). All are 6'H and come complete with rugged stainless steel locking door handle and nickel plated dead boit.
- Multiple vents offer improved air circulation.
- For automatic climate control and optimum growing conditions, install our energysaving Solar Powered Vent Opener (104037), so d separately
- Use SunBlocker Black Knitted 60% Shade Panel during extreme heat to eliminate heat stress and to ensure opt mum plant growth.
- We recommend us not the powder coated steel base, sold below.
- 10 year warranty on both frame and polycarbonate.

104778

GROWSPAN ESTATE ELITE GREENHOUSES

411011011111	LOWING ELLIE ORCEMIOOS				
STK#	ITEM	DOORS	ROOF VENTS	EACH	
104603	9"1"W x 8"3"H x 9"9"L	1	2 Double	\$3,109.00	
104604	Steel Base for 104603	-	-	335.00	
104579	14' x 9 Black Knitted 60% Sha	de Panel for 10460:	3	135 95	
104605	9'1"W x 8'3"H x 12'2"L	1	2 Double	3,755.00	
104606	Steel Base for 104605	-	_	369 00	
104243	14' x 12' Black Knitted 60% Sh	ade Panel for 10460	05 —	145 95	
104609	11'8"W x 8'10"H x 16'6"L	2	2 Double	6,395 00	
104610	Steel Base for 104609	_	_	479 00	
104581	18' x 16' Black Knitted 60% Sh	ade Panel for 10466	09 –	199 95	
104611	11'8"W x 8'10"H x 24'8"L	2	3 Double	7,245.00	
104612	Steel Base for 104611	_	_	499.00	
104244	18' x 24' Black Knitted 60% Sh	ade Panel for 1046	11 -	235 95	
103600*	18" Ground Stake	-	_	6.95	
FA1415*	31" Super Strap	-	_	1.95	
104778	Ground Anchor	_	_	17.79	
*Requires four to six to anchor shade panel.					





Ground Anchor for GrowSpan Estate Pro Greenhouses

- 17-gauge, 2'x 1.315" OD gaivanized ground postanchor.
- Each comes complete with carriage bolts, washers and nuts.
- Minimum recommendation is six anchors per greenhouse.













GrowSpan Estate Elite Attached Greenhouses extends your growing season.

- · Excellent option when space is an issue.
- Suitable for use as a sun porch. Relax in your bug and pest free surroom addition.
- · Designed to easily attach to your home, garage or shed.
- Comes complete with downspout and gutters and is attractive in any setting.
- · Frame has a bright white, powder-coated finish.
- Heavy Duty, powder-coated aluminum profiles create a stable and sturdy frame.
- Panels are constructed from UV-stabilized 6 mm polycarbonate for superior heat retention and hot-spot reduction.

GROWSPAN ESTATE FILTE ATTACHED GREENHOUSES

CHOTA SEN	M COLMIC CELLS ALLWOHER	OREE/MHOUSES	
STK#	ITEM	ROOF VENTS	EACH
104715	6'4"W x 16'6"L x 8'3"H	2 Double	\$3,415 00
104716	Stool Base for 108715		210.00

- Door can not be installed on opposite end
- · Multiple roof vents offer improved air circulation.
- · We recommend using the powder coated steel base sold below
- For automatic c imate control and optimum growing conditions, install our energy-saving Solar-Powered Vent Opener (104037), sold separately
- 6 H x 2'1"W single, hinged Dutch door allows for easy access and extra ventilation.
- S dewall height: 5'3" Ridge height: 8'3"
- 10 year warranty on both frame and polycarbonate.





Prevent heat buildup and produce healthier plants in your greenhouse by reflecting heat and light with Reflective Shade.

- · Reduce plant stress and improve the efficiency of your greenhouse ventilation system.
- Manufactured from coextruded white/white polyolefin film, Reflective Shade features a monofilament yarn structure for strength and long-lasting use without significant stretching, 60% shade is black/white.
- Provides solar reflection and cooling, as well as heat retention
- · Highly reflective white side limits light and heat transmission for more efficient greenhouse shading during the day.
- Ideal for use with our Heat Retention/Shade Screen Systems, sold separately.
- 5 year manufacturer's warranty.
- Can be bordered with tape and grommets for extra durability.
- Available in 30% to 60% shade

BEEL	DOM: N	ME C	HADE
KELL		VE S	HADE

	SHADE	PRICE PEI	CE PER SQ. FT.	
STICH	PERCENTAGE	EACH	984' ROLL	
SHADE3OR	30	\$0.37	\$0.33	
SHADE40R	40	0.41	0.35	
SHADE50R	50	0.43	0.38	
SHADE60R	60	0.45	0.41	
Add an A to the STK# wi	nen ordering full 984' roll.			

CUSTOM FABRICATION AND SUPPLIES

ITEM	EACH
Small Panel (under 300 sq. ft.)	\$29.39
Reinforcing Tape per ft.	0.51
Seaming to make larger panel	0.64
Slitting to make smaller panel	0.58
Brass Grommet - #2 with 3/8" hole	0.58
	Small Panel (under 300 sq. ft.) Reinforcing Tape per ft. Seaming to make larger panel Slitting to make smaller panel

SHADE PERCENTAGE	DIRECT LIGHT TRANSMISSION	DIFFUSED LIGHT TRANSMISSION	ENERGY SAVINGS
30	73%	69%	15%
40	62%	59%	15%
50	49%	45%	15%
60	33%	30%	20%

Remarkable solution for connecting netting or shade material to cable.

- Strong and resilient, this reusable connector is designed to be used with even the heaviest weight material.
- Rounded borders prevent damage to netting or shade.
- UV resistant.
- Holds strong even in extreme weather conditions.





RADIAL NET CONNECTOR

STK#	EACH	100 & UI
110009	50.45	\$0.35



Industrial-Quality Super Straps

- 1,650 PSI tensile strength.
- Extreme weatherability.
- · Passes ow temperature brittleness test at 40°F.
- Silicone kilned, hard-temper ga vanized wire hooks, dry-wax coated for rust protection.

SUPER STRAPS

SOI EII STRAI B				
STK#	SIZE	MAX. STRETCH	EACH	
110275	9 ⁿ	13.5"	\$1.59	
FA1405	15"	27°	1.89	
FA1410	21"	36"	1,59	
FA1415	31"	54"	1.95	





The world's best tarp clip. Versatile clip is ideal for tarps, poly film, banners and more.

- This amazing fabric clip holds most materials up to 28 mil thick.
- Easy-to-use, slide-locking, grabs and holds the fabric, yet is puncture and tear safe
- 9/16" diameter hole allows the clip to be tied to a rope or secured with bungees.
- 2 1/2" overall width
- Long lasting, UV protected.
- Use with our Double Hook (110004), sold separately above
- We recommend placing clips every 12" to 24"
- A screw is included for securing option.

FABRIC/TARP CLIP

STK#	EACH	200 & UF
109921	\$1.59	\$1.29



Connect multiple pieces of shade or netting together with this multipurpose Double Hook.

- · Makes dismantling and reinstal at.on of nets quick and easy
- Ideal for use with our Fabric/Tarp Clip (109921), sold separately
- UV protected. Long lasting

DOUBLE HOOK

	m m s v	
STK#	EACH	100 & UP
110004	50.22	50.16

24

WWW.GROWERSSUPPLY.COM 1.800.478.9715







Pull and Cut SunBlocker™ Knitted Shade

- · Make your own panels.
- · Great for "do-it yourself" applications,
- · Lightweight with high tensile strength.
- · Can be cut without unrave ing.
- · Can be bordered with tape and grommets for extra durability.
- Highly resistant to JV degradation and temperature extremes.
- · Effective odor barrier, as knitted panels capture the dust carrying particles that spread odor.
- Green Knitted 90% Shade is the number one choice for most nurseries and decorative agriculture applications. Attractive green color makes this shade ideal for greenhouses, hoop structures, patios, porches, entry ways, livestock and poultry buildings, even dog kennels.
- Available in Black 30% to 80% or Green 90% shade
- When you custom order consider the application percentage of shade needed, size (length x w dth) and finishes.

CLSTOM FABRICATION AND SUPPLIES

COSTON	I VIDINGWI ION VIND BOLL FIFT	
STK#	ITEM	EACH
CC3046	Small Pane (under 300 sq. ft.)	\$29.39
CC3047	Reinforcing Tape per ft.	0,61
CC3048	Seaming to make larger panel	0.64
CC3049	Slitting to make smaller panel	0.58
CC3051	Brass Grommet - #2 with 3/8" hole	0.58















SUNBLOCKER® PREMIUM BULK POLYETHYLENE KNITTED SHADE

			SHADE		PRICE PER SQ. FT
STK#	RECOMMENDED FOR	PERCENTAGE	COLOR	EACH	300' ROLL
SHADE30	Snapdragons, Chrysanthemums, Geraniums	30	Black	\$0.22	\$0.21
SHADE40	Lilies, Bedding Planting, Caladiums	40	Black	0.25	0.24
SHADE50	Azaleas, Begonias, Violets, Poinsettias, Orchids	50	Black	0.28	0.27
SHADE60	Dieffenbachia, Stag Horn Fern, Rhododendron	60	Black	0.29	0.28
SHADE70	Fern, Anthunum, Dracaena, Philodendron, Livestock	70	Black	0.31	0.31
SHADE80	Livestock, Pets, People, Wind, Plants, Horse Barns	80	Black	0.43	0.41
Add an A to the STK	# when ordering full 300' roll.				
		SHADE		PRICE PER SO. FT.	
STK#	RECOMMENDED FOR	PERCENTAGE	COLOR	EACH	150' ROLL
SHADE90	Nurseries, Greenhouses, Patros, Porches	90	Green	\$0.51	\$0.48
Add an A to the STK	# when ordering full 150' roll.			•	•

"Do-it-yourself" right on the job. Shade Clips take the place of grommets for attaching your shade cloth to structures or wire supports.

- No tools needed. Simply snap into place.
- · Durable, all weather polypropylene construction for long life.
- Can be reused.
- · Clips cover a larger surface area on your fabric for added strength and stability.
- We recommend placing clips every 12" to 24"

SHADE CLIP

EACH 100 & UP STK# 107438 50.49 \$0.42









SunBlocker™ Flat-Top Shade Systems are an economical and efficient solution for your horticulture, recreational or livestock needs.

- · Offers immediate relief from the sun for people, plants and animals.
- · Frame is constructed from 14-gauge, 1.66" OD USA made, triple-galvanized structural steel tubing that offers maximum rust and corrosion resistance
- B'H legs.
- Block size: 10' x 10'.
- Design your own system. 5 way fittings offer infinite expandability.
- Covers are manufactured from black knitted polyethylene shade fabric (your choice of 40% to 80%) that does not rot, mildew or become brittle.
- Shade panels are fastened to frames with our 8" Snugger Tie Downs.
- Covers can be removed easily during "off season."
- · Anchoring systems are available below. Ask your National Account Manager which system is best for your needs.

SUNBLO	CKER" ECONOMY	SHADE SY:	STEMS	SUNBLO	CKER" ECONOMY	SHADE FRA	AME ONLY
STK#	SIZE	SQ. FT.	EACH	STK#	SIZE	SQ. FT.	EACH
1016F	10'W x 10'L	100	\$ 635.00	1010F	10°W × 10°L	100	\$ 489.00
1020F	10'W x 20'L	200	869.00	1020F	$10'W \times 20'L$	200	719.00
1030F	10'W x 30'L	300	965 00	10.30F	10'W x 30'L	300	827 23
1040F	10'W x 40'L	400	995 00	1040F	10'W x 40'L	400	1,075 00
1050F	10'W x 50'L	500	1,445 00	1050F	10'W x 50'L	500	1,215 00
2020F	$20'W \times 20'L$	400	1,335 00	2020F	20'W x 20'L	400	1,025 00
2030F	20'W x 30'L	600	1,665 00	2030F	20°W x 30°L	600	1,329.00
2040F	$20'W \times 40'L$	800	2,015.00	2040F	$20^{\circ}W \times 40^{\circ}L$	800	1,605.00
2050F	20'W x 50'L	1,000	2,345 00	2050F	20'W x 50'L	1,000	1,849 00
3030F	30'W x 30'L	900	2,495 00	3030F	30'W x 30'L	900	2,095 00
3040F	30'W x 40'L	1,200	2,895 00	3040F	30'W x 40'L	1,200	2,159 00
3050F	$30'W \times 50'L$	1,500	3,165 00	3050F	$30'W \times 50'L$	1,500	2,495 00
4040F	40'W x 40'L	1,600	3,825 00	4040F	40'W x 40'L	1,600	2,835.00
4050F	40'W x 50'L	2,000	4,329 00	4050F	$40'W \times 50'L$	2,000	3,165.00
Add 40, 50, 6	0, 70 or 80 to the end o	if the STK# for d	lestred shade %.				_







Let SunBlocker™ shield plants, people, animals and vehicles from harmful sun.

- Protect your profits. Shield tender young plants from sunscorch and windburn.
- · Great as a carport and for outdoor events, too
- Manufactured with 2.375" OD 14 gauge, USA-made, triple-galvanized structural steel tubing.
 Anchoring sold separately. Use ground posts for soil or Heavy Duty Base Plates for concrete.

- No hassle, straightforward assembly.
 Design your own system. 5 way fittings offer infinite expandability.
 Choose black knitted polyethylene 40% to 80% shade c oth. Same low price for all.
- Available in 10'W x 10'H x 20'L and 20'W x 10'H x 20'L sections.
- · High enough to keep heat out and allow equipment in.



SUNBLOCKER" ADD-A-BAY SHADE SYSTEMS 20'W X 10 H X 20'L BLOCKS

ZO W A TOTAL	ZO W A TO HEA ZO E DEOCKS			
STK#	SIZE	SQ. FT	FACH	
2020551	20'W x 20'L	400	\$1,669.00	
2040551	20'W x 40'L	800	2,715.00	
2060551	20'W x 60'L	1,200	3,725.00	
4040551	40'W x 40'L	1,600	4,749.00	
4060551	40'W x 60'L	2,400	6,455.00	
4080551	40'W x 80'L	3,200	7,085.00	
6060551	60'W x 60'L	3,600	9,325 00	
6080551	60'W x 80'L	4,800	11,875.00	
60100551	60'W x 100'L	6,000	14,185.00	
100100551	100'W x 100'L	10,000	19,285.00	
200200SS1	200'W x 200'L	40,000	70,119.00	
Add 40, 50, 60, 70 or 80 to the end of the STK# for desired shade %.				


SUNBLOCKER" ADD-A-BAY SHADE SYSTEMS

J.H X 50.F BFOCK	5	
SIZE	SQ. FT.	EACH
TO'W x 20'L	200	\$ 1,249 00
10'W x 40'L	400	2,085.00
10'W x 60'L	600	2,745.00
20'W x 20'L	400	1,995.00
20'W x 40'L	800	3,225.00
20'W x 60'L	1,200	4,415.00
30'W x 20'L	600	2,645 00
30'W x 40'L	1,200	4,239.00
30'W x 60'L	1,800	5,945.00
$40'W \times 40'L$	1,600	5,859.00
40'W x 60'L	2,400	8,149.00
40'W x 80'L	3,200	10,185.00
i0, 70 or 80 to the end :	of the STK# for d	lesired shade %.
	SIZE 10'W x 20'L 10'W x 40'L 10'W x 60'L 20'W x 20'L 20'W x 40'L 20'W x 60'L 30'W x 20'L 30'W x 20'L 30'W x 40'L 40'W x 40'L 40'W x 40'L 40'W x 60'L 40'W x 60'L	TO'W x 20'L 200 TO'W x 40'L 400 TO'W x 60'L 600 20'W x 20'L 400 20'W x 40'L 800 20'W x 60'L 1,200 30'W x 20'L 600 30'W x 40'L 1,200 30'W x 60'L 1,800 40'W x 40'L 1,600 40'W x 60'L 2,400










- Provides a cool area through solar reflection.
- The white side of the shade is highly reflective, and it creates an efficient shading opt on by limiting light and heat transmission.
- When temperatures are low, the black side of the shade can help reduce radiated heat loss.
- Shade features a 5 year warranty for outdoor use.
- Available in 40% to 60% shade
- Shade is held by USA-made, triple-galvanized structural steel frames that are durable and corrosion resistant.
- Structure provides enough height for heat to escape.
- Anchor Kits are available. Ask your National Account Manager for details.
- We can manufacture Shade Houses of any size.

COMMERCIAL SUNBLOCKER" SHADE HOUSES WITH REFLECTIVE SHADE

STK#	SIZE	EACH
1820SVSPC	18'W x 20 ¹ L	\$1,519.00
1830SVSPC	18'W x 30'L	2,219.00
1840SVSPC	18'W x 40'L	2,425.00
20205VSPC	20'W x 20'L	1,655.00
2030SVSPC	20'W x 30'L	2,125.00
20405V5PC	20'W x 40'L	2,645.00
2050SVSPC	20'W x 50'L	3,165.00
2060SVSPC	20'W x 60'L	3,655.00
24205V5PC	24'W x 20'L	3,405 00
24305VSPC	24'W x 30'L	2,339.00
24405V5PC	24'W x 40'L	2,825.00
24505VSPC	24'W x 50'L	4,235.00
24605V5PC	24'W x 60'L	3,645.00
Add 40, 50 or 60 to the end of yo	ur STK# for desired shade %.	
REPLACEMENT SHADE (COVERS	

REPLACEMENT SHADE	OVERS	
STK#	SIZE	EACH
18205VRC	18'W x 20'L	\$ 439.00
1830SVRC	18'W x 30'L	655.00
18405VRC	18'\W X 40'L	779.00
20205VRC	20'W x 20'L	735.00
2030SVRC	20'W x 30'L	985.00
20405VRC	20'W x 40'L	1,089.00
2050SVRC	20'W x 50°L	1,185.00
2060SVRC	20'W x 60'L	1,389.00
Add 40, 50 or 60 to the end of you	r STK# for desired sharle %	





Your profits are "made in the shade," Choose from Commercial and Backyard Shade Houses for immediate relief from the sun for plants, people and animals.

- Both Commercial and Backyard Shade Houses offer choice of shade cloth from 40% to 80% for tops, sides and gable ends.
- · Frame is USA made, triple-ga vanized structural steel tubing, for max mum rust and corrosion resistance
- If desired, vary density of shade c oth from section to section.
- All sizes are high enough to a low heat to escape.
- Top comes standard with Shade House. Side panels and gable ends. are available.
- · Shade covers are manufactured from knitted polyethylene fabric that does not rot, mildew or become brittle.

Backyard Shade Houses

- Sturdy 17 gauge, 1.315" OD USA-made, trip e-galvanized structural steel frames.
- 10' rafter spacing for fast assembly and portability
- Use for plants, shrubs, people and animals. Great for those hot day outings.

Commercial Shade Houses

- Heavy-duty 14-gauge, 1.66" OD USA made, trip e-galvanized structural steel frames.
- 5' rafter spacing for extra support,
- Recommended for commercial growers to shield tender plants from the sun.
- Available up to 24' wide.

BACKYARD SUNBLOCKER® SHADE HOUSES

DECKARD SOURCE	CKEK SHADE HOOSES	
STK#	SIZE	EACH
1010SPC	10'W x 10'L	\$515.00
1020SPC	10'W x 20'L	705.00
1030SPC	10'W × 30'L	845.00
Add 40, 50, 60, 70 or 80 to t	he end of your STK# for desired shade %.	

COMMERCIAL SUNBLOCKER* SHADE HOUSES

STK#	SIZE	EACH
1820SPC	18'W x 20'L	\$1,315,00
1630SPC	16'W x 30'L	1,919.00
1840SPC	18'W × 40'L	2,105.00
2020SPC	20'W × 20'L	1,435.00
2030SPC	20'W x 30'L	1,779.00
2040SPC	20'W x 40'L	2,285.00
2050SPC	20'W x 50'L	2,665.00
20605PC	20'W x 60'L	3,165.00
2420SPC	24'W x 20'L	1,615.00
2430SPC	24'W x 30'L	2,015.00
2440SPC	24'W x 40'L	2,445.00
2450SPC	24'W x 50'L	2,835.00
2460SPC	24'W x 60'L	3,165.00
Add 40, 50, 60, 70 or 50	to the end of your STK# for desired shade %.	



Snugger Tie-Down

- Versatile
- Easy to secure tarps, covers and banners to just about anything.

8" SNUGGER TIE-DOWN

STK#	EACH	100 & UP
CC4595	\$0.62	\$0.56

- Shade panels are fastened to frames with 8" Snugger Tie-Downs.
- Anchor kits are available. Ask your National Account Manager for details.
- We can manufacture any size Shade House











Custom Fabrication and Supplies Special Order Menu

CUSTOM FABRICATION AND SUPPLIES

STK#	ITEM	EACH
CC3046	Small Paner under 300 sq. ft.	\$29.39
CC3047	Reinforcing Tape per ft.	0.61
CC3048	Seaming to make larger panel	0.64
CC3049	Splitting to make smaller panel	0.58
CC3051	Brass Grommet - #2 with 3/8" hole	0.58

WHEN YOU CUSTOM ORDER CONSIDER

- Application. Size (length x width).
- Percentage of shade needed. Grommets (How far apart?)

SUNBLOCKER" GABLE ENDS

STIC#	SIZE	EACH
10GE	10' Wide	\$155 00
18GE	18' Wide	225 00
20GE	20' Wide	249.00
24GE	24' Wide	305.00
Add 40, 50, 60, 70 or 80 to t	he end of your STK# for desired shade %.	

SUNBLOCKER® SIDE PANELS

STIC#	SIZE	EACH
10SP	10' Long	\$125.00
20SP	20 Long	155.00
30SP	30 Long	195.00
40SP	40 Long	269.00
50SP	50 Long	329.00
60SP	60 Long	355.00
Add 40, 50, 60, 70 or 80 to 1	the end of your STK# for desired shade %	

BACKYARD SUNBLOCKER" SHADE REPLACEMENT COVERS

STK#	SIZE	EACH
1010RC	10'W x 10'L	\$169.00
1020RC	10'W x 20'L	179.00
1030RC	10'W x 30'L	189.00
Add 40, 50, 60, 70 or 80 to th	e end of your STK# for desired shade %.	

COMMERCIAL SUNBLOCKER"SHADE REPLACEMENT COVERS

COMMENCIAL SUMBLOCKER SHADE REPERCEMENT COVERS					
STK#	SIZE	EACH	STK#	S ZE	EACH
1820RC	18'W x 20'L	\$379.00	2030RC	20'W x 30'L	\$659.00
1830RC	18'W x 30'L	469.00	2040RC	20'W x 40'L	765.00
1840RC	18'W x 40'L	549.00	2050RC	20'W x 50'L	865.00
2020RC	20'W x 20'L	635.00	2060RC	20°W x 60°L	975.00
Add 40, 50, 60, 70 or 80 to the end of your STV# for desired shade %					



HydroCycle Pro NFT Series Channels are popular because of their ease of use, unique design, efficiency and versatility HydroCycle Channels are available in different sizes to accommodate all types of hydroponic growing. Whether you are producing flowers, tomatoes, cucumbers, capsicum, microgreens, zucchini, strawberries, lettuce, herbs or larger leafy crops, there is a HydroCycle Pro NFT Series Channel for your needs.

- Manufactured to NSF certified specifications for growing edible produce.
- Constructed from UV stabilized, recycled plastics for long life, and features capping that is nontoxic and NSF certified for safe use
- Contoured base centralizes nutrient flow and contoured lids a low excess water to
- Simple construction provides maximum aeration to the roots.
- Lids remain secure in all conditions, yet are easily removed for fast,
- 20 year manufacturer's warranty against defective workmanship.

The most unique feature of the HydroCycle Channels are the removable, snapon lids that puts you in complete control of your system's yield. Unlike most hydroponic channeling, which is produced in a one-piece hollow channel with regular holes cut in the top, our removable I d means:

- · You can grow crops like forage or turf in open channels without the lid.
- You can quickly and easily cut holes in the contoured I d that will maximize your yield. By using the appropriate nutrients and watering regimes, you can bring your crops to maturity in minimum time frames.
- 4" Lids are 1.5"D and have 1" predrilled square holes, 8" on center. Lids have to be matched with the properly sized channel.
- 6" Lids are not predrilled
- · You have the option to grow different crops throughout the season by simply purchasing additional lids and changing them for your next crop cycle.
- Custom ids are available with a minimum order of 20,000 linear ft. Choose 1", 1,5", 2" or 2.5" holes with a minimum spacing of 4" on center. Ask your knowledgeable HydroCycle specialist for details.

HydroCycle 4" Pro NFT Series: 4"W x 1,5"D

Narrow, shallow channel is suitable for smaller leafed varieties, such as herbs, "fancy" lettuce and more. Lids, Joiners and End Caps sold separately

HydroCycle 6" Pro NFT Series, 6"W x 2.5"D

Ideal for "fancy" lettuce, herbs and other smaller leafed varieties. Lids, Joiners and End Caps sold separately.

HydroCycle 9" Pro NFT Series: 9"W x 3"D

Versatile channel is suitable for large pots and ideal for the production of flowers, microgreens and animal fodder. End Caps sold separately.

Schedule 40 PVC Fittings, 1" x 1" \$P x \$ Floow (WF6682 & 111045)

- Use to connect End Cap w/Outlet to drain manifold.
- NSF certified.

HydroCycle 9" Pro NFT Deep Series, 9"W x 4"D

These extra-deep channels are ideal for tomatoes, capsicum, cucumbers and more.

HYDROCYCLE NET HYDROPONIC CHANNELS HYDROCYCLE 4" PRO NFT SERIES - 1.5" DEEP

STK#	ITEM	EACH	50 & UP
116211L060	5 [°] L Channel, 1.5°D	\$10.49	\$ 9.75
117077L096	8'L Channel, 1.5"D	12.95	11 95
117077L120	10'L Channel, 1.5"D	14.95	14.49
117077L144	12'L Channel, 1.5"D	22.29	19.95
117077L240	20'L Channel, 1.5"D	34.95	33.95
116212L060	5'L Lid, 1.5"D, 1" Square Holes	9.15	8.50
116212L096	8"L Lid, 1.5"D, 1" Square Holes	14.95	14.49
116212L120	10'Ld, 1.5"D, 1" Square Holes	18.95	17 95
116212L144	12'L Ltd, 1.5"D, 1" Square Holes	21 95	20.95
116212L240	20'L Lid. 1 5"D. 1" Square Holes	34.95	33.95
117078	End Cap. 1.5°D	3.05	2.65
117079	End Cap w/ Outlet, 1.5°D	3.09	2.75
117080	Joiner, 1.5°D	3.09	2.75
HYDROCYCLE	6" PRO NFT SERIES		
STK#	TEM	EACH	50 & UP
113533	8'L Channel	\$26.95	\$25.95
111003Z120	10'L Channel	30.19	28.39
111000	12'L Channel	47.29	44.45
111003	20'L Channel	57 95	55.95
113534	8'L Lid. No Holes	26.95	25 95
111004Z120	10'L Lid, No Holes	30.95	29 95
111001	12'L Lid. No Holes	30.95	29.95
111004	20'L Lid, No Holes	58.95	56.95
111129	Joiner	13.99	12.39
111127	End Cap	3.75	3.25
111128	End Cap w/Outlet	7.89	7.05
	9" PRO NFT SERIES	7.09	703
		EAGII	50 0 HD
STK#	TEM	EACH	50 & UP
111066R	30'L Channel	\$14.09	\$13.29
111582Z6	6'L Channel	29.95	26.95
111582	12'L Channel	59.95	54.95
111007	20'L Channel	98 95	95.95
113150	30"L Lid, No Holes	16.95	15.95
111030	End Cap	8.35	7 75
111029	End Cap w/Outlet	8.89	8.15
	PVC FITTINGS, 1" X 1" SP X S E		
STK#	ITEM	EACH	50 & UP
WF5682	90"	\$2.65	\$2.55
111045	45°	2.79	2.65
HYDROCYCLE	9" PRO NFT DEEP SERIES	_	
STK#	ITEM	EACH	50 & UP
112628	12'L Lid, No Holes	\$59.95	\$57 95
112631	Joiner	5.05	4.69
112632	End Cap	9.39	8.75
112633	End Cap w/Outlet	9.29	8.69
Additional packagi	ng charges applicable		





HydroCycle 4* Pro NFT Series



HydroCycle 6" Pro NFT Series



HydroCycle 9" **Pro NFT Deep Series**



HydroCycle 9° Pro NFT Series

CREATE YOUR OWN CUSTOM CHANNEL

- 1 Simply cut channels to desired lengths.
- 2. Cut holes in lid to desired size and
- spacing, based on your crop.

 3. Clip the matching components together to form a clean, weed free environment.





Lid 1.5°D w/Square Holes



End Cap, 1.5"D





End Cap w/Outlet 1.5*D

Single compound, solvent-free adhesive cures at room temperature.

- Ideal for bonding dissimilar materials on a wide range of surfaces,
 Extremely durable bonds make CA 4000 ideal for applications
- where high stress, high flexibility, impact, thermal expansion and thermal shock loading are common,
- Gap fill: 0.010"
- Color: Clear.
- Temperature range: 65°F to 250°F.

CA-4000 INSTANT ADHESIVE

STK# **EACH** 112509 539 95

- Cure speed (fixture/ful) Less than 18 seconds/8 hours.
- Mil Spec A46050C Type II, Class 3
- 2 oz. bott e.











Grow lettuce, herbs and other small leaf varieties in the HydroCycle 4" Commercial NFT Lettuce System. The system is constructed from UV-stabilized, recycled plastics for a long life, and the high-density design allows growers to increase yields by up to 33%.

- The durable NFT System is constructed from galvan zed steel and provides plenty of support for the growing channels, hardware and crops. The easy-to-assemble frame features a compact design to maximize space, and it also makes it easy to transport trays from nursery to finishing
- Using a 2-2-2 production cycle growers can harvest 25% of the systems' lettuce sites each week
- A nutrient supply system provides a maximum efficiency pump and plumbing kits that come complete with NSF. Rated PVC plumbing and fittings, white micro-tubing feed lines, valves, filter, hardware and 4" drain return system
- Nutrient Mixing Tanks are crafted from FDA approved resins to ensure safe storage of potable water. Meets specific gravity of 1.5 or 12.5 lbs. per gallon at 73°F Light penetration is limited by green color, reducing algae growth. USA-made and comes with 3 year warranty from date of manufacture.

HYDROCYCLE 4" COMMERCIAL NFT LETTUCE SYSTEMS

STK#	GREENHOUSE SIZE	LETTUCE SITES	EACH
115822	30'W x 48'L	2,520	\$ 15,635 00
115823	$30'W \times 60'L$	3,312	19,339 00
115824	30'W×72'L	4,032	22,425 00
115825	30'W × 84'L	5,040	26,389.00
115826	30'W × 96'L	5,760	30,745.00
115827	30'W x 132'L	8,354	42,075.00





Start hydroponic growing the easy way with HydroCycle Pro NFT Lettuce Systems. All components are specially designed or selected to create an ideal, complete NFT system for leaf/bib lettuce, herbs and more.

- Designed for a six week grow cycle of leaf ettuce. Produce maximum yields in a small system footprint.
- Channel lids have up to eighteen 1-3/8" site holes, spaced 8" on center.
 Channels and lids are constructed from UV stabilized, recycled plastics that are capped with NSF-certified material. Removable, snap-on lids provide easy system maintenance with minimal downtime.
- Table frame is manufactured from 1 315" OD USA-made, triple-galvanized steel for long life in corrosive environments.
- Systems come complete with nutrient reservo r tank, Magnetic Drive Pump for nutrient solution recirculation, Air Pump with Air Stone and all the necessary plumbing, fittings, adapters and more.
- Expect a yield of up to 2,340 heads per year with the 110830 or 113540
 System and 4,680 heads per year with the 112251 or 113541 System.
- 112525 and 113539 are designed for a six-week grow cycle, with an average weekly yield of up to 12 heads of lettuce. Manageable systems for garden herbs, leafy greens and many lettuce varieties.
- 6" Pro NFT Channels lids are blank and do not come with predrilled holes.
 The number of lettuce sites suggested are with no es drilled
 8" on center.
- We recommend our Growers Supply Greenhouse Light Fixtures, line of nutrients and Grodan A-OK Starter Plug Sheets, all sold separately



PERFECT FOR HOBBY AND COMMERCIAL GROWERS ALIKE

Small system footprint ideal for setup in garages, basements, hobby greenhouses and more. Fam extra money growing high-quality lettuce and herbs in your home.



HYDROCYCLE PRO NFT LETTUCE SYSTEMS

STK#	SYSTEM SIZE	CHANNEL SIZE	- 1
112525	3₩ x 8′L x 3′H	4"W x 2"D x 8"L	
110830	6W x 12'L x 3'H	4"W x 2"D x 12'L	
112251	12W x 12'L x 3'H	4"W x 2"D x 12'L	
113539	3'W x 8'L x 3'H	6"W x 2.5'D x 8'L	
113540	9W x 12'L x 3'H	6"W x 2.5"D x 12'L	
113541	17W x 12'L x 3'H	6"W x 2.5"D x 12'L	

NUMBER OF	LETTJŒ		
CHANNELS	SITES	EACH	2 & UP
4	48	\$ 979.00	77
10	160	1,675.00	\$1,575.00
20	360	2,805.00	2,625.00
4	48	1,095 00	
10	180	1,959.00	1,575.00
.20	360	3,805.00	2,625.00







HydroCycle Vertical Aeroponic Systems utilize unique grow tubes that support the flow of oxygen for rapid growth and a nutrient-rich mist for healthy plants.

- These compact systems are ideal for growth in tight spaces and maximum control of the root zones.
- · Aeroponics deliver a high-pressured mist that delivers nutrients to the root zone.
- The 10" tube diameter gives the root zone maximum aeration that helps the plants to grow quickly.
- · Each system comes with an air pump with ceramic air diffusers, Y fit snap hook tube hangers, all the necessary plumbing and fittings and more depending on the system that is purchased

HydroCycle 4'8" Vertical Micro Aeroponic System

- Approximately 20"W x 26"L x 73"H.
- Uses a single vertical grow tube that is 4'8"H and has 24 grow sites.
- · System comes with a mag-drive pump and a 20-galion nutrient reservoir

HydroCycle 4'8" Vertical Mini Aeropon c System

- Approximately 29-1/2"W x 96"L x 75"H
- Uses 5 vertical grow tubes that are 4'8"H and contain 24 grow sites per tube (120 total sites)
- System comes with a pressure utility pump and a 100 gallon nutrient reservoir

HYDROCYCLE VERTICAL AEROPONIC SYSTEMS

STK	ITEM		EACH
113700	4"8" Micro System	Š	1,345.00
113701	4'8" Mini System		3,485.00
1135 9 3	8 Hobby System		1,979.00
113594	8' System		4,289.00

HydroCycle 8' Vertical Aeroponic Hobby System

- Approximately 28"W x 39"L x 124"H.
- Uses a single vertical grow tube that is 8'H with 44 grow sites.
- System comes with a pressure utility pump and a 20-gailon putrient reservoir

HydroCycle 8' Vertical Aeroponic System

- Approximately 29-1/2*W x 96*L x 115*H.
- Uses 5 vertical grow tubes that are 8'H with 44 grow sites per tube (220 total sites).
- Comes with a pressure utility pump and a 100-gallon nutrient reservoir.

The HydroCycle Hobby NFT Lettuce Systems produce lush, healthy produce on a year-round basis. These compact systems are an ideal option for the hobbyist looking to earn extra income from home or just grow fresh produce, the commercial grower trying to experiment with new crops or school agricultural programs.



- Consistently produce the tastiest and most profitable fettuce, herbs, leafy greens and more.
- The six week grow cycle allows each system to produce an average weekly yield of up to 12 heads of lettuce.
- Hobby Systems feature a small footprint that allows it to be effortlessly operated in garages, basements, hobby greenhouses, schools and more
- Each channel is recommended to have seven 1-3/8" plant sites, which are spaced 8" on center, providing a total of 28 plant sites per system.
- Systems with 4" W Channels come with lids that have been predril ed.
- Channels and I do are constructed from UV stabilized, recycled plastics that are capped with NSF-certified material. The removable, snap-on lids provide easy system maintenance
- The frame is manufactured from 1.315* OD USA made, triple-galvanized steel, providing a long life in even the most corrosive environments.
- Systems come complete with nutrient reservoir tank, magnetic drive pro pump, air pump with air stone, as well as all the necessary plumbing, fittings and adapters.





HYDROCYCLE HORBY NET LETTUCE SYSTEM

STK#	SYSTEM SIZE	CHANNEL SIZE	NUMBER OF CHANNELS	SITES	EACH
115110	3'3"W x 5'L x 3'2"H	4"W x 2"D x 5"L	4	28	\$879 00
115141	3'3"W x 5'L x 3'2'H	6"W x 2-1/2"D x 5 L	4	28	989.00



Grow lush, green lettuce and herbs hydroponically, no matter how small your space is. The four-tier HydroCycle Vertical NFT Lettuce and Herb Systems have a small footprint, allowing more growth in less space.

- Systems are available in 10' and 5' lengths with the option of twenty-four 4" Pro NFT channels or twenty 6" Pro NFT channels.
- On the 10' system using a six week cycle, growers are able to easily produce up to 4,680 healthy and profitable heads per year.
- · 4" Pro NFT Systems come with lids that have been predrilled, while the 6" Pro NFT Systems come with lids that have not been drilled.
- Systems come complete with all the necessary components. The 10' system features a 115gal on reservoir tank, while the 5' system has a 70-ga lon reservoir tank, and both come with drain plumbing, an energy-efficient continuous duty pump, fittings and adaptors.
- To promote a high-quality yield, Gordan A OK Starter Plugs, Botanicare' Nutrients and testers are recommended.

- HydroCycle designed light kits provide Vertical NFT Systems with even and effective lighting.
- Inc udes 6,500 K and 3,000 KT-5 full spectrum bulbs.
- Does not include wiring, junction boxes or timers.
- Light Kits are sold separately below and need to be installed by a licensed electrician.

HYDROCYCLE VERTICAL NFT LETTUCE & HERB SYSTEMS

				HEADS	
STK#	TEM	DIMENSIONS	CHANNELS	PER YEAR	EACH
11291950	4" Pro NFT 10" System	4'3"W x 6'8"H x 9'8"L	24	4,680	\$3,879 00
11291970	6" Pro NFT 10' System	4'3"W x 6'8"H x 9'8"L	20	2,860	4,729.00
11510950	4" Pro NFT 5 System	4'3"W x 6'8'H x 4'10"L	24	1,456	2,975.00
11510970	6" Pro NFT 5' System	4'3"W x 6'8'H x 4'10"L	20	1,196	3,565.00
	**				

HYDROCYCLE VERTICAL NET LIGHT KIT

STK#	ITEM	EACH
112920	10 ⁷ Light Kit	\$2,485 00
115162	5' Light Kit	1,425.00







HydroCycle Aquaponics Systems provide you with the opportunity to tap into two markets. While harvesting healthy vegetables, you can also raise valuable fish.

- Systems integrate both hydroponic growing systems and fish-producing aquaculture tanks.
- · Aquaponics systems allow you to take advantage of essential biological functions. The fish fertilize the plants while the plants purify the water, leading to low-maintenance, cost-effective systems.
- Produce natural, pesticide-free products.

HydroCycle Pro Aquaponics Systems

- · Systems ensure constant clean water for fish and plants. A two stage filtration system maintains fresh water and utilizes a radial flow clarifier and a mineralization tank.
- The Pro System uses only one pump, so less energy is required compared to simi ar aquaponics systems.
- Systems come complete with all the necessary tanks, hardware and aeration supplies.

HydroCycle Commercial Aquaponics Systems

- · This is the perfect professional system. It produces a steady stream of profitable fish and crops all year.
- · Includes a grow-out system that uses a Hydrotech drum filter for solids removal. It is fully automated and utilizes gravity, minimizing the need for pumps and electricity
- Systems come with a fingerling system for bioclarification and filtration. The fingerling system performs solids removal and some biofiltration. They are self cleaning, so they require minimal maintenance.
- Commercial Aquaponics Systems include all the necessary tanks, hardware and aeration supplies.

Pro System I (115295)

- · Features an 8'x 8' raft bed.
- 168 lettuce sites.
- Can produce 90 (bs. of tilapia yearly.

Pro System II (115296)

- · Features an 8' x 16'1" raft bed
- 336 lettuce sites.
- Can produce 180 lbs, of tilapia yearly.

Pro System III (115297)

- Features an 8' x 24'3" raft bed.
- 504 lettuce sites.
- · Can produce 288 lbs. of tilapia yearly

Pro System IV (115298)

- · Features an 8'x 32'5" raft bed
- 672 lettuce sites.
- Can produce 520 lbs. of tilapia yearly.

Commercial System V (112667)

- Features two 8' x 48'8" raft beds.
- 2,016 lettuce sites.
- · Can produce 4,000 lbs. of t lapia yearly
- 128 sq. ft. of additional growing space.

HYDROCYCLE PRO

AGOAPONICA TETEMA				
STK#	ITEM	EACH		
115295	System I	\$ 4,959.00		
115296	System II	7,925.00		
115297	System III	9,809.00		
115298	System IV	15,799,00		

Commercial System V. (112668)

- Features two 8' x 48'8" raft beds and 136 8 1/2 NFT channels.
- 3,648 lettuce sites.
- Can produce 6,000 lbs. of tilapia yearly.
- 192 sq. ft, of additional growing space.

Commercial System V I (112669)

- Features four 8' x 56 8" raft beds.
- 4.704 lettuce sites.
- Can produce 10,000 lbs. of tilapia yearly.
- 256 sq. ft, of additional growing space.




HYDROCYCLE COMMERCIAL

HOURFUL		
STK#	ITEM	EACH
112667	System V	\$86,785.00
112668	System VI	115,309 00
112669	System VII	120,535.00











For beginning growers or professionals, the HydroCycle 9" Pro Microgreen Table provides the freshest and tastiest microgreens at the highest yields.

- The system utilizes a recirculating nutrient film technique (NFT) and allows for live-plant harvest and storing the greens with roots intact.
- · Easy assembly, as well as less system maintenance, labor and waste compared to conventional growing
- HydroCycle 9* Pro Microgreen Table provides 11 1/4 sq. ft. of growing space Pea and sunflower shoots can yield 13 oz. per sq. ft. every 10 days, while mizuna, arugula, chard, beet and more can yield up to 6 oz. per sq. ft. every 14 days.
- 20 year warranty on the UV-stabilized, NSF-certified NFT channels
- Recommended accessories: Heavy-Duty Digital Timer (112531),
- TNB pH Down (116432), Botanicare CNS17 Grow 3-1-2 (112908) and Waterproof pH/EC/TDC/°C Meter for Growers (108251).

HYDROCYCLE 9" PRO MICROGREEN TABLE

STK# 113532 \$1,139 00

Provide your local market with fresh microgreens on a continuous basis. The HydroCycle Pro Vertical Microgreen System allows beginners or professionals to produce high yields of these in demand greens with ease.

- HydroCycle Pro Vertical Microgreen Systems utilize a recirculating nutr ent film technique (NFT). This allows growers to harvest living plants with roots intact, making it easier to supply customers with the freshest greens.
- Systems are outfitted with 16 large 9" NFT channels
- Assembly and maintenance is simple. Compared to conventional. growing, growers will experience reduced labor and waste, allowing harvests to be more profitable
- Achieve high yields within a limited square footage. Pea and sunflower shoots can yield up to 13 oz. per sq. ft. every 10 days, while mizuna, arugula, chard, beet and more can yield up to 6 oz. per sq. ft. every 14 days.
- · Features a 20 year warranty on the UV stabilized, NSF certified NFT channels.
- Recommended accessories: Heavy Duty Digital Timer (112531), TNB pH Down (116432,, Botanicare* CN517™ Grow 3-1-2 (112908) which are sold on pgs. 64-65 and Waterproof pH/EC/TDC/°C Meter for Growers (108251). Accessories are sold separately.

HTDRUCT	LIEVENIKALL	IGHI KII
STK#	ITEM	EACH
112920	10' Light Kit	\$2,485.00
115167	5' Light Kit	1.425.00

HYDROCYCLE PRO VERTICAL MICROGREEN SYSTEMS

STK#	ITEM	DIMENSION	EACH
115276	5 ⁷ L Microgreen System	4"3"W x 6'B'H x 4'10"L	\$3,229 00
115277	10'L Microgreen System	4'3"W x 6'8"H x 9'8'L	3,775.00











Easily produce kale, swiss chard, herbs, lettuce and more on a year-round basis.

- These systems suspend roots in nutrient-rich water This allows growers to fine-tune the solution to their plants' precise needs, ensuring the finest harvests.
- Maximize production, without overcrowding crops. Growers are able to layout the raft bed to best suit their needs. Plant sites can be arranged to provide plants with the perfect amount of space.
- Durable raft is made to last in any growing environment. The frame is constructed from 16-gauge, square stee pipe. The rafts are made from 1 1/2* Styrofoam, which also provides insulation. The bed is lined with 24 mil PolyMax*.
- The Raft Bed has a depth of 12.5" and is available in six sizes up to 56'8" long.

HYDROCYCLE RAFT BEDS

and the same of an inchestication and an		
STK#	SIZE	EACH
115330	8 x 8'	\$ 1,509 00
115331	8' x 16'1"	2,425.00
115332	8' x 24'3"	3,505.00
115333	8' x 32'5"	4,459.00
115334	8' x 48'8"	6,415.00
115335	8' x 56'8"	4,249.00

The new Propagation Float Station provides a constant circulation of Aerated Nutrient solution to the raft float that is great for various plants and works especially well for propagating seedlings that need extended roots for Deep Channel Hydroponics.

- A lows for large root masses in plants, like tomatoes, cucumbers and eggplant, to grow long enough to reach the nutrient flow
- Can also be used as a standard raft system to grow lettuce, Swiss chard, pacishol and more.
- Constant recirculation provides constant mixing of solution to help prevent nutrient settlement, maximum aeration within the tank to not disturb root zones, more stable water temperatures and easy nutrient solution maintenance and testing.
- System includes: efficient and potable water safe magnetic drive recirculation pump, two outlet air pumps with stones and tubing, strong, 16-gauge, galvanized, square steel tubing frame with height adjustable feet for leveling, float tray, nutrient tank, bulkhead fittings and spacers and supply and drain tubing with flow control valves.

PROPAGATION FLOAT STATION

STK#	SIZE	RESERVOIR CAPACITY	EACH
113503	4" x 4"	40 Ga lons	\$ 835.00
113504	4" × 8"	115 Gallons	1,769.00

Get your propagation tray moving. Quickly transport and transplant seedlings and plants, so that you can spend less time preparing and more time growing.

- 48"W x 96"L grow bench and tray on casters allows your propagation tray to glide throughout your growing space
- The frame is made from corrosion resistant, galvanized steel tube and is strong enough to hold 1,000 lbs. when stationary or 300 lbs. while moving. Frame can be easily assembled on site
- To accommodate taller plants and grow lights there is an optional Trell's and Light Bar frame (113205)
- Bu bs sold separately

ROLLING BENCH AND TRAY

STK#	ITEM	EACH
113204	48" x 96" Rolling Bench with Tray	\$1,185 00
113205	Rolling Bench Light Bar and Trel is	185.00





For those looking to grow hydroponically within the home or in compact spaces, we offer the HydroCycle Micro Dutch Bucket System. Its modest footprint means that it can fit in just about any space.

- With dimensions of just 39"W x 35"L x 12"H, this is an ideal system for home growers or hobbyists.
- Great for growing vine crops, like tomatoes or cucumbers, and also peppers, eggplant and more.
- The Micro System includes four HydroCycle Dutch Buckets with siphon elbows, 3/4" supply tubing, 1/8" m cro tubing, dripper stakes, micro tees, magnetic drive recirculating pump, air pump with air diffusers and a nutrient reservoir with lid and porthole cover

HYDROCYCLE MICRO DUTCH BUCKET SYSTEM

STK#	ITEM	EACH		
113621	H2-4	\$5 79 .95		




Our HydroCycle Whole Bay Dutch Bucket Systems simplify large-scale growing and allow you to hydroponically grow healthy and attractive plants.

- To grow the finest crops, this system utilizes concentrated fert lizer and nutrient solutions
- The system mixes water in two tanks of fertilizer and then a Nutrient Batch Dosing System adds acid to maintain the proper pH
- Woodpecker drippers and dripper stakes use a nutrient feed pump station to provide the plants with a nutrient solution. In order to prevent disease, any excess nutrient solution is treated as waste and drained
- Each bucket has a siphon-designed drainage system and nutrient reservoir.
- Our production specifications are based off of tomato plants that are
 planted two per bucket with the buckets spaced 16" on center. Nutrients,
 spacing and watering can change based on plant type or variety.
- HydroCycle Dutch Bucket Row Kits allow growers to add a row of buckets to ourexisting systems.

HYDROCYCLE WHOLE BAY DUTCH BUCKET SYSTEMS

III DIOC.	CLE WHOLL DAN DOIL	JI DOCKEL DIDIEMD	
STK#	SYSTEM SIZE	PLANTS PER SYSTEM	EACH
113596	30°W x 48' _ 5ystem	270 Tomato Plants	\$7,305 00
113840	30'W x 48' L Row Kit	54 Tomato Plants	419 00
113597	30'W x 60' System	360 Tomato Plants	7,589 00
113841	30'W x 60'. Row Kit	72 Tomato Plants	519 00
113598	30'W x 72' System	450 Tomato Plants	7,765 00
113842	30'W x 72' L Row Kit	90 Tomato Plants	629 00
113599	30'W x 84'⊾ System	540 Tomato Plants	B,159 00
113843	30'W x 84'L Row Kit	108 Tomato Plants	725 00
113600	30'W x 96'L 5ystem	630 Tomato Plants	B,435 00
113844	30'W x 96'L Row Krt	126 Tomato Plants	831 29
113601	30'W x 128'L 5ystem	870 Tomato Plants	10,695 00
113845	30'W X 128'L Row Kit	174 Tomato Plants	1,055 00



Complete HydroCycle Dutch Bucket Systems do all the work for you. Systems come complete with all the components necessary to start growing hydroponically.

- Tan, 11-Liter HydroCycle Dutch Buckets are durable and long-lasting.
- Easy Drain Reservoirs and Lids are BPA free and come with the systems.
- · Heavy-Duty Digital Timers are ideal for worry-free operation.
- All plumbing accessories are also included.
- HydroCycle H1-10 System is ideal for the nobby grower. It comes with one row of ten Dutch Buckets and is a closed loop system.
- HydroCycle H2-24 System is a larger hobby growing system. It is made up of two rows of twelve Dutch Buckets and is an open system.

HYDROCYCLE DUTCH BUCKET SYSTEMS

STK#	ITEM	EACH
112529	H1-10	\$ 1,035.00
112534	H2-24	1,875.00





If you're tired of bending over to tend to your Dutch buckets, you'll love these benches. The Dutch Bucket Low Profile Bench lifts your buckets to the perfect height, but its list of uses doesn't end there.

- Benches come with optional eveler feet that can add height to the bench and enable you to slope the bench.
- Great for any greenhouse need that requires a low-profile bench, you can create your own tiered display, display tailer plants at eye level and more.
- Made from galvanized, 1.5" steel tube and galvanized expanded metal.
 The benches have been constructed without welds to reduce the risk of corrosion.

DUTCH BUCKET LOW PROFILE RENCH

STK#	SIZE	EACH
115050	12"W x 72"L x 7"H	\$159.95
115051	12"W x 144"L x 7"H	275 95
113179	19"W x 144"L x 7"H	339 95
113180	19"W x 72"L x 7"H	199 95



HydroCycle's versatile Dutch Buckets are ideal for both small- and large-scale hydroponic growing.

- HydroCycle Dutch Buckets are designed to be fed by drop emitters and plumbed to drain using a common 1.5" PVC pipe, purchased locally
- · Siphon Elbows, sold separately, regulate safety reservoir or nutrient solution at the bottom of the bucket to 1' deep. This feature prevents growing media from drying out and causing water stress between irrigation cycles. The Siphon Elbow prevents over accumulation of nutrient solution.
- Each Dutch Bucket requires two Siphon Elbows, sold separately below.
- Avail able in tan only.
- Your knowledgeable National Account Manager can help you design the best HydroCycle Dutch Bucket system for your needs with our recommended accessories. Our growing media and complete line of drip irrigation components are sold separately

HydroCycle Dutch Bucket Accessories

Horticultural Perlite (111049):

Lightweight Perlite supports roots without crushing them. Provides aeration and drainage, yet retains and holds substantial amounts of water that is released when needed. One 4 cu. ft. bag will fill approximately eight of our 11-Liter HydroCycle Dutch Buckets.

Grodan A-OK Starter Plug Sheet (111386).

Ideal for starting seeds and cuttings before transferring to Grodan Delta Gro-Blocks". Ninety-eight 1.5" x 1.5" starter plugs per sheet.

Gradan Delta Gro-Blacks* (111387 and 111388):

Sterile lightweight and easy to use Delta 4 Blocks each measure 3" x 3" x 2.5" and are ideal for smaller plants such as peppers and flowers. Delta 6 Blocks each measure 4" x 4" x 2.5" and are deal for larger, fruiting crops such as tomatoes and cucumbers. Priced per strip.

1/8" SuperFlex" UV White Folyethylene Tubing (110408A): Ideal for use with drippers, dripper stakes and more. Sold only in 100' increments or full 1,000' rolls. Full 1,000' rolls are priced per ft.

Angled Arrow Dripper Stakes (110403 and 110407)

Available in 3-3/4"L and 6-3/8"L. Applying water directly to the growing media helps prevent the spread of diseases and creates a uniform, high quality crop. Priced per stake with a minimum order quantity of 10 stakes.

HydroCycle Dutch Bucket Lids (115683)

Dutch Bucket lids provide protection from light and depris. They also reduce algae growth and promote proper temperatures. Sold in pairs


HYDROCYCLE DUTCH BUCKET AND ACCESSORIES

ITEM	EACH	DISCOUNT PI	RICE
HydroCycle Siphon Elbow	\$ 0.59	\$0,49 (100-499)	\$0.45 (500 & up)
Horticultural Perlite, 4 Cu. Ft. Bag	34.95	-	-
Grodan A-OK Starter Plug Sheet	10.95	10.49 (30-479)	10 29 (480 & up)
Grodan Delta 4 Gro-Block [®] , Strip of 8	6.25	5.29 (48-719)	4.39 (720 & up)
Grodan Delta 6 Gro-Block*, Strip of 6	5.39	4.59 (36-539)	3.85 (540 & up)
1/8" SuperFlex" UV White Polyethylene Tubing	10.49	0.15 (1,000' roil, per ft.)	_
3-3/4" Angled Arrow Dripper Stake	0.25 (10 .99)	0.19 (100 & up)	_
6-3/8" Angled Arrow Dripper Stake	0.29 (10-99)	0.21 (100 & up)	
	HydroCycle Siphon Elbow Horticultural Perlite, 4 Cu. Ft. Bag Grodan A-OK Starter Plug Sheet Grodan Delta 4 Gro-Block", Strip of 8 Grodan Delta 6 Gro-Block", Strip of 6 1/8" Superflex" UV White Polyethylene Tubing 3 3/4" Angled Arrow Dripper Stake	HydroCycle Siphon Elbow \$ 0.59 Horticultural Perlite, 4 Cu. Ft. Bag 34.95 Grodan A-OK Starter Plug Sheet 10.95 Grodan Delta 4 Gro-Block", Strip of 8 6.25 Grodan Delta 6 Gro-Block", Strip of 6 5.39 1/8" SuperFlex" UV White Polyethylene Tubing 10.49 3 3/4" Angled Arrow Dripper Stake 0.25 (10-99)	HydroCycle Siphon Elbow \$ 0.59 \$ 0.49 (100-499) Horticultural Perlite, 4 Cu. Ft. Bag 34.95 -











- (A) Angled Arrow Dripper Stake (110403 or 110407)
 (B) 1/8" SuperFlex™ UVWhite Polyethylene Tubing (110408A)
- Grodan A-OK Starter Plug (111386) and Grodan Delta Gro-Block™ (111387 or 111388)
- (D) Horticultural Perlite (111049)





Seed Soaking and Sanitizing Systems for the Fodder-Pro Feed Systems are available in both single and double-tank styles, depending on your needs.

- Tanks are manufactured from impact and corrosion-resistant 3/16" polyethylene and can withstand most temperature extremes.
- Tanks are 27" deep and have an 18" diameter Tank height is 38"
- Slippery surfaces on the inside of tanks allow for seeds to easily slide down to the bottom of the tank toward the drain at a 45° angle
- Tanks come with 3" gate valves for easy transfer of seeds from the Seed Soaking and Sanitizing System to the seed transport
- Frames are made of gatvanized steel to support the 30 gallon tanks.
- Aeration components are included for superior seed treatment
- Systems come with lids that protect seeds from dust, dirt and other impurities.

SEED SOAKING AND SANITIZING SYSTEMS

	O1 (111) 40	/ SI 1 ID DI (I	 _	20161710
STK#		ITEM		EACH
112553		Single	\$	1,585.00
112554		Double		231500

Easy-to-clean Botanicare® Propagation Trays can be used with a variety of growing media. Large drain channels make complete and efficient drainage easy for the hydroponic grower.

- Manufactured from white 70% recycled plastic wrapped in a virgin UV-resistant capping. 8PA free.
- Can be used with several types of media, including our Horticultural Perlite, Grodan Delta Gro-Blocks" and Jiffy 7-C Coir Peilets.
- . Low Tide Tray (11 1105) provides greater flexib lity for greenhouses and grow rooms and is designed for large-scale top feed drip, run to waste, or recirculation systems. Features a 2" guily on each side for better drainage than single center drains. Ideal for use with our Standard 1020 Flats, sold separately.

- Create your ideal layout by connecting several Low Tide Trays (111105) using the multiple bulkhead ports.



Botanicare Pallet Rack Trays for vertical propagation allow you to get the most out of your growing space.

- These 4' x 8' trays are designed to be used with standard, 42"W x 96"L pallet racking, allowing you to maximize your overhead growing space.
- Stackable design enables you to reduce your growing footprint by up
- Trays feature a trough that hangs over the edge of the racking. It collects and redirects runoff to reduce the occurrence of standing water.

Provide plenty of hydration without taking up precious space.

 Paliet Rack Trays are an Ideal option for large-scale propagation or microgreen production. They are large enough to fit 16 10 W x 20 L propagation flats, making it easy

to grow a number of different crops

POTANICARE PALLET RACK TRAYS

DO IMPOUND I MELLI	IUICIC	11117112
STK#		EACH
115725		\$2299



- Space saving design with a height of
- For indoor or outdoor use.
- Can be used as a stationary or portable unit,
- Ideal for hydroponic systems, marine industry portable water, truck applications and more.

SO DELLIVE HOLDING TANK

230 DELOKE HOLDING	DATES.
STK#	EACH
113505	\$605.00

- Dimensions: 16" x 40" x 84"
- Two 16" lids and one 1.5" bulkhead fitting included.



Available in three sizes, Uniseals® are ideal for use with aquaponics systems.

300-Gallon Low-Profile Tank is a great general-

purpose tank that can fit in a variety of spaces.

- Rated to 40 PSI.
- · Withstand cold temperatures, will not harden, hold continuous pressure or vacuum
- Fit standard schedule 40 PVC pipe.

EACH

\$905.00

· Small height makes this tank

easy to fit in tight spaces

For indoor or outdoor use. · Stationary or portable.

· Gallon indicators are included on one end and

one side of the tank.

48"W x 21"H x 80"L

LOW-PROFILE TANK

300-GALLON

STK#

· Comes with 8" vented lid.

25 year warranty.

UNISEALS			
STK	SIZE	EACH	
112710	1777	\$4.45	
112367	1.5"	5.55	
112711	2 ⁿ	8.35	







WARNING: Cancer and Reproductive Toxicity - P65Warnings.ca.gov

Ebb & Flo Systems let you grow big in a small space. These systems provide an effective and automated method to deliver optimal levels of water, nutrients and oxygen to your crops.

- Available in four sizes, these systems increase growth rate, yield, nutritional value and flavor of your crops.
- Utilizing the ebb and flow hydroponic method, these easy-to-use systems are perfect for propagating plants or nourishing and watering seedlings.
- Each system includes submers ble pump, nutrient reservoir, grow tray, ebb and flo kit and 16-gauge, galvanized, square steel tubing frame with height adjustable feet for eveling.
- Custom, poly-injection-formed replacement fittings are available, sold separately.
- Trays and reservoirs are manufactured from durable ABS
 plastic with built-in UV inh bitors that minimize fading
 and yellowing from grow lights. Trays include drainage
 channels. Reservoirs feature porthole covers that make
 monitoring and refilling your nutrient solution easy







111302



111300 111303 EBB AND FLO SYSTEMS

5TK#	SIZE	RESERVIOR CAPACITY	EACH
113501	4' x 4'	40 gallons	\$ 785.00
113502	4' x 6'	115 gallons	1,725.00
115554	2' x 4'	20 Gallons	425.95
115555	2' x 8'	40 Gallons	545.95

REPLACEMENT FITTINGS

VELTACCIAICIAI ELLINACIO			
STK#	ITEM	EACH	
111300	1/2" Barbed Bulkhead Fitting	\$3.25	
111301	3/4" Barbed Bulkhead Fitting	3.55	
111302	Bulkhead Extension	1.55	
111303	Bulkhead Screen	1.15	
111304	Bulkhead Fitting Washer	1.09	

Allow your plants to reach their full potential by encouraging a healthy root mass with Hydroguard™.

- Hydroguard supplies plants with an isolated form of Bacillus Amyloliquefaciens, which canincrease root mass and health. Bacillus Amyloliquefaciens is particularly beneficial to hydroponic growing and can help to max mize plant yield.
- It works by breaking down organic materials and increasing nutrient availability
- Hydroguard contains a minimum of 100 x 10^4 cfu/ml. It is 0.038% Bacillus Amytoliquefaciens and 99.962% inert ingredients.
- Contents are guaranteed for 2 years after the date on the package, but they should be used within 6 months of opening.
- ► 1 Quart



BOTANICARE' HYDROGUARD"

STK#	EACH	12 & UP
113566	\$35.95	\$34.95







Botanicare® Reservoirs are an easy and effective way to store water for hydroponic growing.

- Available in 20-galion, 40-gallon and 115gallon capacities.
- Made in the USA.
- Manufactured from durable, white ABS plastic, BPA free.
- Provides extra room for aeration and has a water level indicator on the side.
- Virgin UV resistant capping wraps a 70% recycled plastic core.
- 1 year manufacturer's warranty
- Built-in buikhead ports on the front and side to accommodate pump lines and to allow mult ple reservoirs to be joined in a fine or side by side. (113798, 113797, 113800, 113799).
- Porthole cover is recommended.

113798 shown with 113797 and 112542



BOTANIC ARE' RESERVOIRS AND LIDS

ROTANK AKE KESEKVOIKS AND LIDS				
STK#	ITEM	EACH		
113798	20-Gallon Reservoir	\$ 99.95		
113797	20-Gallon Reservoir Ltd	69.95		
113800	40-Gallon Reservoir	139.95		
113799	40-Gallon Lid	89. 9 5		
113801	115-Gallon Reservoir	345.95		
113802	115 Gallon Lid	225.95		
112542	Porthole Cover	12.95		

113801 shown with 113802 and 112542

The EZ-CLONE PRO is the future of high-pressure propagation, utilizing patentpending technology and space-saving design.

- EZ-CLONE PRO is a complete system that nourishes cuttings with nutrient-rich, high pressure mist, includes all the required equipment and hardware.
- The vertical design allows growers to save space, and 459 cuttings can be cloned in under 10 sq. ft. The trays sit on silding drawers, so growers have easy access.
- The EZ-CLONE PRO is based around a Nuert 75 PSI High Pressured Pump, which supplies the entire system with water and essential nutrients. The pump runs on a timer to allow precision misting
- Water is stored in a 20 gallon reservoir, which is made from ABS plastic and includes handles. The tank features drains on a long and short side and has welded attachment points for quick disconnect fittings.

 Inc udes dual 3'T5 fluorescent lighting that is controlled by a timer that is mounted on the system.

 Catch tray ensures proper drainage and has built in misters that support uniform watering and nutrient delivery

· Constructed with a high-quality steel frame that is powder coated with medical-grade coating The plumbing can be hidden and protected within the system's frame.

 System sits on casters, which can be locked. - Safety latches ensure each inlet and outlet

is locked and fully engaged.

 Electrical components are stored in a leak proof box that includes a removeable 120V cord. Only draws 5.1 amps.

· System fits through any standard size door frame.



STK# 116831

EACH \$8,625.00





Sleek design for convenient placement throughout any growing operation.

- Leak-proof design has an increased fip height, extended flange and drainage gutter
- · The Id and reservoir are made from UV protected HDPE plastic, and they were manufactured to ensure increased structural integrity.
- The water pump has an extended baseplat and additional suctions cups to prevent it from fatling over.
- The cover features alpha numeric symbols, so multiple strains can be easily identified when they're in the EZ Clone.
- Four-way finger slots for quick extraction.
- · Comes with four different colored cloning collars.

Pestrap" nsect Traps are an easy and cost-effective way to monitor and control pests.

- A crucial factor in effective integrated pest management. These yellow and blue cards attract and trap potentially harmful insects before they can cause serious damage
- Utilizes an extremely sticky adhesive that is non-tox c.
- Grids enable quick, easy and accurate monitoring.
- Blue or ye low cards allow you to target specific pests.
- 3" x 5" traps are ideal for monitoring greenhouse conditions to avoid pest damage. Use one to three traps for every 1,000 sq. ft.
- 4" x 10" traps allow you to monitor and control pests. Use one trap for every 500 sq. ft. for monitoring and ten traps for every 1,000 sq. ft. for control.
- Disposable and pesticide free.



EZ-CLONE LOW PRO SYSTEM

STK# 117030 FACH \$545.95 PESTRAP" INSECT TRAPS STK# ITEM 3" x 5", Pack of 48 4" x 10", Pack of 12 111172 111173

113902

4" x 10", Pack of 12

COLOR	EACH	12 & UP
Yellow	\$30.95	\$28.79
Yellow	21 95	20.55
Rain	24.05	22.05



111173

WARNING: Cancer and Reproductive Toxicity - P65Warnings.ca.gov

44

WWW.GROWERSSUPPLY.COM 1.800.476.9715

High-quality, above-ground, vertical water storage and mixing tanks are ideal for general farm needs, hydroponic systems, rainwater harvesting and more.

 variety of sizes available, perfect for many applications, including livestock water storage, hydroponic nutrient mixing tanks, aquaculture tanks, acid tanks and more.

- Made of heavy-duty, polyethylene plastic, which is resistant to most chemicals.
- Flat bottomed, cylindrical tank has straight sidewal s and is completely self supporting
- Smooth sidewalls for easy cleaning and no sediment buildup.
- Depth: 30". Diameter: 22". Wall thickness: 3/16"
- Lid sold separately
- 1 year manufacturer's warranty.

Norwesco Tanks

- Manufactured using resins that meet FDA specifications to ensure safe storage of potable water.
- Feature tie-down slots, built-in graduated gallon indicators, offset fill opening and a self-vented, slosh-proof lid.
- · Impact resistant, one-piece seamless polyethylene construction
- Designed to meet a specific gravity of 1.5, or 12.5 lbs. per gallon at 73°F.
- Green color limits I ght penetration to reduce the growth of waterborne algae.
- 16" opening, 2" drain
- · USA Made. 3 year warranty from the date of manufacture.

Conical-Bottom Tanks

- Idea for use in aquaponic systems.
- Cone-shaped bottom for total drainage. 45° bottom angle. (112736 & 115317 have a 15° angle).
- Conical-bottom, cylindrical tanks are made of 3/16" thick, blue heavy-duty, chemicalresistant, polyethylene plastic (115317 tank is 1/4" thick)
- Not self supporting Frame sold separately
- Lids sold separately
- · Optional window kit can be purchased for any size tank. Window piece is 28" x 18".
- 1 year manufacturer's warranty.

Service Weight Gaskets

· Available in three sizes, these gaskets are manufactured from EPDM material to withstand harsh sunlight and greenhouse environments. 1.5" and 2" Service Gaskets each require a 3" hole. 4" Service Gasket requires a 5" hole

2" Mushroom Vent Cap

 Designed for maximum venting efficiency to compensate for positive or negative pressure buildup in a tank. All four sides meshed to keep insects and debris out of the tank.



111623

ITEM

3-Gallon Tank Lid

52 Gallon Tank Lid

3-Gallon Storage Tank

52-Gallon Storage Tank

POLY TANK & LID

NORWESCO TANKS

CAPACITY

STK#

113720

113721

111134

111133

STK#

5° 1°



111624



COLOR

White

White

Blue

Blue

DIMENSIONS

SEE FULL-LINE @







EACH

\$ 44,95

245.95

FACH

17 95

77,95



	Amil of A Admit 1 a	DI 1 E 11310113	THE PARTY IS
11156	305 gallons	46" Diameter x 50"H	\$ 885 95
11157	550 gallons	67" Diameter x 44"H	1,275 95
11158	1 100 gallons	87" Diameter x 53"H	1,995 95
CCECC	ODJEC COD N.ODJU	ECCO TANKS	
ICCE22	ORIES FOR NORW	ESCO IANKS	
TK#		ITEM	EACH
11625	1.5" Se	rvice Weight Gasket	\$12.09
11624	2" Serv	ice Weight Gasket	12.09
11623	4" Serv	rice Weight Gasket	13.09
11626	2" Mus	hroom Vent Cap	30.85
ONICA	L-BOTTOM TANKS	AND ACCESSORIES	

CONICAL	L-BOTTOM TANKS AND	ACCESSORIES	
STK#	ITEM	DIMENSIONS	EACH
112732	15-gallon Tank	15" Diameter x 26"H	\$ 89.95
112733	15 gallon Tank Ltd	_	39.95
116062	15 gallon Tank Frame		409.95
112715	30-gallon Tank	18" Diameter x 38"H	199.95
112719	30-gallon Tank Lrd	_	55 95
116063	30-gallon Tank Frame	_	499.95
112371	55-gallon Tank	22" Diameter x 44"H	299.95
112718	55-gallon Tank Lid	_	85.95
116064	55-gallon Tank Frame		589.95
115317	80-gallon Tank	24" Diameter x 52"H	459.95
115315	80-gallon Tank Ltd	_	79 95
116065	80-gallon Tank Frame	-	685 95
112370	120-gailon Tank	28" Diameter x 58"H	525 95
112738	120-gallon Tank Lid	-	109.95
116066	120-gallon Tank Frame	-	775 95
112736	250-gallon Tank	42" Diameter x 47"H	1,205 95
112737	250-gallon Tank Ltd		275.95
116067	250-gallon Tank Frame	-	955.95

Predrilled Window K.t.



The ultra-versatile Irrigation Manifold Kit can be used in any irrigation application.

- · The ideal manifold for any setting. Ut lize for indoor or outdoor growing, drip systems, sprinkler systems and more
- Features four zones. Includes an in-line flush valve.
- Should be used with 1" solenoid valves or 1" PVC ball valves.

Additional Zone Kit (115286)

- Creates a 5th zone on the Irrigation Manifold.
- Should be used with a 1* solenoid valve or a 1* PVC ball valve.

IRRIGATION MANIFOLD KIT				
STK#	ITEM	EACH		
115285	Irrigation Manifold Kit	\$70.95		
115286	Additional Zone Kit	15 93		



165.95

112814



Aeration System Components are vital for proper oxygenation and nutrient circulation of your hydroponic setup. Promote faster growth and healthier plants.

- Provide a constant supply of oxygen, as well as a steady current in your nutrient reservoir to ensure that nutrients do not settle.
- Ideai for all hydroponic systems, including NFT, float, ebb and flow, drip and aeroponics.

ActiveAqua Air Pumps (110725)

- 7.8 liters per m nute 3 W.
- Features silent operation with multi-level muffler.
- Special artificial rubber provides a steady air flow output and pressure that can be adjusted on multiple outlet models.
- Low power consumption
- · 4' power cord.
- · 120 V 60 Hz.
- Please note: Always keep your air pump above water level.

ActiveAqua Commerc of Air Pumps (109258, 109259)

- Avai able in 70 liters per m nute (60 W) and 110 liters per minute (112 W) models
- High pressure and high output Comes with multi-outlet divider (8 and 12) that can be opened or shut.
- Electrical magnetic air compressor in a high-quality aluminum alloy case, with wear and tear resistant material for cylinder and piston.
- Provides quiet operation, long service life and very low energy use.
- · Perfect to run multiple Air Stones at once.

ActiveAqua 6"L Pumice Air Stone/Air Diffuser (109260)

- Keeps root systems healthy while extending life of nutrient solutions.
- · Provides uniform bubbles for air diffusion.
- 1/4" OD (air supply connection)

Sweetwater 3"L Air Stone/Air Diffuser (110077)

- High-quality ceramic is machined from a solid block of glass-bonded silica.
- Air Diffuser produces a uniform medium/fine bubble and is extremely res stant to clogging
- Low maintenance—in most soft water applications, this Air Stone will not have to be cleaned for more than a year
- Air Stone measures 1.5"W x 3"L.
- 3/8" OD (air supply connection)
- · 2 year guarantee.

1/8" (110091) and 9/16" (WF1176) Clear PVC Tubing

 Use in combination as header tubing and air supply tubing to provide aeration and nutrient circulation.

UNF Adapter Thread (109242)

- Use to prevent air and water leaks at tubing connections
- 0 16 Barb x 10/32 UNF thread.



110725



AFRATION SYSTEM COMPONENTS

AERAHON	1 3131 EM COMPONENTS		
STK#	ETEM	EACH	DISCOUNT PRICE
110725	7.8-Liter, 2-Outlet Air Pump	\$ 25.95	
109258	70-Liter Air Pump	95.95	_
109259	110-Liter Air Pump	145.95	_
109260	6"L Purnice Air Stone/Air Diffuser	2.19	
110077	3°L Ceramic Air Stone/Air Diffuser	12.15	-
110091*	1/8" Clear PVC Tubing, per ft.	0.49	\$0.39 (100' & up)
WF1176	9/16" Clear PVC Tubing, per ft.	2,05	1.75 (100° & up)
109242	UNF Adapter Thread	0.19	0.09 (100 & up)
*Maximum co	ntinuous roll: 500'		



Active Aqua AA 5/8" to 1/2" NPT adapter for AA pumps.

Reduces pump output from 5/8" to 1/2"

Durable, water tight construction.

5/8" X 1/2" NPT ADAPTER STK# EACH 116844 \$3.05

4.6

WWW.GROWERSSUPPLY.COM 1.800.476.9715



Dolphin Pumps are designed and manufactured for maximum efficiency and minimum power consumption, allowing for cost-effective and worry-free operation of your hydroponic system.

- · High performance wet end designs.
- Continuous duty, weather proof motors and dual sealed bearings.
- · For fresh water applications only
- For indoor or unprotected outdoor use.
- Anti-vibration pump pad and new super seal unions included.
- · Corrosion resistant.

Premium Efficiency Diamond Aqua Sea 9250 & 9500 {111146 & 111147}

- High head, low current draw.
- 111146: 115 V, 50/60 Hz, 1 HP, 9,250 GPH.
- 111147: 230 V, 50/60 Hz, 1 HP, 9,500 GPH.
- 1-1/2" supply and discharge
- 111146 comes with supply cord 111147 is un-corded.
- 2 year manufacturer's warranty with 10 year free extended service guarantee.

Super Amp Master 7200 (111148)

- Designed to consume the lowest amount of energy per gallon pumped.
- Flow rates may be dialed back by a ball valve with no harm to pump.
 Electric current draw drops as flow is reduced.
- Super flow turbine-style impeller Stainless stee crane sea for superior seal life.
- 115 V, 1/3 HP, 50/60 Hz, 7,200 GPH.
- 2" supply and discharge
- Comes with supply cord.
- 1 year manufacturer's warranty with free 10 year factory service guarantee.

Super Aqua Sea 12500 (111149)

- Super-efficient high head, n gh pressure/flow system pump.
- Built to consume the lowest amount of current for each gallon pumped.
- 115 V, 3 HP, 50/60 Hz, 12,500 GPH
- · Comes with supply cord.
- 2" supply and discharge
- 1 year manufacturer's warranty and free 10 year factory service guarantee

ITEM

DOLPHIN PUMPS

111140	Premium Efficiency Diamond Aqua Sea 9250	2 888 00
111147	Premium Efficiency Diamond Aqua Sea 9500	625 00
111148	Super Amp Master 7200	755 00
111149	Super Aqua Sea 12500	1,075 00
DOLPHIN I	PUMP ACCESSORIES	
STK#	ITEM	EACH
111150	1-1/2" True Union Swing Check Valve	\$ 32 95
111153	2" True Union Swing Check Valve	49 95
111154	1-1/2" Enclosed Intake Strainer	46 95
111155	2" Machine Slotted PVC Intake Strainer	155 95
111151	1 1/2° EZ Primer/Strainer	149 95
111152	2° EZ Primer/Strainer	155 95

Dolph n Pump Accessories

True Union Swing Check Yalves (111150 & 111153)

- · Can be used with all water types.
- No metal, pressure or flow restrictions as found with spring check valves.
- · Can be removed for cleaning and service.

1-1/2" Enclosed Intake Strainer (111154)

- Flexible po y base.
- Insert Into 1-1/2" PVC fitting or 1-1/2" thin wall PVC p pe
- Top diameter 3.8" Bottom diameter 4.71"
- Strainer height: 4,87". Overall height: 8.12".

2" Machine Slotted Intake Strainer (111155)

- Can be used for d rect 2" intake.
- Comes with solid cap and 2" x 1-1/2" reducer bushing.
- Height: 11*, including fitting.

EZ Primer/\$trainers (111151 & 111152)

- Must be used in conjunction with Swing Check Valve when drawing water up an incline
- Protects pump from debris that can clog or damage the impeller.
- Prevents noise from water cavitations in wet end, improving pump performance
- Easy lid removal.



Indoor/outdoor Magnetic-Drive Recirculation Pumps are ideal for hydroponic systems, ponds and more.

EACH.

ActiveAqua Recirculation Pumps (110721, 110722 & 110723)

- Available in 250 GPH, 550 GPH, 800 GPH and 1,000 GPH flow rates
- Multi-use submersible pumps with powerful mag-drive construction.
- Removable foam filters and impeller included,
- · Outlet fitting sizes.

250 GPH unit 1/2", 5/8", 3/4" 550 GPH and 800 GPH units—1/2", 3/4", 1". 1,000 GPH unit 1/2", 3/4", 1"

- For indoor/outdoor use. Oil free and environmentally safe.
- 1 year manufacturer's warranty.

Pro Recirculation Pumps (110719) Available in 500 GPH and 700 GPH

Available in 500 GPH and 700 GPH flow rates.
 Heavy-duty Danner Mag Drive Pumps are fully submersible or can be used as inline pumps.

 Includes exclusive fine mesh foam pre-filter, impeller and exclusive hose/thread adapter,

EACH

\$ 35 95 122.95

65.95

85.95

 1/2" FPT Intet. 1/2" MPT outlet.
 For indoor outdoor use. Oil free and environmentally safe

5 year manufacturer's warranty.



MAGNETIC DRIVE RECIRCULATION PUMPS STK# ITEM

110721	250 GPH ActiveAgua Pump
110719	500 GPH Pro Pump
110722	550 GPH ActiveAqua Pump
110723	800 GPH ActiveAqua Pump
113776	1,000 GPH ActiveAqua Pump

FOR RESERVOIR SIZE 25-35 Gallons Up to 80 Gallons 55-65 Gallons 80-100 Gallons 100-Plus Gallons

Maintain clean, nourishing water with products from HydroLogic Purification Systems.

HydroLogic Purification Systems provide a wide range of products to ensure the finest water for your hydroponic, aquaponic or aeroponic systems. HydroLogic Systems are environmentally friendly and energy efficient, helping growers save time, as well as money. These systems are completely manufactured in the United States using green technologies

Big Boy De-Chlorinator & Sediment Filter (115702):

Is an extra high-flow filter that has a rate of 7 gallons per minute or 420 gallons per hour. It filters 99% of chlorine and at least 95% of sediment, providing only the purest water.

Evolution-RO 1000 (115703):

Is a high flow reverse osmosis system capable of producing 1,000 GPD or 42 gallons per hour of pure water Removes at least 94% of all parts per million and includes a KDF/Catalytic Carbon Filter and two membranes to reduce chiorine, chloramines, iron, sulfur and heavy metals. Highly efficient model runs 1:1 or 2:1 waste to product ratio.

Pre-Evolution (115704)

Is a high capacity pre-fifter for the Evolution-RO1000. It promotes the efficiency of the Evolution and requires little maintenance. Highly recommended for systems that use more than 150 gallons of water per week. It features a cleanable sed ment filter that can be reused. Has a combination of KDF85 and KDF55 with an environmentally friendly catalytic carbon filter that reduces chlorine, chioramines, iron, sulfur and heavy metals.

Big Boy with Upgraded KDF (115707).

Provides the same benefits of the Big Boy De-Chlorinator & Sediment Filter, but is upgraded with a KDF85/Catalytic Carbon Filter for extra chioramines removal.

Evolution Pressure Booster Pump (115701).

Is 220Y, heavy duty pump that is designed for continuous use and can be used 24/7. It features an adjustable pressure dial, as well as low and high pressure switches. Boosts pressure to 80 psi with the Evolution-RO1000 and can be used with HydroLogic float valves. Requires a minimum of 20 psi, and it includes a pump protector/inlet filter and 1/2* QC fittings.

TDS Pro Dual Monitor (115700).

Is an in/out PPM monitor with 1/2" inlet and 3/8" outlet. Measures unpurified water PPM going into the reverse osmos s, and then measures the PPM of the purified water coming out. Easy-to-read, instant display that can be easily switched between clean and dirty water TDS. Designed to be used with Evolution-RO1000 and tells grower when to change RO membranes.

Big Boy Sterilizer Kit (115705).

Is an 8 GPM ultraviolet sterilizer that provides 100% protection from bacteria, viruses, cysts and pathogens, ensuring the safest water. It includes stainless steel UV unit with 3/4" MNPT ports, wall mount clips and transformer. Can be used with Big Boy and most RO and filter systems with up to 8 GPM.

Evolution-RO 1000 UV Sterilizer Kit (115706):

Is a 1 GPM ultraviolet sterilizer kit for the Evolution-RO1000, Mertin Garden Pro and most RO and filter systems with 1/4" and 3/8" fittings and up to 1 GPM flow rates. It provides 100% protection against bacteria, viruses, cysts and pathogens.

HYDROLOGIC PURIFICATION SYSTEMS

	E I GIIII I GIII JI JI LIII J	
STK#	ITEM	EACH
115702	Big Boy De-Chlor nator & Sediment Filter	\$ 555.95
115703	Evolution-RO 1000	1,135.95
115704	Pre-Evolution Pre-F Iter	395 95
115707	Big Boy w/ Upgraded KDF/Carbon Filter	635.95
HYDROLOGI	C PUMPS	
STK#	ITEM	EACH
115701	Evolution Pressure Booster Pump	\$895.95
HYDROLOGI	C MONITORING SYSTEMS	
STK#	ITEM	EACH
115700	TDS Pro Dual Monitor	\$89.95
HYDROLOGIC	C UV STERILIZER KITS	
STK#	ITEM	EACH
115705	Big Boy UV Sterilizer Kit	\$499.95
115706	Evolution-RO1000 UV Stenlizer Kit	99.95

Big Boy Green Coconut Carbon Filter (115686)

Big Boy Pleated Sediment Filter (115687)

Big Boy KDF85/Catalytic Carbon Upgrade Filter (115688). Doubles filter life and has a 50,000 gallon capacity. M crobes won't breed in filter, and it reduces chloramines, chlorine, iron, surfur and heavy metals.

Evolution-RO1000 Blue Carbon/KDF Filter (117155)

Evolution-RO1000 Membrane (115689)

Systems require two membranes

Pre-Evolution KDF/Catalytic Carbon Filter [115691]

Pre-Evolution Cleanable Sediment Firter (115692)

Evolution-RO1000 Wall Mount Bracket (115685)
Conveniently holds the Evolution-RO1000 system to the wall.

Big Boy Garden Hose Connector Kit (115696)

Allows for garden hoses to be hooked up to the inlet and outlet of the Big Boy system.

1/2" Float Valve (115697):

Features a 1/2" barb and an adjustable water level. Made with stainless steel and PVC components.

3/8" Float Valve (115698):

Has a quick connect fitting and can be used on the Evolution-RO1000 or any other filter system with 3/8" tubing. It features an adjustable water level and can be mounted vert cally or horizontally. Made with stainless steel and PVC components.

3/4" Float Valve (115699):

Is a heavy-duty and high-flow unit. It is non-corrosive and has a 48" orifice valve it features an adjustable water level and is made with NSF approved PVC, stainless steel and rubber seals.

1/2" White Tubing, 25 ft. (115693)

3/8" Black Tubing, 50 ft. (115694)

3/8" B ue Tubing, 50 ft. (115695)

HYDROLOGIC REPLACEMENT FILTERS

STK#	ITEM	EACH
115686	Big Boy Green Coconut Carbon Filter	\$ 105.95
115687	Big Boy Pleated Sediment Filter	75.95
117155	Evolution RO 1000 Blue Carbon/KDF Filter	53.95
115689	Evolution-RO1000 Membrane, regu res two	245.95
115690	Big Boy KDF85/Carbon Upgrade Filter	169.95
115691	Pre-Evolution KDF/Catalytic Carbon Filter	95.95
115692	Pre-Evolution Cleanable Sediment Filter	45.95
HYDROLOG	IC ACCESSORIES	
STK#	ITEM	EACH
115685	Evolution RO1000 Wall Mount Bracket	\$98.95
115696	Big Boy Garden Hose Connector Kit	24.95
HYDROLOG	IC FLOAT VALVES	
STK#	ITEM	EACH
115697	1/2" Float Valve	\$27 95
1156 9 8	3/8" Float Valve	27 95
115699	3/4" Float Valve	89 00
HYDROLOG	IC TUBING	
STK#	ITEM	EACH
115693	1/2" White Tubing, 25 ft.	\$25 95
115694	3/8" Black Tubing, 50 ft.	26.95
115695	3/8" Blue Tubing, 50 ft.	26.95



Efficiently cool your nutrient solution to keep algae growth at bay, maintain proper pH levels and grow cool-weather crops during hot weather with Teco® Water Chillers.

- Teco" chillers use high-performance technology to ensure maximum performance with low energy consumption
- The Teco* air system provides improved performance by optimizing air exchange and utilizing a rotatable exhaust.
- A closed loop temperature control system provides premier accuracy and stays within 0.2°F
- · Chillers are housed in durable units made from high-quality materials. They are corrosion-resistant and a great option for use with or near salt water
- · The filter screen is magnetically affixed, so it is simple to clean, maintain, remove and install.
- Requires a recirculation pump, sold separately. Ask your knowledgeable National Account Manager which pump will work best for your setup.
- 113859 regulies no heater 113860, 113861, 113862 come with a built in heater, and 113863 and 113864 regulies a Heater Kit (110718), which is easy to install and includes a custom designed 400 W heater.












113852

113864

TECO" WATER CHILLERS

		EL CITY D DEE				
ITEM	HP	FLOW RATE (GPH)	RESERVO R SIZE (GALLONS)	AMPS	VOLTS/HZ	EACH
TK-150	1/8	105	Up to 40	1,9	120/60	\$ 915.00
TK-500	1/6	105	Up to 130	3,5	120/60	1,155.00
TK-1000	1/4	132	130-260	3.6	120/60	1,579.00
TK-2000	1/3	158	130-530	4.4	120/60	1,809.00
TK-3000	1/2	800	Up to 750	7,5	120/60	3,685.00
TK-6000	1	800	Up to 1,550	10.4	120/60	4,715.00
Heater Kit	144	***	but	_	_	119.00
	TK-150 TK-500 TK-1000 TK-2000 TK-3000 TK-6000	TK-150 1/8 TK-500 1/6 TK-1000 1/4 TK-2000 1/3 TK-3000 1/2 TK-6000 1	ITEM	ITEM HP (GPH) (GALLONS) TK-150 T/8 105 Up to 40 TK-500 1/6 105 Up to 130 TK-1000 1/4 132 130-260 TK-2000 1/3 158 130-530 TK-3000 T/2 800 Up to 750 TK-6000 1 800 Up to 1,550 TK-6000 1 800 Up to 1,550 TK-5000 TK-5000 TK-5000 TK-5000 TK-5000 TK-5000 TK-5000 TK-50000 TK-50000 TK-50000 TK-500000 TK-5000000000000000000000000000000000000	ITEM HP (GPH) (GALLONS) AMPS TK-150 1/8 105 Up to 40 1,9 TK-500 1/6 105 Up to 130 3,5 TK-1000 1/4 132 130-260 3,6 TK-2000 1/3 158 130-530 4,4 TK-3000 1/2 800 Up to 750 7,5 TK-6000 1 800 Up to 1,550 10,4	ITEM HP (GPH) (GALLONS) AMPS VOLTS/HZ TK-150 1/8 105 Up to 40 1,9 120/60 TK-500 1/6 105 Up to 130 3,5 120/60 TK-1000 1/4 132 130-260 3,6 120/60 TK-2000 1/3 158 130-530 4,4 120/60 TK-3000 1/2 800 Up to 750 7,5 120/60 TK-6000 1 800 Up to 1,550 10,4 120/60



- control er can be easily expanded upon. The PCM-300 (113783) adds 3 extra zones and allows the controller to be expanded from 4 to 7 zones, 7 to 10 zones or 10 to 13 zones. The PCM-900 (113784) adds 9 zones, enabling you to take the controller from 7 to 16 zones.
- Provides a maximum station runtime of 6 hours.
- The non-volatile memory keeps settings indefinitely, so you don't have to regularly reset the controller
- watering and the cycle and soak feature reduces runoff, allowing you to save money on watering.
- Built in lighting programs enable you to add ighting control
- Adjustments can be postponed up to 99 days.
- 120 V AC.
- Cab net dimensions 10"W x 9"H x 4-1/2"L.



PRC-400 IRRIGATION CONTROLLER AND MODULES MBTI 113785 PC-400 Controller

113783 PCM-300 Module 113784 PCM-900 Module

EACH \$209.00 69.00 285.00



Portacool Jetstream and Hurricane evaporative coolers provide efficient and effective portable cooling.

- Sizes for any application.
- Features Kuul Comfort MicroTech*, the highest-quality evaporative media available, made exclusively for Portacool.
- Variable speeds.
- · Set on castors for mobility.

Jetstream 220 (116613)

- Powerful cooling in a compact design.
 Great for tight spaces.
- · Osci lating louvers deliver cooling comfort.
- 30 mph velocity
- 3.4 amps.
- · 20 gallon reservoir.

Jetstream 230 (116614)

- Designed for maximum versatility.
- · Great for open or confined workspaces.
- · Features oscillating louvers.
- · 27 mph veloc ty
- 8.3 amps.
- 30 gallon reservoir.

Jetstream 250 (116616)

- Utilizes same amount of energy as a standard household appliance.
- Larger drain allows for easy and effective maintenance.

· Low water shut off

- 24 mph velocity.
- 6.6 amps.
- 55 gallon reservoir.

Jetstreum 260 (116617)

- Efficent design that uses approximately the same amps as a standard wet/dry vacuum.
- Larger drain provides easy and effective maintenance
- 25 mph veloc ty.
- 9.3 amps
- 60 gallon reservoir.

Jetstream 270 (116618)

- Whole shop cooling for a fraction of the operating cost of traditional coolers.
- Larger drain for easy and effective maintenance.
- 26 mph velocity.
- 15.2 amps

Jetstream coolers feature a 3 year warranty on the motor and electrical

components. Hurricane coolers come with 5 years.

65 gallon reservoir.











PORTACOOL COOLERS

STK#	ITEM			
116613	Jetstream 220			
116614	Jetstream 230			
116616	Jetstream 250			
116617	Jetstream 260			
116618	Jetstream 270			

DIMENSIONS 28.5"W x 42"H x 26.5"L 28.5"W x 50"H x 26.5"L 55"W x 70"H x 32.5"L 67"W x 77"H x 34.5"L 79"W x 90"H x 41"L

AIR DELIVERY	COOLING CAPACITY	EACH
2,400 CFM	700 sq. ft.	\$1,019.00
3,600 CFM	900 sq. ft.	1,575.00
8,500 CFM	2,125 sq. ft.	3,475.00
12,500 CFM	3,125 sq. ft.	4,259.00
22.500 CFM	5.625 sq. ft.	5,839,00

All-in-one, ready-to-use Hanna® Fertigation Systems give the professional and advanced home grower precise control over nutrient and pH levels in their hydroponic systems.

- HI 2,500 Kits are recommended for small to mid-size systems. Each HI 2,500 Kit includes an EC or TDS Mini Controller EC or TDS Probe, pH Mini Controller, pH Electrode, two Blackstone Dosing Pumps and NEMA Enc. osure.
- HI 5,000 Systems are ideal for larger and commercial hydroponics, including NFT, dutch buckets, flood tables and full greenhouse setups. Versatile and easy to install. Comes completely assembled on a compact panel with no wiring necessary
- Automated dosing feature allows the grower to optimize plant growth while saving time on measuring, mixing and dosing.
- Choose your system based on your preferred measuring method: electrical conductivity (EC) or total dissolved solids (TDS)

Fertigation System Components are also available separately.

Hanna® Mini Controllers (110751, 110752, 110753)

- Offer reliable, efficient and affordable process monitoring and control. Features fire-retardant casing, LCD screen, selectable overdose protection system, external disable feature and selectable control override. Dimensions: 3" x 2".
- EC and TDS Mini Controllers (110741 and 110753) are crucial for maintaining water quality and nutrient level.
- pH Mini Controller (110752) ensures that the nutrient solution is maintained at the proper set pH level for nutrient

Blackstone Dosing Pumps (110754 and 110755)

- Engineered to meet the highest chemical handling standards.
- Equipped with a single control for pump output.

HANNA' FERTIGATION SYSTEMS AND COMPONENTS

ITEM

HI 2,500 EC Mini Fertigation Kit HI 5,000 EC Mini Fertigation System

HI 5,000 TDS Mini Fertigation System.

1.5 LPH Blackstone pH Dosing Pump 2.9 LPH Blackstone PPM Dosing Pump

NEMA Enclosure w/2 Meter Capacity

HI 2,500 TDS Mini Ferbgation Kit

EC Mini Controller

TDS Mini Controller

pH M ni Controller

EC/mS Probe

pH Electrode

TD5 Probe

- External Flow Rate Control allows user to adjust flow percentage up to 100% of the rated capacity.
- Includes 3' power cord with plug and 23' of LDPE suction/discharge tube.

NEMA Enclosure w/2 Meter Capacity (110750)

- NEMA standard weather-proof enclosure.
- Includes wiring to probes (2) and mini controllers (2), all sold separately

110749

EC/mS Probe (110756) and TDS Probe (110758)

· Built in NTC sensor provides temperature compensated conductivity measurements.

EACH

\$2,655,00

5,269,00

2,655.00

5,269.00

209.00

209.00

209 00

179.00

209.00

465.00

69.00

69.00

pH Electrode (110757)

For continuous flow manitoring



110754/110755






110750 shown w/ Mini Controllers, sold separately.



110757



110756



- Grow the healthlest plants. The HI 2500 doses plants with nutrients to promote the growing cycle and doses acid to keep hydroponic systems within the right pH ranges.
- HI 2500 Fertigator EC (113709) maintains the proper electrical conductivity levels, while the HI 2500 Fertigator TDS (113710) supports the correct total dissolved solids levels
- · This system comes fully assembled and is easy to maintain and clean. The probes can be quickly disconnected for maintenance or replacement.
- Monitors pH ranges of 0 to 14, TDS ranges of 0 to 999 ppm and EC ranges of 0 to 10 m5/cm.
- Includes controllers, probes, one acid pump and two nutrient pumps.

HI 2500 FERTIGATORS

STK#

113709

110749

113710

110760

110751

110753

110752

110754

110755

110750 110756

110758

110757

STK#	ITEM	EACH
113709	HÍ 2500 Fertigator EC	\$2,655.00
113710	HI 2500 Fertigator TDS	2,655,00

Grow the healthiest crops, and protect them from insects and fungi by using this environmentally friendly product that is safe for use around people, pets and livestock.

- · This natural product is skin-contact safe and can eliminate the costs associated with workers' compensation claims and litigation due to exposure to toxic pesticides, fungic des and cleaning products.
- Made with an environmentally friendly formula that won't contaminate ground water, lakes, streams or wells.
- Promotes the health of plants and the function of irrigation aquaponic, hydroponic and fodder systems by fighting the buildup of manimate microscopic particulate, like slime and de-scale mineral deposits. This helps to improve the osmotic action in the plants' roots and eliminate the need to clean your growing equipment's irrigation lines, pipes, tanks and pumps, which reduces labor costs and the need to replace equipment.
- By improving the function of the roots, Z^{re} helps to make fertilizers more effective and enables you to use less fertilizer.
- Fights water spots and keeps crops looking, smelling and tasting their best.
- When used in aquaponic systems, it can support a healthy biofilter and allow for more active fish



FLYING SKULL PRODUCTS SKU# ITEM 113751

EACH







WWW.GROWERSSUPPLY.COM 1.800.476.9715





General Hydroponics Nutrient Systems allows growers to invest in their crops and achieve superior production and quality.

- This comprehensive nutrient system helps growers boost growth in almost any environment.
- Provide precision feeding and consistency through every growth phase.
- · Following the building-block method, the system combines nutrients in different ratios to create specialized mixes that increase control over plant development.
- Idea: ratio of minerals and balanced plant nutrition.
- Achieve premium results ail year long.



117374











117370

STK# 117382

117377



117379



117372



117382

FACH

\$29.95

117373

STK#	ITEM	EACH
117377	FloraMicro, 1 quart	\$ 17 95
117378	FloraMicro, 1 gallon	39 95
117379	FloraMicro, 6 gallon	179 95
117371	FloraGro, 1 quart	15 95
117372	FloraGro, 1 gallon	35 95
117373	FloraGro, 6 gallon	149 95
117374	FloraBloom, 1 quart	15 95
117375	FloraBloom, 1 gallon	35 95
117376	FloraBloom, & gallon	149 95



GENERAL HYDROPONICS RIPEN 0.5-7-6

STK#	ITEM	EACH
117368	Ripen 0.5 7-6, 1 quart	\$ 36.95
117369	Ripen 0.5 7 6, 1 gallon	109.95
117370	Ripen 0.5-7-6, 6 gallon	495.95
GENERAL HYDRO	PONICS PH PRO DOWN/UP	
STK#	ПЕМ	EACH
117380	Pro pH Down, 2.5 gallon	\$99.95
117381	Pro pH Up, 2.5 galion	99.95
MOTHER FARTHS	coco	

ITEM

Mother Earth® Coco, 75 cu. ft.

Specially designed to compensate for deficiencies in some nutrient fertilizer programs.

- · Prevents blossom end rot in tomatoes and peppers and tip burn in lettuce and cabbage.
- Protects against dry and withered flower and fruit sets, interveinal chlorosis, stunted growth rates and upward leaf curl.
- Increases cell division, plant tissue development and water, nutrient and carbon dioxide uptake
- Produces more flower and fruit sets. Increases growth rates and crop maturity
- CAL-MAG DITIS" MUTDIENT SHODI EMENT

CHE MING I COS	140 IMPAT 201	L CEMICIA.	
ST'K#	SIZE	EACH	DISCOUNT PRICE
111170	1 quart	\$24.95	\$22.95 (12 & up)
111171	1 gallon	60.95	58.95 (4 & up)

- Guaranteed analysis: 2-0-0. Standard-strength solution, 5 ml per 4 liters water, will achieve approx mately N: 53, Ca: 84, Mg: 31 and Fe⁻ 2.6.
- Idea for hydroponics, soil growing and container gardens. We recommend using with our Jiffy-7C Coir Pellets, sold separately.
- Recommended for use with reverse osmosis water.
- Avai able in one-quart and one-gallon containers.



Ed Rosenthal's Zero Tolerance® Pesticide naturally fights pests and molds.

- Meets EPA guidelines and is 100% vegan.
- Fully evaporates within five days, leaving no residue.
- Designed for plants that have a waxy surface, but can be diluted to safely treat delicate plants.

DOCESTILATE VEDO TOLEDANCE DE

ED KOZEMI	HALZ ZEKO TOLEKANCE KEZTICIDE	
STK#	PRODUCT	EACH
115202	Pesticide, 1 qt.	\$ 18 95
115216	Pesticide, 1 pt., concentrate	69 95
115215	Pesticide, 1 qt., concentrate	115 95

- Kills and repels spider mites, aphids, thrips, caterpillars, mealy bugs and molds.
- Can be used within a week of harvest.
- Available in concentrates. One concentrated pint makes 2.4 gal. and one concentrated quart makes 5 gal



Monitor and maintain optimum conditions for your plants, flowers and vegetables.

Determines soil pH and fertility evels (103397)

- Fast results. Each test takes just one minute
- · Requires one AA battery, not included

Take the guesswork out of gardening (103398).

- · Easy-to-read dial, great for indoors and outdoors.
- Includes recommended pH ranges for over 350
- Allows you to alter your soil conditions immediately.

Grow healthy and thriving plants by maintaining correct soil moisture (103399)

- · Instantly tells you moisture levels where it matters the most, at the roots.
- Helps prevent over/under watering.

ELECTRONIC SOIL TES	TER	MOISTURE METER		
STK# 103397		STK# 103399	EACH \$31.45	
SOIL PH METER	-	LIGHT AND MOISTURE METER		
STK# 103398		STK# 112522	EACH \$35.95	

One meter measures sunlight, soi pH and soil fertility.

- Compact and easy to use.
- No batteries required.
- Measurements based upon the J.S. Department of Agriculture standards.

4-WAY ANALYZER METER

STK#	EACH
105067	\$59.95

Ideal for the home gardener, professionals, in the classroom or in the field.

- Contains liquids and equipment to conduct 40 tests. Ten tests each for pH, Nitrogen, Phosphorus and Potash content
- Includes complete instructions and recommendations to amend soil, based upon test findings.
- Packaged in durable, plastic carrying case





Checktemp® Soil Thermometer with Stainless Steel Probe.

- Highly accurate thermometer is equipped with a unique cal bration device which allows the user the security of knowing the instrument is calibrated accurately
- The Checktemp* offers better accuracy than glass thermometers and features a large LCD and stainless steel 105 mm/4.13" probe.
- Temperature Range: 58°F to 302°F (-50°C to 150°C).
- Comes with penetration probe, protective cap, one 1.5 V battery and instructions.

CHECKTEMP' SOIL THERMOMETER WITH STAINII ESS STEEL DEADE

STANISTER STREET STROTTE	
STK#	EACH
107665	\$57.95

Maintain ideal environment for p arts by monitoring light and moisture levels (112522)

- Instantly tells you moisture levels where it matters most, at the roots.
- Helps prevent over/under watering.
- · Includes recommended water levels for over 150 plants.
- No batteries required







A non-corrosive and non-hazardous treatment to easily decrease the pH of nutrient solutions.

- Unique non-toxic formula makes pH adjustments easter and safer than ever before.
- Solution does not interfere with nutrient balances.
- Highly concentrated formula is an incredibly effective alternative to harsh mineral acids
- This non-hazardous solution does not irritate skin and has a triple zero HMIS score.

ALCHEMIST PH DOWN

STK#	SIZE	EACH
117167	1 gallon	\$59 95

Solutions and Cleaners for Soil Testers

- Please see Reference Guide for the proper solution for your tester
- pH Electrode Storage Solution comes in 60 cc container
- · TDS Calibration Solution In 90 ml bottle.
- Cleaning Solution for pH Testers comes in 500 ml container.



STK#	ITEM	EACH
112506	pH Electrode	\$12 95
	Storage Solution	
107673	Cleaning Solution for	23.95
	PH Testers	
112503	1,000 ppm NaCl TDS	12.95
	Calibration Solution	







Promote the longevity and overall function of your electrodes.

- Conductivity Solution (113814)
- Cal brates electrodes. 1413 µS/cm EC value at 77°F.
- 20 mL sachets (25).

pH Buffer Solution (113815, 113817)

- 113815 supports a pH of 7.01 and 113817 supports a pH of 4.01.
- Accurate to +/ 0 01 pH at 77°F.
- · 20 mL sachets (25).

DODE COLUETON

FLECTRO	ODE SOLUTIONS	
STK#	ITEM	EACH
113814	Conductivity Solution	\$36.95
113815	pH 7.01 Buffer So ution	36.95
113816	Electrode Storage Solution	23.95
113817	pH 4 01 Buffer Solution	36 95
113818	Electrode Cleaning Solution	45.95

Electrode Storage Solution (113816)

- Keeps the electrodes' glass membranes hydrated and the junctions clear.
- · Fights microbial growth.
- 500 mL bottle.

Electrode Cleaning Solution (113818)

- Eliminates impurities and dirt on electrodes.
- Formulated specifically for electrodes used in agricultural applications.
- 20 mL sachets (25).





Easy-to-use testers are well built, reliable and will assist you in growing superior crops.

Waterproof Combo Tester - pH/EC/TDS/Temperature (107659)

- Fast, efficient, accurate and portable. The Combo Tester Incorporates it all
- The graphite conductivity electrode provides greater accuracy as it cannot be contaminated by salt deposits in the solution
- Large, easy-to-read, dual evel LCD, with automatic shut-off.
- Features an easy-to-replace pH electrode with extendable cloth junction. Replacement electrodes are sold separately below
- Protective cap, electrode removal tool, batteries and instructions included
- pH and EC/TDS readings are automatically compensated for the effects
- EC Range 0 µS/cm-3,999 µS/cm pH Range 0-14. TDS Range 0 ppm-2,000 ppm. Temperature Range: 32F° to 140°F (0°C to 60°C)
- Four 1.5 V batteries with BEPS (Battery Error Prevention System) included.
- Use with electrode solutions (113814-113818) sold separately.

Waterproof pH/EC/TDS/°C Meter for Growers (108251)

- Measure pH, EC, TDS and temperature in the °C scale in just one instrument.
- Fast response probe

TEMPERATURE TESTER

- Available only with "C display.
- · Exclusive CAL CHECK " feature
- Includes probe with cable, calibration, cleaning and test solutions, one 9 V battery and protective case.

pH/TDS/Temperature Monitor (108253)

- Designed for continuous monitoring.
- 3-probe monitor: TDS, pH and temperature
- Cannot be used for direct soil measurement.
- Ideal for hydroponic monitoring.
- Accurate measurements are simultaneously displayed on three back.it LCDs.
- Measures in °C or °F.
- Extra-large display
- Includes cleaning solution and 12 V DC power adapter.

Combination pH/ORP Waterproof Tester (108254)

- Measures ORP for water ionization and chlorine sanitization
- Automatic temperature compensation. Automatic calibration.
- Rugged housing is completely sealed against humidity and is designed to float.
- Comes complete with protective cap, probe removal tool, four 1.5 V batteries with BEPS (Battery Error Prevention System) and instructions.



EACH STK# 107659 \$21995

WATERPROOF COMBINATION PH/EC/TDS/

WATERPROOF PH/EC/TDS/°C METER

FOR GROWERS STK#

FACH 108251 \$269.00

PH/TDS/TEMPERATURE MONITOR

STK# 108253 \$255 95 COMBINATION PH/ORP

WATERPROOF TESTER 5TK# 108254

FACH \$219 00 108251

107659 108254

HydroMaster Digital testers make monitoring water easier than ever by reading the evels that matter most and providing accurate readings that you can depend on.

Waterproof pH Temperature Tester (112507)

- Features as dual level LCD, battery level indicator, replaceable pH electrode cartridge, stability indicator, automatic shut-off and automatic cal bration.
- Floating, waterproof casing
- pH Range: 0 to 14. Temperature range 32°F to 176°F (0°C to 80°C).
- Comes complete with protective cap, electrode removal tool, three 1.5 V batteries with BEPS (Battery Error Prevention System) and instructions.
- Use solutions and cleaners (112505, 112506, 107673 and 112503).
- Tests pH at a range of 0 pH 14 pH, temperatures from 30°F-176°F, TDS from 0-9999 ppm and EC from 0-9999 µS

HydroMaster HM-500-pH/EC/TDS/°F Tester (113831)

- Stores up to 20 measurement readings, so you can monitor changes
- LCD touch-type screen with auto back lighting.
- Powered by a rechargeable lithium ion battery.
- Features an alarm that has an adjustable set point.
- Automatically turns off after 5 minutes.

Comes with mountable bracket, USB cable and wall adapter, 1 EC/ TDS conductivity sensor and

solution bottle. 110 V 220 V.



- Detachable platinum electrode, adjustable TDS ratio, in "F or "C, automatic temperature compensation with adjustable β beta ratio, battery level indicator, stability indicator, automatic shut-off and automatic calibration
- These 3-in-1 testers are unmatched in EC/TDS/temperature messurement and have a floatable waterproof casing
- · EC range: 0 μS to 9,990 μS TDS range 0 ppm to 8,560 ppm.
- Temperature range: 32°F to 176°F (0°C to 80°C).

WATERPROOF EC/TOS TEMPERATURE TESTER

STK# 112504	EACH \$145 95	WATERP	ROOF PHITEMPERATURE	TESTER
HYDROMASTER HM-500		STK#	ITEM	EACH
STK#	EACH	112507	Tester	\$135 95
113831	\$395 00	112508	Replacement Electrode	65 95



The HI 97500 Lux Meter combines an easy-to-use design with rugged construction to create the perfect portable light meter, especially in the field.

- The meter, which features an LCD screen, is attached to a light sensor via a 1.5 meter cable that ensures you never interfere with measurements.
- Housed in a durable, water-resistant body, making it ideal for use outdoors.
- Three different kilolux range options allow you to choose the best resolution (0.0001 to 1999) for the environment being tested.
- Runs on a 9V battery that provides 200 hours of operation.
- Accuracy: ±/- 6 percent of reading ±/ 2 digits.

HI 97500 PORTABLE LUX METER

STK# EACH 113900 \$249 00







Allow your tomato plants to climb with the Easy Grow Cable Trellis Kit.

- Simplifies the management of your trellised tomato plants.
- This 132'L trellis kit can be paired with our longest HydroCycle Dutch bucket system or cut down to fit smaller systems and shorter rows
- Supports 350 lbs. of mature plants on a 12' run.



CABLE TRELLIS KIT FOR TOMATOES STK# EACH

STK# EACH 113822 \$35.95

Save trellising labor time.

- Designed to avoid slipping or jumping from the wire, this unique assembly enables smooth lowering with full control.
- Quick-release feature for the first 3 to 4 meters of twine.
- Includes assembly body and a 15 meter (49-1/4') spool of Roller Plast White Twine.
- Additional assembly bodies and twine sold separately below, in case quantities of 800 each.



110013 110014

TOMATO ROLLERPLAST ASSEMBLY

		PF	RICE PER UNIT		
STK#	ITEM	EACH	DISCOUNT PRICE		
110013	Tomato RollerPlast Assembly	\$1.05	\$0.89 (50-99)	\$0.75 (100 & up)	
110014	RollerPlast Body, Case of 800	0.39	0.31 (2 cases & up)	0.25 (5 cases & up)	
110015	White Twine, 15 meter Spoo	0.55	0.45 (2 cases & up)	0.41 (5 cases & up)	

This 6" trellis netting is designed to stay tight and handle more weight, ensuring superior support for your crops.

- Promotes increased harvests and cleaner produce.
- Features 6*, reach-through mesh.
- · High-density polyethylene.
- 4'W x 8'L.
- Limits effects of pests, fungus and disease
- Great for tomatoes, grapes, sweet peas and other vine crops.



TRELLIS NET

STK# EACH 116978 \$6.05

Improve your tomato crop by simplifying the lean and lower method.

- Durable wire support provides a resting point for growing tomato stems.
- Elevate and organize plant stems.
- Keep stems contained and out of walkways and aisles.
- Easy to use. Just stake into dirt or attach to the egs of stands or fixtures.



TOMATO SUPPORTS

STK# EACH 110 & UP 113891 \$6.39 \$6.05



Hooks, Holders and Supports keep your vines healthy and prevent plant damage.

Two-Piece Radial Hook (110008)

Easy-to-use hook fits over wire with up to a 3.75 mm d ameter. Intended for multiple season usage, this unique hook helps prevent plant breakage. Sold in bulk-packaged quantities of 100.

Flexible Arch Cluster Support (110005)

Intended for use during the cluster's flowering stage. Offers a support arch for the cluster stem. Alred support promotes better ventilation and helps prevent Botrytis fungus. Quick and easy to Install. 6 mm wide. Sold in bulk-packaged quantities of 1,000.



Stem Holder (110016)


Idea for difficult to-manage stems and plants. Prevents drooping, bending and flopping, a lowing plants to grow strong. UV protected Long lasting. Sold in bulk-packaged quantities of 100.

Super J Double Cluster Support Hook (110017):

Unique design offers support and prevents damage to the cluster stem. Easy to use. Sold in bulk-packaged quantities of 100, boxed quantities of 5,000 or economical case quantities of 17,000.



56





110008 Disassembled

WWW.GROWERSSUPPLY.COM 1.800.478.9715

HOOKS, HOL	DEKS AND COMNECTORS			
STK#	ITEM	EACH	DISCOUNT F	PRICE
110008	2-Piece Radial Hooks, Bag of 100	\$13.95	\$12.29 (20 & up)	
110005	C uster Supports, Bag of 1,000	15 95	14.39 (17 & up)	
110016	Stem Holders, Bag of 100	4.95	4.15 (60 & up)	
110017	Super J Double Cluster Support Hooks	3.95 (<u>Bag of</u> 100 <u>)</u>	3.79 (50 & up) (Box of 5,000)	\$1 14 (Case of 17,000)

Un'que assembly designed to avoid slipping or jumping from the wire as well as ensuring smooth lowering with full control.

This simple to use device saves trellising time and labor,

Fits over wire with 2.50 to 4.00 mm diameter.

 Includes wire assembly frame and a 36 meter (105-1/4) spool of RollerHook' White Twine,


 RollerHook' features a multip e season usage. White Twine features up to three-year usage.

- Additional wire frames and twine sold separately below, in case quantities of 550 each.

- 110010 does not come assembled.

TOMATO ROLLERHOOK' ASSEMBLY

PRICE PER UNIT STK# EACH DISCOUNT PRICE Tomato RollerHook Assembly 110010 \$1.25 \$1.12 (100 & up) \$0.32 (8 cases & up) 110011 RollerHook' Wire Frame 0.45 0.35 (4 cases & up) 115455 White Twine, 36 meter Spool 0.65 0.53 ,4 cases & up) 0.49 (8 cases & up)









Easy-to-use, waterproof, handheld VegiBee™ Garden Pollinators will improve crop yield and reduce labor.

 Idea for pollinating tomatoes, peppers, beans, peas, eggplants, strawberries and more.

· 6 month manufacturer's warranty.

Battery-Operated Garden Pollinator

- One-speed electric pollinator with vibration-reducing handle.

Sonic speeds of 38,000 VPM

- Includes one 7" vibrating wand, pollen spoon and AA battery.

Rechargeable Garden Polinator

· Five-speed sonic pollinator with USB and AC adapter

 Includes 4.5" and 7" wands with vibration-reducing handles and pol en spoon.

Sonic speeds of 29,000 to 44,000 VPM.

· UL certified and RoHS compliant.

112537

TOMATO CLIPS

and easily.

prevent Botrytis fungus. Quick-release feature allows clips to be moved easily and to be saved

and reused for multiple crops throughout a growing season.

We recommend our RollerPlast White Twine (15 meter/49-1/4' spool) or our RollerHook" White Twine (32

meter/105-1/4 spool) to effectively

Ideal for tomatoes, cucumbers and

Sold in bulk-packaged quantities

25 mm/0*9*84

110006

VEGIBEE" GARDEN POLLINATORS

STK# ITEM EACH 112536 Battery Operated \$29.95 112537 50.95 Rechargeable

112536



hold clips in place.

other vine crops.

TOMATO	CCIPS		
		PRICE	PER BAG OF 1,000
STK#	ITEM	EACH	DISCOUNT PRICE
110007	Standard Clip,	\$19,95	\$17.45 (10 & up)
	23 mm/0 906"		•
110006	Jumbo Clip,	21 95	19 49 (9 & up)
	25 mm/2 0845		

Saves time and labor over other trellising methods.

Aired clip promotes better ventilation and helps

110007



Grow Bags are a low-cost alternative to plastic pots.

- Manufactured from virgin polyethylene material, with three-layer co-extruded construction for strength, durability and long lasting use
- Prepunched with drain holes, these bags stand up easily when filled with growing media. We recommend our Wonder Soil" and Grodan Delta Gro-Blocks all sold separately.
- Ideal for use with drip irrigation systems. Excellent for tomatoes, peppers, tree seedlings, bedding plants

THICKNESS

2.6 mil

3.2 mil

- Available in three convenient sizes. Color: Black.
- Minimum order quantity: 20.

CAPACITY

3 Gallons

5 Gallons

GROW BAGS

STK# 109863

109864









109865 7 Gallons 4.3 mil 0.65

EACH

\$0.35

0.55

Jiffy-7C Coir Pellets provide superior aeration and water retention

\$0.23 0.43

Jiffy-7C Coir Pellets are made from 100% coco substrate that is purified and stabilized, are peat free and provide a superior, aerated rooting media. Wrapped within a biodegradable containment material, Jiffy 7C is based on the proven theory of "container and media in one." Stringent quality control guarantees that the physical and chemical properties of the coco substrate provide an opt mum rooting environment. Jiffy-7C Pellets proudly carry the RHP certification, "Certified for Hortica ture." Sold in bulk packaged quantities of 100. Priced





110001

HEFY-7C COIR PELLETS

11 1 / 4 /	OHITCHELIS		
TK#	SIZE	EACH	1,000 & JP
10000	0.984"/25 mm	\$0 15	\$0.11
10001	1.181°/30 mm	0.16	0.13




100% natural clay pebbles are clean, pH stable and offer greater aeration and drainage in a variety hydroponic applications.

- Idea for deep water culture and drip feed systems.
- Able to cover large surface areas.
- Creates ideal environment for healthy bacterial growth around root zones, leading to hea thier plants.
- 40-liter bag.







STK#	EACH	10 & UP
112933	\$33 95	528.95



- Creates an optimal environment and promotes healthy root development by
- absorbing and retaining water
- Made from biopo ymers that are designed to efficiently manage water.
- Light weight and easy to use.
- Comes ready to plant with no pretreatment required.
- · Although rolls are compostable', they won't clog systems

BIOSTRATE" MICROGREEN GROW ROLLS STK# SIZE **EACH** 4 & UP





Grodan A-OK Starter Plug Sheet

- Ideal for starting seeds and cuttings before transferring to Net Pots for Hydroponic Systems.
- Sheets are available with 98 plugs that are 1.5" x 1.5" or 200 plugs that are 1" x 1".
- A full sheet of starter plugs fits perfectly in our 11"W x 21 37"L Standard 1020 Flat (109043), sold separately.

GRODAN A-OK STARTER PLUG SHEET

TK#	PLUG SIZE	EACH	30-479	480 & UP
11386	1,5" x 1.5"	\$10.95	\$ 10.49	\$ 10.29
16426	1" x 1"	11.59	10 95	10.49

Achieve an optimum balance of oxygen to nutrients with Grodan Delta Gro-Blocks** for rapid plant growth.

- · Manufactured from rockwool substrate, these Gro-Blocks" are completely sterile, lightweight and easy to use. Unique hydrophilic fiber makes crop production easy to control by allowing efficient use of water
- · Idea' for direct sowing of our Grodan A-OK Starter Plugs, sold separately When seedling roots coming out of plugs are 1" long, simply place plug in Gro-Block" hole
- Delta 4 Blocks are ideal for use with small plants, such as strawberries and peppers. Sold in strips of 8 blocks.
- Delta 6 Blocks are great for growing arge fruiting crops, such as tomatoes and cucumbers, in our HydroCycle Dutch Buckets, sold separately Sold in strips of 6 blocks.
- Perfect for use in ebb and flow, Dutch bucket and drip hydroponic systems.
- Priced per strip.

GRODAN DELTA GRO-BLOCKS"

STK#	ITEM	BLOCK DIMENSIONS	EACH	DISCOUN	NT PRICE
111387	Delta 4 Block w/Hole, Strip of B	3" x 3" x 2.5"	\$6.25	\$5.29 (48-719)	\$4.39 (720 & up)
111388	Delta 6 Block w/Hole, Strip of 6	4" x 4" x 2 5"	5.39	4.59 (36-539)	3.85 (540 & up)

Heavy-duty Net Pots provide even drainage and excellent air circulation around roots for healthier plants.

- · Plant roots grow through the mesh of Net Pots, allowing more oxygen to reach the root zone which promotes healthier, bigger roots.
- Pots can be used with any of our growing media.
- Manufactured from injection-mo ded polypropylene.
- · Priced per pot. Minimum order quantity of 10.
- · 2" pots do not have a lip.











109730

NET POTS

109299

				PRICE PER POT	
STK#	DIAMETER	HEIGHT	10-499	500 & UP	CASE QTY
109299	2"	2"	\$0.29	\$0.19	\$0.15 (4,250)
109917	3"	2-5/8"	0.49	0.39	0.35 (1,400)
109729	5°	4"	1.29	1 19	1,15 (960)
109730	6"	4 1/2"	1.49	1.39	1.35 (810)



Grodan Macroplugs allow starts to get the perfect water to air ratio.

- These plugs are made from stone wool, and the fibrous structure allows plants to anchor, while also ensuring they get plenty of air and water.
- Plugs are round and have a diameter of 1.5".
- Slit for easily placing starts.
- 50 plugs in each bag



GRODAN MACROPLUGS STK# **EACH** 116038







109858/112654



11/226

Wonder Soil® is an eco-conscious soilless biodegradable potting medium made from renewable coconut coir fiber, worm castings, mycorrhizae, kelp and watersaving polymer crystals. This medium maximizes growing success for both the professional and hobby grower. One truckload of Wonder Soil® is equivalent to 10 truckloads of loose soil!

- Available in a variety of forms and sizes for all gardening applications.
- This dehydrated, compressed medium will expand up to 7 times its volume when water is added
- Reduces watering and fertilizing costs by up to 50%
- Produces a soilless medium with a perfect balance of water-to-air ratio.
- Completely safe for use around children and pets.
- Produces stronger seedlings with larger root systems, as well as healthier transplanted and potted crops.
- Reduces soil erosion and compaction.
- Lightweight, easy to use and contains no fillers.
- Wonder Soil is not for sale in the state of Texas or Massachusets unless noted.

Earth Fr endly Wonder Soil® Expanding Wafers:

Designed for smaller pots and seed starter cells, these wafers are formulated to promote faster germination and yield up to 40% more sprouts. Also ideal for boosting the soil of existing plants.

Wonder Soil® Reground

Made from Wonder Soil" compressed sheets that have been reground into thousands of tiny expanding granules. Compact, I ghtweight and easy to use. The 5 lb. bag expands to 1-1/3 cu. ft., when water is added. The 25 b. bag grows to 7 times its size. Reground is ideal for all planting applications and is amazing for rapid lawn repair when mixed with grass seed. Scoop is included 112654 has shale and azolite added and is ideal for rooftop gardening. Be sure to stir and aerate the soil so it doesn't become oversaturated when adding water



Earth friendly Wonder Soil" potting mix is compressed into brick forms for larger planting projects, Each brick weighs just over 1 lb., yet expands up to nine times the volume when water is added Lightweight, compact and easy to use, each brick will expand to fill 2-1/2 one-gallon pots.







112236





\$28.95 (288 & up)

WONDER SOIL* EXPANDING WAFERS

STK#	ITEM	IDEAL FOR	EACH	DISCOUNT P	RICE
109856*	3/4" Wafer, Bag of 200	Plugs, Trays, Soil Boosting & Seed Starting	\$25.95	\$22.95 (10-24)	\$21 95 (25 & up)
109854*	1-3/16" Wafer, Bag of 200	2" Pots & Soil Boosting	40.95	38.95 (6-9)	36.95 (10 & up)
112236*	2" Wafer, Bag of 50	4" Pots & Raised Gardens	34.95	31 95 (6-9)	28.95 (10 & up)
109857	3" Wafer, Bag of 40	6" Pots & Raised Gardens	43.95	38.95 (5-8)	34.95 (9 & up)
WONDER	SOIL' REGROUND				
STK#	S ZE	EACH		DISCOUNT PRIC	E

\$30.95 (145 & up)

74.95 (40 & up)

WONDER BRICKS

109858

11.26543

STK#	ITEM	IDEAL FOR	EACH	50 & LP
117226*	Brick Plus [®] Pack of 3	Untrafficked Áreas	\$24.49	\$22.95
*Can be sold in	Texas and Massachusets.			

\$32.95

Expanding 10 lb. organic Coir Cube grows up to seven times its size, making it ideal for all lawn and garden applications.

Complete planting mix compressed into cube form.

5 lbs

25 lbs.

- Mixincludes worm castings, mycorribzae, nutrients, humus and extra water-saving polymers.
- Ideal for larger projects.
- Expands to over 2-1/2 cubic feet.
- Promotes better aeration and drainage.
- Decreases water usage by up to 50%.

WONDER SOIL' ORGANIC COCO COIR CUBE

STK#	EACH	4(CASE)	200(PALLET)
112530	\$27 95	\$24 95	\$22 95



100% organic and biodegradable Fertilpots will eliminate transplant shock and maximize root growth.

- Extremely permeable Ferti pots permit roots, water and air to penetrate the walls of the pot for natural root development and successful transplants every time.
- Environmentally friendly Fertilpots contain no additives, chemicals or printing inks.
- Priced per pot, with minimum order quantities and order increments as Indicated below

FERTILPOTS

			PRICE PER POT	
STK#	SIZE	EACH*	CASE QTY	PALLET QTY
109829	2-1/3" Round	\$0.19 (100 & up)	\$0.13 (3,000)	\$0.11 (45,000)
109830	3-1/8" Round	0,21 (137 & up)	0.15 (1,370)	0.13 (20,550)
109831	4" Round	0.39 (162 & up)	0.25 (810)	0.21 (12,150)
109832	3-1/2" Square	0.39 (148 & up)	0.29 (740)	0.25 (8,880)
Sindicates mi	nimum order quantity:	and order increment		

Promote natural and healthy root growth with 100% organic and biodegradable Fertilpot Strips.

- Designed for faster cultivation, an excellent root system and no transplant shock, Fertilpot Strips are available in a range of sizes.
- Ideal for seedlings and cuttings that can be sensitive to transplant, Fertilpot Strips are completely root, water and air permeable.
- Priced per strip, with minimum order quantities and order increments as indicated below



109831

109830

109832

FERTILPOT STRIPS

			PRICE PER STRIP	•	
STK#	SIZE	EAC H*	CASE QTY	PALLET QTY	
109834	1-1/2" Strip of 36	\$1.69 (24 & up)	\$139 (144)	\$1.29 (1,728)	
109835	2-1/3" Strip of 18	1.79 (10 & up)	1.49 (111)	1.39 (1,332)	
109836	3-1/8" Strip of 12	2,19 (8 & up)	1.95 (64)	1.85 (960)	
*Indicates minimum order quantity and order increment.					

Horticultura Perlite helps plants thrive and improves soil structure, keeping it workable for years. This inorganic mineral will produce healthier plants that require less labor and watering.

- · Perfite provides aeration and drainage, yet retains and holds substantial amounts of water that it releases when needed
- · The water-holding ability of Perlite also increases the nutrient holding capacity when water-soluble fertilizers are used.
- · Can be used by itself, mixed with topsoil or potting soil, or any other sterile media for drip or passive hydroponic systems.
- Lightweight Perlite does not crush fine stems or root systems, making it ideal for growing delicate plants such as lettuce.
- Chemically Inert, does not deteriorate and has an essentially neutral pH.
- As Perlite is sterile, it is free of disease, weed seeds and insects.
- Nontoxic, safe and economical to use. One 4 cu, ft. bag will fill approximately 64 one gallon nursery pots or eight of our 11 Liter HydroCycle Dutch Buckets (115683)

HORTICULTURAL PERLITE, 4 CU. FT. BAG

STK# 111049

Cocogro® Coir Fiber provides plants with a superior growing environment, allowing them to meet their full potential.

- This premium, coir fiber blend is ready for use right out of the bag, and it can be easily amended to perlite, expanded clay, potting soil or any other aerator to create the perfect consistency.
- · Features long fibers that provide the perfect air to water ratio, creating an environment where roots can thrive.
- Cocogro has a high cation exchange rate, which increases the ability to retain nutrients.

COCOGRO! COIR FIRER

STK#	EACH	10 & UP
115217	\$24.95	\$21.95

- Law E.C.
- This media is pre-hydrated and has yucca added to promote the proper saturation through the reduction of water tension.
- 100% renewable.
- 1.75 cu.ft.



109829

Vermiculite allows growers to create a grow media that promotes healthy, profitable crops.

- Coarse vermiculite improves soil's ab lity to nourish plants by improving Its water retention and aeration.
- Vermiculite is a natural mica mineral that expands under extreme heat.
- Loosens soil, allowing roots to spread and grow
- A great option for seed germination and cutting propagation.

VERMICULITE

STK#	SIZE	EACH
115993	Acu ft	\$5A 95













Nursery and Greenhouse Pots provide excellent drainage with multi-hole star bottom.

- Injection-molded design offers durability for long-term crops, as well as for automatic processing forks, squared-off shoulder provides added strength.
- Rounded lip prevents cuts and trunk damage.
- Bottom design is compatible with many watering systems, including cap llary mats, channel irrigation and ebb and flood systems.
- Priced per pot. Minimum order: 25 pots.

NURSERY AND GREENHOUSE POTS

			PRICE	PER POT
STK#	ITEM	DIAMETER	25 99	100 & UP
109632	3 Quart Round Pot	7-1/2*	\$0.75	\$0.65
109633	1 Gallon Round Pot	8-1/4"	0.95	0.85
109634	2-Gallon Round Pot	10-1/8"	1.69	1.59
109635	2.7-Gallon Round Pot	11-3/8"	2.25	2.09

Traditional Round and Square Plastic Pots are stackable for easy storage.

- Perfect for transplants and cuttings. Cross-bottom drainage.
- · High-quality construction for maximum root protection.
- Priced per pot. Minimum order. 25 pots.

TRADITIONAL ROUND AND SQUARE POTS

			PRICE	PER POT
STK#	ITEM	COLOR	25-99	100 & UP
111089	3-1/2* Round	Васк	\$0.35	\$0.27
109060B	3-1/2" Square	Brack	0.45	0.38
111090	4" Round	Terracotta	0.35	0.27
111068A	4-1/3" Round	Biack	0.31	0.29
109062A	4-1/3" Square	Brack	0.45	0.38
111091A	6" Round	Green	0.45	0.38

Our Hanging Baskets hold large soil volumes to ensure less watering.

- 110284-110286, Saucerless baskets include inner disc which creates a water reservoir.
- Available in four sizes, in green or white.
- Hangers are included. 8" and 10" Baskets each have a plastic hanger. 12" Baskets have a galvanized steel hanger. 14" Basket has a Heavy Duty steel hanger
- Priced per Hanging Basket Minimum order quantity of 10.

HANGING BASKETS

		APPROX		
STK#	TEM	DIMENSIONS	EACH	50 & UP
110276	8" Basket, Green	8"D x 5"H	\$2.25	\$2.15
110277	8" Basket, White	8"D x 5"H	2.25	215
110278	10" Classic, Green	9.75"D x 5.5"H	2.29	2.19
110279	10 ⁿ Classic, White	9.75°D x 5.5"H	2.29	2.19
110284	12" Saucertess, Green	11 75 D x 7"H	5.05	4.89
110285	12" Sauceriess, White	11.75°D x 7"H	5.05	4.89
110286	14" Sauceriess, Green	14'D x 8,25"H	9.65	9.09

Save time, money and space with the Press and Fit Pots and Carry Trays.

- Simply stack pots 6 x 3 and press the tray into the pots. The bottoms of the
 pots stick into the tray, so they can be quickly and easily filled.
- . This system can save you up to 70% on the labor of hand filling flats
- Square footprint allows you to maxim ze growing and storage space within a greenhouse.
- The pots (113618) are sold by the case, which includes 450 pots, and have a depth of 3.5", a top width of 3.52" and a bottom width of 2.56". The Press and Fit Trays are sold by the case, which comes with 100 trays. They fit 18 pots and are 10.81"W x 21 25" x 1 93"D.

PRESS AND FIT POTS AND CARRY TRAYS

STK#	ITEM	EACH	4 & UP
113618	Pots	\$ 59.95	\$ 55.95
113619	Carry Trays	139. 9 5	132.95



Standard 1020 Flats

- Vacuum Formed Standard 1020 Open Flats are available with or without holes. These durable flats measure 11"W x 21.37"L x 2.44"D.
- Injection-Molded Standard 1020 Web Flats are available in lightweight and heavyweight and measure 10"W x 20.5"L x 2-3/8"D. Compatible with our Standard Cell Inserts.
- Priced per flat. Min mum order 10 flats.



109051

STANDARD 1020 FLATS

		FER FLAI
STYLE	EACH	DISCOUNT PRICE
Standard Web Lightweight	\$1.25	\$1.15 (50 & up)
Standard Web Heavyweight	1.35	1.25 (50 & up)
Standard Without Holes	1.89	1 59 (100 & up)
Standard With Holes	2,25	2.19 (100 & up)
	Standard Web Lightweight Standard Web Heavyweight Standard Without Holes	Standard Web Lightweight \$1.25 Standard Web Heavyweight 1.35 Standard Without Holes 1.89

Vacuum-Formed Standard Cell Inserts are compatible with our Standard Open Flats.

- Sheets measure 10.5"W x 20.875"L and are divided into planting cells. Perforated between packs for easy separation and clean edges for easy handling.
- · Drainage holes disperse excess water evenly.
- Priced per insert with a minimum order of 10 inserts.



109051

STANDARD CELL INSERTS

	CELLS PER	TOTAL NUMBER	3	PRICE F	PER INSERT
STK#	SHEET	OF CELLS	DEPTH	10~99	100 & UP
109048	6	36	2.32"	\$1 19	\$1.09
109049	12	48	2.26"	1.19	1 09
109050	12	72	2.23"	1 19	1 09

Compact design allows you to fit more plants in the greenhouse.

- · Priced per tray.
- . Minimum order: 10 trays.





109046

PLUG TRAYS

	NUMBER C)F	PRICE	PER TRAY
STK#	CELLS	D-MENSIONS	EACH	D SCOUNT PRICE
109044	72	11 W x 21.22 L x 2.25 D	\$1.95	\$1.75 (100 & up)
113617	128	11"W x 21 22"L x 2"D	2.05	1.79 (100 & up)
109045	288	11"W x 21.22"L x 1.5"D	2.09	1.85 (50 & up)
109046	512	11"W x 21.22"L x 1"D	2.09	1.89 (50 & up)

Clear Plastic Humidity Dome is compatible with our Standard Open Flats.

- 2" high dome holds in warmth and moisture while controlling humidity.
- Not compatible with Plug Trays sold above.
- · Minimum order: 10 domes.



CLEAR HUMIDITY DOME

	PRICE P	ER DOME
STK#	10-49	50 & UP
109047	\$2.95	\$2.89

These HighTop Humidity Domes feature an adjustable humidity vent.

- · Fits standard 1020 propagation trays, sold separately.
- Constructed from high quality, clear plastic.
- Control humidity with adjustable vent.
- Minimum order 10 domes.




6" HIGHTOP HUMIDITY DOMES STK# EACH 116039 \$6.05 This Open Bottom Propagation Tray features strong, durable construction for stacking.

- Fits into standard 1020 open flats, sold separately
- 78 cells. Cells are square and slightly tapered.
- 100% open bottom.
- Minimum order: 10 trays



109045





- Complete growing system jump starts your seeds with gentle, even heat.
- Waterproof, 9"W x 19.5"L seedling heat mat, ensures greater growing success.
- 2-1/2" humidity dome helps maintain climate control for fuller growth
- Includes 11" x 22" watertight base tray and a 72-cell seedling insert.
- 17W, 120V



HEATED GERMINATION STATION

STK#	EACH	3 & UP
112680	\$56.95	\$49 95



Optimize plant growth with this Digital Temperature Controller.

- Guard against too much or too little heat.
- Provides constant opt mum temperatures for specific crops.
- Illuminated indicator light
- 3-prong ground plug.
- Controllable range from 68°F to 108°F.
 Both Celsius and Fahrenheit read outs.
- Compatible with all heat mats.



HEAT MAT THERMOSTAT

STK#	EACH	3 & UP
103648	\$56,95	\$52 95



Provide even, constant heat directly to the root zone.

- Increase growth and reduce production time by maintaining proper root zone temperature. Ideal for use with flats and pots.
- Excellent for plant propagation or growing, these portable, easy-to-install mats will heat up to 120°F
- Designed for use on greenhouse benches or any flat surface.
- · Waterproof mats are manufactured from thick, flexible, rubberized PVC for better heat retention.
- Inc udes 5' power cord and plug, 120 V AC.
- · 2 year manufacturer's warranty on mats
- Redi-Heat" Heavy-Duty Propagation Mats should be used with a thermostat to maintain desired temperature. We recommend our Redi-Heat" Digital Thermostat and Bench Plate, each sold separately Failure to use thermostat voids mat warranty

Redi-Heat* Digital Thermostat (111519)

- 120 V. 2,400 W max. Bu It in 20 A circuit breaker
- 40°F to 99°F set temperature range, with +/- 1° accuracy.
- Includes 9' power cord, 52" long sensor cable and 5/32"W x 1"L sensor probe, which is small enough for use in the cell of a plug tray.
- · Features digital set temperature display and up/down buttons to set temperature.

Bench Plate (106156)

- Bench Plate is 5"W x 7"L x 12"H and made of painted steel
- Can be mounted to bench or shelf to hold Thermostat (111519)

REDI HEAT" HEAVY DUTY PROPAGATION MATS AND ACCESSORIES

DEPOSE DESCRIPTION	TIERT DOTT THOU NEXT TOTAL MAND ACCESSORIES				
STK#	ITEM	WATTS	EACH	4 & UP	
111511	12"W x 5'L Mat	150	\$129.95	\$125 95	
111512	12"W x 10"L Mat	300	185.95	175 95	
111513	21"W x 5'L Mat	200	165.95	155 95	
111514	21"W 10'L Mat	400	275.95	269.95	
111519	Digital Thermostat	_	185.95	169 95	
106156	Bench Plate	_	37.95	_	







Seedling Heat Mat™ makes everyone a better gardener.

- Want faster, health er, fuller seed germination? The secret's in the mat.
- Waterproof, electric mat warms the root area 10° to 20° over ambient temperature.
- Three sizes, to fit under one, two or four seed flats.
- Includes instructions and 6' power cord.
- Designed to hit 78°F
- 1 year warranty against manufacturer defects.

SEEDLING HEAT MATS

STK#	ITEM	WATTS	FLAT CAPACITY	EACH
112677	9"W x 19.5"L	17	1	\$30.95
112678	20"W x 20.75"L	45	2	50.95
112679	48°W x 20 75°L	107	4	81 95



112677



Built-in thermostat automatically activates cables when soil temperature is below 74°F.

- Speeds germination and seedling growth, producing large healthy plants, ready for transplanting.
- Use indoors or out to get a jump start to your growing season.
- Dependable cables are covered with a tough, moisture-proof PVC lacket.
- All connections are sealed and waterproof
- · Avai able in three lengths. To determine which is best for you, match cable length to square footage of your planter.


 Team up with our Heavy-Duty Commercial Cold Frame, sold separately, to create your






SOIL WARMING CABLES

				ALL MOVIMME		
STK#	LENGTH	WATTS	COLOR	COVERAGE	EACH	4 & CP
116429	12'	42	Orange	3 aq. ft,	\$38.95	\$37.49
116430	24'	84	Orange	6 sq. ft.	45.95	44.49
116431	48'	168	Orange	12 sq. ft,	60.95	5949






Environmentally friendly Garden Stakes are ideal for marking garden rows.

- Available in Natura Wood or Orange-Coated for higher visibility and longer life. Orange coating is waterborne and nontoxic.
- Biodegradable stakes measure 1 1/8"W x 12"L.
- Sold in cases of 250 stakes.







- Manufactured from white vinyl
- Dimensions: 5/8"W x 7"L
- Sold in cases of 1,000 tags.



STK#	EACH	4 & UP
110480	\$35.95	\$29.95



Perfect long-term solution for marking plant varieties, garden rows, sections and more.

- 10" tall labels have metal support legs and are available with either zinc or copper writing surfaces.
- Face plates measure 2.5"W x 7/8"H.
- Best if marked with our Garden Marker Pen (110472), sold separately
- Sold in cases of 120 labels.

METAL GARDEN LABELS

· • · · · · · · · · · · · · · · · · · ·	110 214 2140 220		
STK#	TYPE	EACH	4 & UF
110474	Zinc	\$59.95	\$54.95
110473	Copper	75.95	68.95



Don't let the sun fade your garden markings.

- · Fade and water resistant, alcohol based black ink.
- · Xylene free, environmenta ly friendly
- 0.8 mm nib
- Priced per pen

GARDEN MARKER PEN

OARDER MARKER PER					
STK#	EACH	12 & UP			
110472	É4 DE	É4 25			






110475

High-quality Fiberglass Tree Stakes are designed for long life. Promote strong trunks and large root systems and reduce storm damage.

- Made from E-glass fibers that allow for flexing without breaking.
- Each fiber is UV protected on both interior and exterior
- Polyester veil holds fibers together to prevent blooming, while providing additional UV protection by shading the fibers within the stake.

 Flexible as bamboo, but will not rot or fray. Strong and durable as steel,
- but will not rust.
- · Sold in bulk-packaged quantities as indicated. Priced per stake.



FIBERGLASS TREE STAKES

		QUANTITY	PRICE P	ER STAKE
STIC#	SIZE	PER BUNDLE	EACH	25 BUNDLES & UP
109107	3/8" x 6'	50	\$2.45	\$1 99
109108	3/8" x 8'	50	2.65	2.36
109103	1/2" x 6'	20	3.75	3.24
109104	1/2" x 8'	20	4.05	3.56
109113	11/16° x 6	10	6.55	5.86
109114	11/16" x 8'	10	8.75	7 74





Ideal for flowering plants, climbing vines and vegetables such as tomatoes, peppers and beans.

- · High-quality, ga vanized wire is spot welded for extra strength and long-lasting use
- Strong enough to support your full grown tomato plants.
- Large openings make it easy to reach in and pick your vegetables.
- Priced per plant support.

TOMATO PLANT SUPPORTS

				PLANT SUPPORT	
STK#	STYLE	SIZE	WIRE GAUGE	EACH	50 & LP
112067	Round	12"W x 12"L x 34"H	31	\$1.75	\$1.55
117056	Round	12"W x 12"L x 42"H	11	4.79	4.19
112070	Round	16"W x 16"L x 54"H	9	6.39	5.65



WWW.GROWERSSUPPLY.COM 1.800.476.9715





The Svensson White Lined Ground Cover is a perfect choice for indoor use. Its white color reflects light and provides support to plants of all kinds, making it the most-effective option.

- Made from 100% polypropylene, this cover is highly reflective and increases the amount of light that plants get, which can help to improve overall quality.
- This cover is strong, durable and can be walked on, all while weighing just 100 g per square meter
- · Maintains healthy soil by eliminating the growth of weeds and with a water permeability of 10 l/m²/s, it still enables proper moisture levels.
- · Cover has a clean, neat and appealing appearance that looks good in any greenhouse

SVENSSON WHITE LINED GROUND COVER

STK#	SIZE	EACH	6 & UP
113769	6-1/2°W x 100°L	\$109.00	\$ 95.00
113770	13'W x 100'L	215.00	195.00
113738	6-1/2'W x 300'L	325.00	285.00
113739	13'W x 300'L	635.00	579.00



Fabric Pins are an excellent way to hold geo-textiles in place during installation.

- · Can also be used to secure turf reinforcement mats in some soft, loose soils.
- Drive into soil while washer prevents the materials from pulling through.
- Pins are 6-gauge steel, except 113825 which is 5-gauge steel.
- Washer diameter: 1.5".



GL FAST FABRIC PINS

STK#	LENGTH	EACH	200 & UP
112175	12*	\$0.65	\$0.55
112176	18*	0.75	0.65
113825	24"	0.85	0.75

Suppress weed growth while allowing air, water and nutrients to pass through to plants. Excellent for short and long-term landscapes, annual or container gardens.

- Safe y el minate weeds while enhancing plant growth
- · Conserve so I moisture and promote healthy plant growth by eliminating competing weeds.
- Allows for the proper balance of air, water and nutrient exchange.
- · Ground cover performs four significant functions: weed restriction, so I separation, reinforcement and filtration.
- Idea for all residential and commercial applications.
- Easy installation. Conforms to the ground or trench surface and does not unravel when cut
- Sold by the full roll only.
- · Secure with our Biodegradable Fabric Stakes or our Fabric Securing Staples, both sold separately.

Polyspun Weed Control Fabric (108319-108321)

Polyspun polypropylene geotextiles are fabricated by sandwiching layers of fabric, which is then spunbonded for extra strength and .ight blockage. This 2 oz. fabric is hydrophilically treated to increase water flow. UV-treated for a longer life span, this fabric is ideal for use under bank, rock and organic materials to separate materials and provide weed control.

Spunbond General-Purpose Fabric (108322-108324):

Our Spunbonded polyester geo fabric is a favorite with landscapers due to its strength and versatility. Highly resistant to acids, alkalines, insecticides, fertilizers and damage from insects. With its inherent UV resistance, this fabric is ideal for use as a patio or paver liner and will increase the life of the patio or walkway. Separates sand/aggregate from the sor to reduce shifting. This versatile 2 oz. fabric works well in many applications. Wrap around drainage pipes to keep native soil and silt from clogging dra nage lines.

Standard-Duty Ground Cover (103797-103799, 103729, 103041-103042): 3 oz. per sq. yd. fabric is manufactured from UV resistant, black polyethylene that has a long life expectancy. Marked every 12" for easy plant a ignment, measuring and cutting.

Heavy Duty Ground Cover (108196-108201)

Premium, landscape quality, black 4.1 oz., 30 mil woven, needle punched fabric is manufactured from UV resistant polypropylene. This durable, commercial grade cover is the choice of most landscapers. Marked every 12" for easy plant alignment, measuring and cutting.



STK#	SIZE	EACH	6 & JP
108319	3' x 100' Roll	\$33.95	\$31.95
108320	4' x 100' Roll	40 95	37.95
108321	6' x 100' Roll	60.95	55.95
STK#	SIZE	EACH	6 & JP
108322	3'x 100' Roll	\$35 95	\$32.95
108323	4' x 100' Roll	41 95	38.95
108324	6' x 100' Roll	63 95	60.95
STANDARD GR	OUND COVER		
STK#	ITEM	EACH	6 & JP
103797	3' x 100' Ro I Woven Landscape	5 39.95	\$ 32.95
103798	6' x 100' Ro I Woven Landscape	79.95	75.95
103799	12' x 100' Roll Woven Landscape	129.95	119.95
103729	3' x 300' Ro I Woven Landscape	108 59	99 95
103041	6' x 300' Ro I Woven Landscape	165 95	154.95
103042	12' x 300' Roll Woven Landscape	319.95	305.95
HEAVY DUTY	SROUND COVER		
STK#	ITEM	EACH	6 & JP
108196	3' x 100' Roll Woven Cover	\$ 63 95	\$ 60.95
108197	6' x 100' Roll Woven Cover	119 95	112.95
108198	12' x 100' Roll Woven Cover	225 95	209.95
108199	3' x 300' Roll Woven Cover	149 95	135.95
108200	6' x 300' Roll Woven Cover	265 95	246.95













552.95

493.95

108201

12' x 300' Roll Woven Cover





Floating Row Cover protects plants and shrubs from the cold.

- Floating row cover allows early planting of flowering annuals, vegetables and bedding plants.
- Fabric is lightweight, 12 mil, 2 oz. per sq. yd. and can be reused many times.
- Semi-permeable blanket will allow limited moisture and water to get through.
- For severe cold, use two layers with a layer of polyethylene film on top.
- · Maximum roll length: 750'.

SPUNBOND INSULATE FROST BLANKET

		PRICE PE	R LINEAR FT
STK#	WIDTH	1'-199'	200' & UP
116030	24"	\$0,36	\$0.29
116031	36"	0.47	0.41
116032	48"	0.57	0.52
116033A	60°	0.66	0.61
116034A	72"	071	0.66
116035A*	126"	1 11	1 04
*Maximum roll len	orth, 250'		



Soft, easy-to-handle, UV-stabilized insulation blanket aids in winter protection.

- Designed to protect gardens, flowering annuals, bedding plants, fruits, foliage and vegetables from severe cold, freezing temperatures and early frost.
- Ideal overwintering for woody ornamentals through long, harsh winters.
- Lightweight, nonporous blanket offers excellent insulation protection.
- Increases soil temperature and helps you get obtain earlier, higher yields.
- Helps with wind protection
- Durable, easy-to-handle polyethylene blanket is 3/16" thick, and protects down to 25°F

STARFOAM ANTI-FROST/INSULATION BLANKET

STK# ROLL SIZE EACH 106368 6'x 175" \$189.00 106369 6'x 350' 309.00











Eliminate penetration of insects and other pests, while providing maximum airflow.

- · Transparent, woven, natural color, HDPE anti-virus screen is ideal for vents, doors and more.
- Construction 51 x 25 mesh. JV stabilized
- Creates a controlled environment, eliminating pests and preventing plant disease.
- Offers a 12% shade factor
- Reduces the need for spraying and exposure to costly and undesirable pesticides.
- Excludes Whitefly, Aphids, Leafminers and up to 80% of Western Flower Thrips in field applications.
- Lightweight and easy to insta I. Use our Poly Latch, Fabric Clips or Batten Tape for fast installation.
- Maximum roll length, 300'.
- Priced per linear ft.
- Insect Screen Kits are easily installed when paired with Growers Supply's in nged end wall vents. The kits provide ample surface area for superior air flow, and the frame and hardware required to connect the vent framing is included.

INSECT SCREENING

		PRICE PER I	INEAR FT.
STK#	WIDTH	1*-299'	300' ROLL
113819	6-1/2	\$4.59	\$3.59
105221	13'	6.49	5.59
CJSTOM FABRICA	TION AND SUPPLIES		
STK#		ITEM	EACH
CC3046	Small Panel (under 300 sg. ft.)	\$29.39
CC3047	Reinforcing 1	ape per ft.	0.61
CC3051	Brass Gromm	et #2 with 3/8" hole	0.58
CC3048	Seaming to r	nake larger panel	0.64
CC3049	Slitting to ma	ake smaller panel	0.58
INSECT SCREEN KI	TS		
STK#	DII	MENSIONS	EACH
115371H3L15	3	H x 15'W	\$935.00
115371H3L20	3	'H x 20'W	1,015.00
115371H3L25	3	H x 25'W	1,105 00
115371H3L30	3	'H x 30'W	1,175.00
115371H3L35	3	H x 35'W	1,289.00
115371H4L15	4	H x 15'W	655.00
115371H4L20	4	'H x 20'W	745.00
115371H4L25	4	'H x 25'W	829.00
115371H4L30	4	'H x 30'W	945 00
115371H4L35	4	'H x 35'W	1,009.00
115371H5L15	5	H x 15'W	985.00
115371H5L20	5	H x 20'W	1,075.00
115371H5L25	5	H x 25'W	1,229.00
[15371H5L30	5	'H x 30'W	1,335.00
115371H5L35	5	'H x 35'W	1,439.00
115371H6L15	6	Hx15W	1,005 00
115371H6L20	6	'H x 20'W	1,109.00
115371H6L25	6	Ή x 25'W	1,149.00
115371H6L30	6	'H x 30'W	1,345.00
115371H6L35	6	H x 35 W	1,469.00

Growers Supply Ridge Vent Insect Netting maximizes airflow to GrowSpan \$2000 Greenhouses, keeping out pests.

- · Cost effective insect control that is pestic de-free
- · Pleated design provides increased airflow and ventilation, while also ensuring superior insect control
- EconetAir 4545 features 400μm x 450μm openings, and is intended for control of Whitefly species (Silverleaf, Greenhouse and Sweet Potato), Melon Aphid, Green Peach Aphid, Serpentine Leafminer, Bumblebee and Citrus Leafminer



RIDGE VENT INSECT NETTING

VIDGE AEM LIMPECT MELLIMA				
STK#	ITEM	SIZE	EACH	
116129L048	52000 Ridge Vent Insect Netting Kit 48 ft.	48'L	\$ 805 00	
116129L060	52000 Ridge Vent Insect Netting Kit 60 ft.	60'L	969.00	
116129L072	52000 Ridge Vent Insect Netting Kit 72 ft.	72'L	1,12900	
116129L084	52000 Ridge Vent Insect Netting Kit 84 ft.	84'L	1,279 00	
116129L096	52000 Ridge Vent Insect Netting Kit 96 ft.	96'L	1,445 00	





Provide up to 8 degrees of frost protection and increase yields with low-maintenance FrostGuard Row Covers.

- Also ideal for overwintering container stock, and protecting plants from insects and other pests.
- Manufactured from 100% polypropylene, spunbonded with UV stabilizers for long-lasting use.
- Seams are sealed with JV-stabilized, hot-melt glue for strength and durability.
- Choose the degree of light filtration and frost protection for your crops and climate.
- Actual fabric life will depend on amount of exposure and intensity of sunlight.
- . This product is intended for frost protection and is not designed to hold heavy snow or sleet.

FrostGuard Lightweight Row Covers (116027, 116010, 116011 & 116028);

0.55 oz. per sq. yd. Offers 85% light transmission. and 2 to 4 degree frost protection. Ideal for frost sensitive perennials and vegetables.

FROSTGUARD LIGHTWEIGHT ROW COVERS

STK#	SIZE	EACH
116027	83" x 50 ⁷	\$ 21.29
116010	83" x 500"	81 15
116011	83" x 1,000'	152.25
116028	10' x 500'	121.75

FrostGuard Medium-Weight Row Covers (116012 & 116013):

0.90 oz. per sq. yd. Offers 70% light transmission and 4 to 6 degree frost protection. Use on nursery stock, foliage, vegetables, berries and bedding plants in the spring. In moderate climates, use as overwintering protection for foliage and woody ornamentals.

FROSTGUARD MEDIUM WEIGHT ROW COVERS

STK#	SIZE	EACH
116012	83"× 250	\$121.75
116013	83" x 800'	263.85

113870

FrostGuard Heavyweight Row Covers (116014 & 116029):

1.5 oz. per sq. yd. Offers 50% light transmission and 6 to 8 degree frost protection. Excellent for overwintering containerized ornamentals and providing emergency freeze protection for foliage, nursery stock and ornamentals.

FROSTGUARD HEAVYWEIGHT ROW COVERS

STK#	SIZE	EACH
116014	83" x 500"	\$219.19
116029	10' x 500'	290.25

Row Cover Accessories

Standard Row Cover Hoops (110053):

Constructed from 9 gauge, galvanized steel wire 76°L. When inserted about 6" in ground, will form an approximately 16"H x 42"W (at widest part) hoop. Place hoops 5' to 8' apart. Sold in packages of 100.

Ecoduty Biodegradable Stakes (113870).

4" stakes will maintain their holding power in the ground for up to 24 months, after which biodegradation occurs. Sold in bulk-packaged quantities of 250.

Polypropylene Sand Bag (107339):

14" x 26" white bag with attached tie strings is constructed from heavy duty, woven polypropylene and resists punctures and tears. Capacity: 40 lbs. Minimum order: 100 bags.


ROW COVER	ACCESSORIES		
STK#	ITEM	EACH	DISCOUNT PRICE
110053	Standard Row Cover Hoops, Pack of 100	\$105.95	\$93.95 (10 & up)
CC5505	Curtain Cord, 1,000' Roll	31.49	28.35 (12 & up)
103600	18" Ground Stake	6.95	_
113870	Ecoduty Biodegradable Fabric Stakes, Pack of 250	40.95	_
107339*	Polypropylene Sand Bag	0.69	0.59 (1,000 & up)
"Minimum order: 1	OQ bags.		












- Provide shelter for tender plants or harden off seedlings.
- Framework is constructed from 19-gauge, 1 05" OD USA made, triple-galvanized structural steel tubing.
- Cover is made from our 6 mil 4 year greenhouse film that has UV blockers, an anti-dust add tive and comes with a 4 year warranty. Fabric clips included.
- Rafter spacing: 2'.
- During the warmer summer months, replace the greenhouse film with our SunBlocker* Black Knitted 60% Shade or our Insect Screening.
 Ask your National Account Manager for more details.
- Ground posts are included. As a base, we recommend using our Composite Lumber sold separately.

GROWSPAN	MINI COLD FRAMES	
STK#	SIZE	EACH
105148F	4'W x 2'9"H x 6'L	\$219.00
105149F	4'W x 2 9"H x 8'L	245.00
105150F	4'W x 2'9"H x 12'L	319.00
105151F	4'W x 2'9"H x 16'L	409.00
105152F	6'W x 5'H x 6'L	255.00
105153F	6'W x 5'H x 8'L	315.00
105154F	6'W x 5'H x 12'L	435.00
INSIESE	6"M × 5"H × 16"	549.00





Start seedlings, toughen up young plants for early spring planting or overwinter summer-rooted cuttings with our exclusive Heavy Duty Cold Frame.

- Manufactured from 14-gauge, 1.5° square Heavy Duty, USA-made, triplegalvanized steel tubing.
- 8 mm UV-stabilized polycarbonate panels that offers superior heat retention, prevents sun scorch and comes with a 10 year warranty.
- 4'W x 7'9"L frame slopes from a height of 23' in the back to 17" in the front.
- Aluminum connectors and profiles add a finished, professional appearance and help to keep out insects and moisture.
- Stainless steel hinges and latch ensure greater strength and durability.
- Team up with our Soil-Warming Cables, sold separately, to create your own hotbed
- · Hinged Combo-Top either slides or manually lifts open with handle for easy access
- For automatic climate control, install our GigaVent Solar-Powered Vent Opener (106119), sold separately.

GROWSPAN HEAVY DUTY COMMERCIAL COLD FRAME

STK#	EACH	2 & UP
106363	\$959.00	\$925.00



Start seedlings early, toughen up young plants or extend your growing season with a GrowSpan Flip-Top Cold Frame.

- Framework is constructed from 19-gauge, 1 05" OD USA made, trip e-galvanized structural steel tubing
- Covering is made from UV-resistant, translucent, 4 mm white corrugated sheets that offer long life and durability
- Fl p top feature allows for maximum air circu at on and additional sunlight.
- Helps moderate and stabilize temperatures, encourages better air circulation and protects your plants from rain, wind, insects, birds and other pests.
- 2"x 6" poly lumber base, that comes with a 50 year warranty, is included.
 This Black Recycled Plastic Lumber is extremely durable and will not rot, crack, split or splinter I ke real wood. It is protected by UV stabilizers, so there is no dramatic fading after exposure to the elements.

GROWSPAN FLIP-TOP COLD FRAMES

STK#	SIZE*	EACH
105140	4'W x 3'H x 6'L	\$539 00
105141	4'W x 3'H x 8'L	539.00
105142	4'W x 3'H x 12'L	725.00
105144	8'W x 5'H x 6'L	955.00
105145	8'W x 5'H x 8'L	955.00
105146	8'W x 5'H x 12'L	1,175.00
*Represents fram	e only Size does not include base	Aboards.






Protect your raised beds and growing fields with our Row Cover Hoops. Also, enjoy a few bonus weeks in the growing season.


Premium Row Cover Hoops (104155)

- Hoop is constructed from 0.922" OD USA-made, triple-galvanized structural steel tubing, fashioned to fit over your raised bed or growing field.
- Hoop supports greenhouse film, shade cloth, lightweight PolyMax" curtain material or insulate frost blanket, all sold separately.
- Requires 10' wide film.
- · Easy to assemble and secure using our Tek Screws, Clamps and Auminum Fabric Clips, all sold separately
- Add purlins using Swaged Conduit for extra support.
- 25'L Row Cover Kit (104940) includes six hoops, 10'W 6 mil 4 year greenhouse film, 18 fabric clips and 50 staples.

Standard Row Cover Hoops (110053)

- Constructed from 9-gauge, galvanized steel wire.
 76"L. When inserted about 6" in ground, will form an approximately 16"H x 42"W (at widest part) hoop.
- Place hoops 5' to 8' apart.
 Sold in packages of 100.





ROW COVER HOOPS

STK#	ITEM	EACH	DISCOUNT PRICE
104155	6'W x 3'H Premium Row Cover Hoop	\$ 23.95	\$20.95 (50 & up)
104940	6'W x 3'H x 25'L Premium Row Cover Kit	255 95	
110053	76"L Standard Row Cover Hoops, Pack of 100	105.95	93.95 (10 & up)
FA4460B	#10 x 1" Zinc-Plated Tek Screws	0.00	0.06 (1,000 & up)
FAPA10	1/2" Heavy- Duty Nonmetallic Clamp	0.35	0.29 (500 & up)
106816	1/2" x 8'L Swaged Galvanized Conduit	7 95	6.79 (50 & up)
CC6211	Aluminum Fabric Clip for 0.922" OD Pipe	1 39	1.23 (100 & up)

Greenhouse Basket Hangers

- Basket hangers can run the length of your greenhouse or garden center.
- · Murtiple hanger runs allow you to display all your hanging baskets and planters in a decorative, economical, space saving fashion.
- 104573: 8'L, 19 gauge, 1.05" OD.
- 1315096.8 L, 17 gauge, 1.315" OD.
- Our exclusive tight fit swage makes it easy to join multiple hangers together, arlowing you to obtain any length desired.
- · Superior galvanized finish resists corrosion.
- Install using our Double Loop Lion Chain, our Zinc Chromate S-Hooks and Zinc-Plated Tek Screws, all sold separately.

COCCULOTICE BACKET HANGERS

CHECKITO	JE DAJNET HANGENS		
STK#	ITEM	EACH	DISCOUNT PRICE
104573	1,05° OD x 96" Hanger	\$14.95	\$13.39 (50 & up)
1315096	1.315' OD x 96" Hanger	19.09	17 95 (50 & up)
AR4534	#4 Double Loop won Chain, 100'	12.65	
AS1208	1-1/2" Zinc-Plated S-Hook	0.31	0.26 (100 & up)
FA4465	#10 x 1-1/2" Tek Screws, Bag of 100	7.76	6.88 (10 & up)













ClearSpan[™] structures are among the most versatile and dependable, and whether you need a building for commercial storage, sand & salt, athletics or anything else, there's a custom or turnkey ClearSpan building. Contact a Building Specialist now for a free project quote, and find out why businesses across the globe trust ClearSpan for all their business needs.

THE CLEARSPAN ADVANTAGE INCLUDES

- Industry leading warranties
- I-Beam & Truss Designs
- · Natural ventilation
- · Low cost per square foot
- Quick construction timelines
- · Cost-saving foundation options
- Maximum usable space
- Climate-sensitive covers
- · Permanent or temporary use
- Superior acoustics

Fabric Structures

- Ultra-durable fabric covers
- Natural light filters through, significantly reducing lighting costs
 - Truss Arch or I-Beam frames
- Natural ventilation
- Cost-effective foundations that are temporary or permanent
- · Custom and turnkey designs



Metal Buildings

- Steel cladding for maximum strength
- I-Beam construction
- Build to any size
- Traditional appearance
- Cost-effective
- Custom and turnkey designs





Hybrid Buildings

- Comb nes the best of fabric and metal structures
- Fabric roof provides natural lighting
- Steel sidewalls ensures strength
- Energy-efficient options





Versatile Foundation Solutions Allow You to Build Anywhere. From money-saving foundations that allow these buildings to be constructed just about anywhere to more traditional options, ClearSpan™ has the ideal foundation solution for any project.

CLEARSPAN FOUNDATION OPTIONS

- Poured Concrete
- Exclusive Helical Anchor System
 - Pony Walls
- Blocks

- Containers
- Piers
- Concrete Pads
- ...and more





ClearSpan offers their exclusive Helical Anchoring System.

This cost-effective foundation drills directly into the ground, eliminating the need for expensive excavation and traditional foundations. The anchors create a dependable hold that can last for decades, while also allowing the structure to be conveniently relocated and reconstructed as needed.











Enhance your greenhouse with Premium Greenhouse Doors. Available as Pre-Hung or Siding, in single and double styles.

- Manufactured from 8 mm polycarbonate with aluminum frames for long life in c orrosive environments
- Available with optiona 1/4" Plexig as top half of door for improved visibility. Sliding Double Door is also available in all 1/4" Plexiglas, with 12" kick plate to protect door bottom.
- Stainless stee fasteners for mounting are included.

Pre-Hung Premium Greenhouse Doors

- Durable 1.5" by 4.5" a.um num door frame offers maximum strength.
- Inc udes commercial ever tockset, chain door stop and sweep for bottom of door
- Door jamb has 8 mm receiver for structure's polycarbonate.
- Double-Door Style includes center astragal, 12" cane bolt and 6" chain bo.t.

Sliding Premium Greenhouse Doors

- Comp ete with heavy-duty 1" x 3" aluminum door frame, track and rollers to hang door.
- Includes seal brushes for top and sides, latch and lever lockset.
- Double-Door Style includes center astragal and 12" cane bolt.

CearSpan Blackout Doors

- Provide a convenient entryway, while still maintaining light deprivation
- Doors are manufactured from 8 mm blackout polycarbonate with aluminum frames for a long life in corrosive environments
- Available in 3' x 7' single hung or 4' x 7' double hung doors.

PRE-HUNG PREMIUM GREENHOUSE DOORS

STK#	ITEM	EACH
110565	3'x 7' Single Door	\$ 979.00
110566	3' x 7' Single Door w/Pleaglas Top	1,095.00
110570	4' x 7' Double Door	1,705.00
110571	4' x 7' Double Door w/Plexiglas Top	1,975.00
115828	4' x 7' Single Door	1,049.00
115829	3' x 7' Double Door	1,599.00
115830	3' x 8' Double Door	1,689.00
115831	4' x 8' Double Door	1,825.00

SLIDING PREMIUM GREENHO	USE DOORS	
STK#	ITEM	EACH
110567	3'x 7' Single Door	\$ 929.00
110568	3' x 7' Single Door w/Plexiglas Top	1,049.00
110572	4' x 7' Double Door	1,649.00
110573	4' x 7' Double Door w/Plexiglas Top	1,985.00
110569	4' x 7' Plexiglas Double Door w/12" Kick Plate	2,325.00
115832	4' x 7' Single Door	1,015.00
115833	3' x 7' Double Door	1,519.00
115834	3' x 8' Double Door	1,615.00
115835	4' x 8' Double Door	1,785.00

CLEARSPAN" BLACKOUT GREENHOUSE DOORS

STK#	ITEM	EACH
115709	3' x 7' Blackout Single Hung Aluminum Door	\$1,129.00
115710	4' x 7' Blackout Double Hung Aluminum Door	1,969.00

Add style, security and efficiency with a ClearSpan™ Greenhouse Door.

- . These long-lasting doors help maintain climate while adding good looks and barring
- Sturdy frame is made from 16-gauge, 1.5" square, USA-made, triple galvanized tubing.
- Door jamb can be built easily with our Square Tubing, Frame Brackets and Tex Screws.

Includes rustproof stainless steel hinges and door latch.

FA2410

· Comes complete with mounting hardware.

CI	EAGER	AN" GRI	CENTRAL	LCC C	MARKE
A.L	EARSE	AN UK		USE L	JUURS

STK#	ПЕМ	EACH	
103036	48" x 92" Door Frame		\$ 105 00
103037	48" x 92" Door w/8 mm Polycar	rbonate	159.00
103038	48" x 92" Door w/8 mm Polycar	rb w/Hinge & Latch	215.00
DOOR ACCE	SSORIES		
STK#	ITEM	EACH	DISCOUNT PRICE
FA4472A	#12 x 1° Tek Screws, Bag of 100 \$ 7.96		\$ 7.03 (10 & up)
102897	1.5" Square 16-Gauge Swaged 26.95 99" Galvanized Tubing		21.85 (50 & up)
FA2410	Stainless Steel Heavy-Duty Door Latch	55.95	
QH1330	Adjustable Frame Bracket 5.69		5.45 (50 & up)
7.0			

WWW.GROWERSSUPPLY.COM 1.800.476.9715







of doors in stack for immediate delivery.





Attractive, lightweight, virtually indestructible polycarbonate Double Door Kits are available in sliding and hinged style and are ideal for greenhouses, as well as residential, commercial and industrial use.

- Heavy-duty frame, made from 16-gauge, 1.5" square, USA made, triple-galvanized steel tubing, holds durable 8 mm UV stab lized polycarbonate panels.
- Double doors measure 48"W x 92"H each.
- Energy saving qualities. Screen out undesirable heat during summer months, yet retain internal heat during the cold winter months.
- Natural source of sunlight. Polycarbonate allows 83% light transmission, with no extreme heat or glare.
- Polycarbonate offers superior heat retention, resists wind, had and vandalism and comes with a 10 year warranty.
- Ideal for repair and maintenance garages, car washes, dealerships or anywhere good light transmission is required.
- Comes complete with stainless steel hinges and latch and hardware for Installation.

DOUBLE DOOR KITS

STK#	ITEM	EACH
105105	Hinged	\$839.00
105369	Slid ng	885 00

Upgrade your greenhouse with our attractive, high-quality, pre-hung door.

- 36"W x 80"H hinged single door Door with frame is 38-1/2"W x 81-3/4"H.
- Manufactured from Heavy Duty, powder-coated aluminum with 6 mm polycarbonate sections at both top and bottom for optimum light transmission.
- Flange, that provides tight seal against framework, stainless stee hinges and lever lock are all included.
- Create your own door frame opening using our 1.5* square ga vanized tubing (102897), sold seperately.

PRE-HUNG SINGLE GREENHOUSE DOOR

STK#	EACH
104706	\$399.00

Create the perfect entrance and exit for your greenhouse with these u tra-durable steel door kits.


- The ult mate in strength, durability and dependability, these doors ensure a long life
- These kits include all the materials needed for installation, including door, Echannels, foam seals and more.
- Constructed from galvanized steel and fully in ected with polyurethane foam that provides an insulation value of R-13.
- 1-3/4" thick.
- Features a fully roll-formed framed that is galvanized, and the baked on white paint won't wear down over time
- The door sweeps make complete contact with the tapered threshold, and it is wrapped on three sides with Q-Lon weather stripping.
- 4" x 4" stainless stee hinges.
- · A lever lever door latch is included.
- Available in right hand and left hand outswing doors and double doors.

STEEL GREENHOUSE DOORS

DIELE WILLELIN	000000000	
STK#	ITEM	EACH
115669GK	36"W x 80"H Right Hand Outswing	\$ 955.00
115670GK	36"W x 80"H Left Hand Outswing	915.00
115672GK	72"W x 80"H Right Hand Outswing	1,585.00
115673GK	72"W v 80"H Left Hand Outputing	1.505.00



HARDWARE










Heavy Duty, USA-made, triple-galvanized square tube

- Accommodates both 1 5" square tube (goes in) and 2" square tube (goes over)
 Fasten fittings with our #14 x 1" self-drilling, Zinc-Plated Tek Screws, sold in bulk packaged quantities of 100.
- 105088 can go over a square tube up to 3".





104	1624	105088	104625	104626		104627
USA-MADI	E, TRIPLE-GALV	ANIZED SQU	ARE & RECTAN	IGLE CONDUIT		
STK#	OD	LENGTH	GAUGE	SWAGE	EACH	50 & UP
104779	$1.5^{\circ} \times 1.5^{\circ}$	96"	16	NO	\$ 23 95	\$ 21 95
102897	1.5° x 1.5°	99"	16	YES - 4"	26.95	21.85
105328	2" x 2"	96"	14	NO	69 95	59.50
520P120	2" x 2"	120"	14	NO	80 95	75 95
105330*	2" x 3*	99"	14	YES - 3"	95 95	85.95
105331	2" x 3"	123*	14	YES - 3"	119 95	105.95
105332	2" x 3"	126°	14	NO	119 95	105.95
*Both ends sw	aged.					

80

TIEST POUT	CHETHITEED SQUARE TOPETTI TITLES		
STK#	ITEM	EACH	DISCOUNT PRICE
104624	1-Way with plate	\$ 10.19	\$ 9.19 (50 & up)
105088	1-Way Connector, Heavy-Duty	6.89	6.45 (50 & up)
104625	2-Way	13.29	12.79 (50 & up)
104626	3-Way	19.95	19.49 (50 & up)
104627	4-Way	10,55	10.15 (50 & up)
104628	Middle Coupler	4.45	4.05 (50 & up)
QH1330	Adjustable Gable Frame Bracket	5.69	5.45 (50 & up)
FA4482A*	#14 x 1" Zinc-Plated Tek Screws	10.27	8.64 (10 & up)
*Sold in bulk packa	aged quantities of 100		



Cross Connectors save time, money and make greenhouses stronger.

Our unique aluminum cross connecting system can be used for

- · Purlin to rafter connections.
- Trellis system for grapes and other vines.
- Shade and wind barrier frames.





CROSS CONNECTORS FOR INTERIOR PIPE RAFTERS

STK#	FITS PIPE OD	EACH	200 & LP	
105108	1.05" x 1.05"	\$3.35	\$3.19	
102479	1 315" x 1.315"	3 55	3.25	
102548	1.660" x 1.315"	3.85	3.69	
102547	1.900" x 1.315"	4.05	3.79	
102546	2.375" x 1.315"	4.79	4.59	
CROSS CONNECTORS FOR FIRST AND LAST PIPE RAFTERS				

CROSS	CONNECTORS FOR FIRST	AND LAST PIPE R	AFTERS
STK#	FITS PIPE OD	EACH	200 & LP
102855	1.315" x 1,315"	\$3,35	\$3.19
102856	1.660" x 1.315"	3.75	3.55
102857	1 900" x 1.315"	3.85	3.69



Connect square tubing to round tubing.



-	ROUND TUBI	NG
STK#	EACH	50 & UP
104074	\$4,45	\$4,11

Sanding

Strengthen your structure with USA-Made, Triple-Galvanized Struts.

- Improve the structural integrity of any hoop building or greenhouse by adding struts to increase the rigidity of the frame
- Use for additional structural bracing in high-wind areas
- Secure struts to rafter assemblies with our Pipe Banding Clamps, sold separately, or simply bolt on.

USA-MADE, TRIPLE-GALVANIZED STRUTS

STK#	OD	LENGTH	GAUGE	EACH
QH1304	1.315*	60°	14	\$27.95
QH1308	1 315"	82"	14	33 95
105353	1.66"	30"	14	27.95
105118	1.66"	42"	14	28.95
105576	1.66"	54"	14	32.95



An easy way to attach studs to greenhouse gable ends.

• Easily adjusts to any angle.



ADJUSTABL	E GABLE FRAM	IE BRACKET
STK#	EACH	50 & UP
ÖH1330	\$5.60	\$5.45



LABOR SAVER ALUMINUM FABRIC CLIPS

LADOR SAY	ZEK ALUMINUM FADRIC	CLIFS	
STK#	FITS	EACH	100 & UP
CC6209	0.706" OD Pipe	\$0.62	-
CC6211	0.922" OD Pipe	1.39	\$1.23
105107	1.05" OD Pipe	1.59	1.49
CC6212	1,315" OD Pipe	1.67	1,55
CC6213	1.66" OD Pipe	1,85	1,61
CC6214	1,90° OD Pipe	2,15	1,99
CC6216	2.375" OD Pipe	3,25	2.90


Perfect for permanent installation on soil.

- 3' ground post.
- Easy connect.
- Securely set up all of your ClearSpan "buildings.
- Use post driver to secure your ground posts properly and safely









Keep deer and other wildlife out of your garden and orchard areas with this "do-it-yourself" Fencing System.

Poly Mesh Netting

- Our 3/4" x 3/4" Poly Mesh Netting is lightweight, easy to instal and ideal for our Deer Fencing System and as anti-bird screen.
- Manufactured from black UV plastic for long life and durability.
- Couple with our Deer Fence System Accessories on, sold separately for an effective, low-cost solution to your deer problems.
- A. When using our 19-gauge, 1.05" OD gaivanized 6; 8' or 10' fence posts (105368, 104573 & 1055123), we recommend installing at a maximum of 6' to 10' apart. Use our 2' Ground Post (104543) and Driver (104545) for easy installation. Insert ground post 2 into ground. Place fence post inside it. Finish off each post with our 3/4" Schedule 40 PVC End Cap (WF2990). We recommend our Corner Post Assembly when using our galvanized fence posts. Ask your National Account Manager for details Our Fiberglass Fence Posts are available in 6' and 8' lengths, designed for long life and are an excellent alternative. Manufactured from Eiglass fibers that allow for flexing without breaking. Each fiber is UV protected on both interior and exterior. Flexible as bamboo, but will not not or fray Strong as steel, but will not rust. Priced per post, sold in bulk packaged quantities of 10. We recommend installing Fiberglass Fence Posts at a maximum of 6' to 10' apart. Ground Posts are not needed when using Fiberglass Posts.
- B. Use either galvanized steel (AR1030) or stainless steel (AR3030, 1/8" / x / cable as a guide wire at top to support your deer fence 1/8" cable clamps, either galvanized (AS1002) or stainless steel (AS1026) are required

 C. 4" UV resistant black hylonicable ties (112047) hold the cable to the fence along the top. 8" UV resistant black hylonicable ties (112057) hold the fencing to
- the posts. Both are strong and durable and will last for many years.
- D. Brightly colored Yellow Flagging Ribbon (LJ7802) tied to your fence will warn deer of new parrier
- E. 1-1/4" stainless steel fence staples (FA3390) hold the fencing to the trees surrounding the area to be protected. No rusting.
- F Use our 12" heavy-duty ground staples (104544), spaced closely, to hold netting firmly to the ground This will prevent wildlife pests from forcing their way under and will keep your birds from making their way out.



3/4" X 3/4" POLY MESH NETTING FOR DEER FENCING/BIRD NETTING

STK#	SIZE	EACH	4 & UP
109758	4' x 350'	\$279.95	\$263.74
109760	5' x 350'	359 95	322.69
109761	6' x 350'	375.95	352.19
109762	7' x 350'	445.95	419.94
109755	8' x 350'	489 95	464.11
109756	10' x 350'	565 95	537.81
109757	14' x 350'	695.95	670.44

1/8" 7 X 7 CABLE

TEM	1'-999'	1,000'-4,999'	5,000' & UP
Galvanized	\$0.21	\$0.18	\$0.16
Stainless Steel	0.55	0.51	0.45
E SYSTEM ACCESSOR	IES		
	Galvanized Stainless Steel	Galvanized \$0.21	TEM 1'-999' 1,000'-4,999' Galvanized \$0.21 \$0.18 Stainless Steel 0.55 0.51

DEER FENCE SYSTEM ACCESSORIES				
STK#	TEM	EACH	DISCOUNT PRICE	
105368	6' Galvanized Fence Post	\$ 12.95	\$11.45 (50 & up)	
104573	8' Galvanized Fence Post	14.95	13.39 (50 & up)	
105\$123	10' Galvanized Fence Post	18.25	17.49 (50 & up)	
109092	Corner Post Assembly for 6' and 8' Fence Pos	ts 129.00		
109818	Corner Post Assembly for 10' Fence Post	139.00	_	
112047	4" Black Nylon Cable Ties, Bag of 100	3 5.5	3,05 (10 & up)	
112057	8" Black Nylon Cable Ties, Bag of 100	19.09	16.89 (10 & up)	
A51002	1/8" Galvanized Cable Clamp	0.61	0.53 (100 & др)	
AS1026	1/8" Stainless Steel Cable Clamp	5.09	4,85 (100 & up)	
104544	12" Heavy Duty Ground Staple	1.89	1,70 (100 & up)	
FA3390*	1-1/4" Stainless Steel Fence Staples	24.35	22.95 (50 & up)	
LJ7802	300' Roll Yellow Flagging Ribbon	2.79	2.49 (12 & up)	
104543	2' x 1.315" OD Ground Post	4.49	3.75 (25 & up)	
104545	Post Driver for 104543	5.55	-	
WF2990	End Cap	0.59	0.49 (50 & up)_	
*Sold by the	*Sold by the full pound, approx. 183 staples.			

FIBERGLASS FENCE POSTS

		QUANTITY	PRIC	E PER POST
STK#	SIZE	PER BUNDLE	EACH	25 BUNDLES & UP
109113	11/16' x 6'	10	\$6,55	\$5.86
109114	11/16" x 8"	10	8.75	7.74









Post Driver

Heavy Duty

12" Ground Staple



Fence Post

Fiberglass Fence Post

Pestrap™ Insect Traps are an easy and cost-effective way to monitor and control pests.

- A crucial factor in effective integrated pest management. These yellow and blue cards attract and trap potentially harmful insects before they can cause serious damage.
- · Utilizes an extremely sticky adhesive that is non-toxic
- Grids enable quick, easy and accurate monitoring
- Blue or yellow cards allow you to target specific pests.
- 3" x 5" traps are ideal for monitoring greenhouse conditions to avoid pest damage. Use one to three traps for every 1,000 sq. ft,
- 4" x 10" traps allow you to monitor and control pests. Use one trap for every 500 sq. ft. for monitoring and ten traps for every 1,000 sq. ft. for control
- Disposable and pesticide free.
- · Idea for aphids, leafminers, flea beetles, gnats, thrips, whiteflies and more.

PESTRAP" INSECT TRAPS

March Date			
ITEM	COLOR	EACH	12 & JP
3" x 5", Pack of 48	Yellow	\$30.95	\$28.79
4" x 10", Pack of 12	Yellow	21 95	20.55
4" x 10", Pack of 12	Blue	24.95	22.95
	ITEM 3" x 5", Pack of 48 4" x 10", Pack of 12	ITEM COLOR 3" x 5", Pack of 48 Yellow 4" x 10", Pack of 12 Yellow	ITEM COLOR EACH 3" x 5", Pack of 48 Yellow \$30.95 4" x 10", Pack of 12 Yellow 21.95







Answer® for Pocket Gophers provides long-term control with just a single application.

- Easy-to-use, 4 oz. blocks are specially designed to fit easily in gopher burrow.
- Highly palatable, proven effective. Maintains freshness and taste underground
- Less hazardous than strychnine or zinc phosphide based baits.
- Ideal for use in rangelands, croplands (grain, forage, hay, alfalfa and vegetables), park areas, nurseries, golf courses, vineyards, orchards
- Not EPA registered or for sale east of the Mississipple
- Not for sale in Canada.

DE1297

- 1 lb. box contains four 4 oz. gopher blocks.

106222

- 10 lb. pail contains forty 4 oz. gopher blocks, packaged in a tamper-resistant freshness pail.

106222





ANSWER' FOR POCKI	E⊤ GOPHERS
-------------------	------------

STK#	ITEM	EACH	10 & UP
DE1297	1 lb. Box	\$10.95	\$ 9.79
106222	10 lb. Pail	71,95	67.95

All-natural deer repellent offers year-round protection.

- Ideal for landscapers, professional gardeners and home use.
- Highly effective, completely organic, biodegradable granular formula that contains no harmful chemicals or toxins. Safe for you, the animals, your family and pets.
- No mixing or spraying needed Granular just sprinkle.
- Repels by an odor that stimulates a strong fear-based response with deer, yet there is no unpleasant odor to humans.
- Rain resistant and can be used throughout all seasons, even in snow.
- Organic nutrients provide and promote enhanced plant growth.
- Costs less per sq. ft. of protection than any other deer repellent on the market.



107565



DEER SCRAM® DEER REPELLENT

STK#	ITEM	5Q. FT	EACH
107565	2.5 lb. Shaker	1,600	\$ 29.95
107566	6 lb. Bucket	5,400	50.95
107567	25 lb. Bucket	32,400	155.95

Ideal for louvers, eaves, windowsills, ledges, gutters and pipes.

- Clear, lightweight polycarbonate spikes provide a low-profile method of keeping annoying birds off your property
- · Maintenance-free polycarbonate spikes, with UV inhibitors, won't rust, corrode or decay.
- Install easily Nail, glue ortie.
- Transparent material b ends with natural surroundings.
- Avai able in two sizes. Narrow (recommended) for ledges 2-1/2" or less) and Standard (for all other applications).
- · Sold perft.

BIRD-X POLYCARBONATE BARRIER SPIKES"				
STK#	ITEM	PER FT.	25' & UP	
DE7000	Narrow Spikes	\$5.95	\$5.09	
DE7002	Standard Spikes	6.95	6.49	



- Simply attach base to surface with adhesive, nais, wire or screws and eliminate pest problems permanently
- Flexible base will mount on curved or straight surfaces. Ideal for signs, letters, domes, air conditioners and more.
- 24' kit includes base and spikes. Base is constructed of UV-treated polycarbonate. Spikes are made from surgical-grade stainless steel.

STAINLESS STEEL BIRD SPIKES - 24' KIT STK# EACH

109824 \$125.95





Safely and humanely repel pests with a YardGard Pest Repeller. This maintenance-free electronic solution to pest control will save you time and money.

- · Ideal for yards, gardens, porches, greenhouses, buildings, or anywhere plagued by annoying pests.
- Repels raccoons, skunks, deer, dogs, cats, bats, rabbits, squirrels and more by emitting harmless sonic or ultrasonic sounds.
- Avoid messy and dangerous chemical repellents with this simple. electronic unit. System can be mounted anywhere
- · Provides continuous or motion-sensor operation, and will cover up to 4,000 sq. ft.
- Offers dual operation; uses four C batteries or included AC adapter.
- Weatherproof snap on rain cover protects controls.



YARDGARD PEST REPELLER

STK#	EACH
109826	\$95.95



Frightens away annoying birds.

- · Simulates a live predator.
- 4 to 8 balls are recommended. per acre
- 18" in diameter
- Single Pack contains one yellow
- Three Pack contains one yellow, one white and one black Scare-Eye

BIRD-X SCARE-EYE

STK#	ITEM	EACH	6 & UP
DF7035	Single Pack	\$1295	\$10.95
109819	3 Pack	34.95	31.95



require neither batteries nor electricity

- Units are completely sealed, protecting against moisture and are high/ low temperature resistant.
- Red flashing light automatically turns on at dusk and off at full daylight.
- Concept is simple, but it works. Predators believe the flash to be the eye of another creature and feel threatened, so they stay away.
- Multiple unit locations are most effective. Your knowledgeable National Account Manager will be happy to recommend what is best for your setup.

NITE GUARD SOLAR" PREDATOR PROTECTOR

STK#	EACH
106126	§39.95

This low-profile electronic pest repeller uses quiet ultrasonic sounds to evict mice, bats, spiders, cockroaches and other crawling insects.

- This highly effective unit disrupts the pests' habitat through ultrasonic and sonic sound waves, affecting their feeding and communication habits, forcing them to leave the area
- Intended for indoor use only Ideal for kitchens, garages, basements,
- workshops, barns, boats, warehouses, restaurants, stores, sheds and attics. Safe for use around humans, including thi dren, and around household pets such as dogs, cats, birds and reptiles.
- Two-speaker system doubles the effectiveness.
- · Easy to use. Just plug the system in.
- Coverage: Jp to 3,500 sq ft.







Take a step up in technology by monitoring your water consumption.

- Water consumption is the key factor in livestock and poultry health.
- · Requires power from external source,
- One contact per gallon.
- Transm tring element 1 mA at 30 V DC.
- Includes 3/4" x 3/4" meter and necessary couplers, bagged separate y.



RECORDALL'TRANSMITTER REGISTER

STK# 112521 EACH \$439.95

Brass Solenoid Valves

- Normally closed operation (energize to open).
- Brass body with nitrile seals.
- · Coil class F.
- Minimum working pressure: 4 PSI.
- Operating temperature: 32°F to 125°F.
- Maximum working pressure: 150 PSI
- Maximum fluid temperature: 180°F.
- Power consumption: 6 W
- Mountable in any position.

				311/4	
BRASS	SOLEN	OID VALVES		110706	
STK#	NPT	COIL VOLTAGE	EACH	110707	
110703	3/4"	24	\$119.95	110708	
110704	3/4"	120	119.95		
110705	3/4"	240	139.95	SOLENOID) REB
110700	1"	24	155.95	STK#	
110701	1"	120	155.95	110710	3
110702	1"	240	155.95	110709	

REPLACEMENT COILS

110706

JIK#	#OL:3	EMCIT
110706	24	\$27,95
110707	120	27 95
110708	240	47.95
SOLENOID	REBUILD KITS	
STK#	ITEM	EACH
110710	3/4" Kit	\$47.95
110709	1" Kit	47.95

Make monitoring water consumption easy.

- Positive displacement meter
- Magnetically driven 3" direct-reading register
- · Maximum water pressure is 150 PS.
- Maximum water temperature is 100°F.
- Includes necessary couplers.



RECORDALL' WATER METERS

	IN/OUT	MIN	MAX	SWEEP HAND	MAIN	
STK#	SIZE	GPM	GPM	REGISTERS	CASE	EACH
112520	3/4" NPT	1/4	15	10 ÜS Gallons	Polymer	\$239.95

Ideal for cooling systems and automatic water system control.

- Solenoid operator is on a swivel mount.
- Working pressure: 150 PSI maximum, 20 PSI minimum,
- · Not for hot water use.

- 1" Finlet and outlet.
- Mo ded from 6/6 glass filled nylon.
- Operation type: Normally closed,

110700

 24 V AC Solenoid has a pressure range of 20 PSi to 150 PSi and a 0.2 GPM to 40 GPM. It has a 1" female inlet and outlet, and its durable, high-grade construction and rugged diaphragm make it ideal for greenhouse, residential and light-commercial applications.



-					-	
SOLENOID	VALVES				we	1222
STK#	V AC	EACH	20 & JP			
113723	24	\$28.95	-	REPLACE	MENT COIL	
WR1215	24	51. 9 5	\$48.95	STK#	VOLTS	EACH
WR1220	110	58.95	55.95	113722	24	\$20.95
WDIDGE	220	6405	60.05	14/201000	120	70.05

The Iron Might is great for ponds, spas and more. It is designed to consume little power and run 24/7.

- Operates on only 1.3 amps at 115 V.
- Pump has a side discharge for optimum flow and provides a flow rate of 40 GPM.
- 1-1/2" Intake and Discharge, 1/15 HP.

 A 1-1/2 union assembly is available (113724, and should only be hand tightened.)



113724

IRON MIGHT CIRC	CULATING PUMP	
STK	SIZE	EACH
113632	Circulating Pump	\$295.00
113724	Union Assembly	16 35

Dolphin Pumps are designed and manufactured for maximum efficiency and minimum power consumption, allowing for cost-effective and worry-free operation of your hydroponic system.

- · New high-performance wet end designs.
- Continuous-duty, weather proof motors and dual-sealed bearings.
- · For fresh water applications only
- For indoor or unprotected outdoor use.
- Anti-vibration pump pad and new super seal unions included.
- Corrosion resistant.

Premium Efficiency Diamond Aqua Sea 9250 & 9500 (111146 & 111147)

- · High head, low current draw.
- 111146: 115 V, 50/60 Hz, 1 HP, 9,250 GPH
- 111147: 230 V, 50/60 Hz, 1 HP, 9,500 GPH.
- 1-1/2" supply and discharge
- 111146 comes with supply cord. 111147 is un-corded.
- 2 year manufacturer's warranty with 10 year free extended service guarantee.

Super Amp Master 7200 (111148)

- Designed to consume the lowest amount of energy per gallon pumped.
- Flow rates may be dialed back by a ball valve with no harm to pump. Electric current draw drops as flow is reduced.
- Super flow turbine-style impeller. Stainless steel crane sea, for superior. seal life.
- 230/115V
- 2" supply and discharge
- Comes with supply cord.
- 1 year manufacturer's warranty with free 10 year factory service guarantee.

Super Aqua Sea 12500 (111149)

- Built to consume the lowest amount of current for each gallon pumped.
- Premium energy efficient designed motor that is built to consume the lowest amount of current for each gallon pumped
- 115 V, 3 HP, 50/60 Hz, 12,500 GPH
- Comes with supply cord.
- 2" supply and discharge
- 1 year manufacturer's warranty and free 10 year factory service guarantee

DOLPHIN PUMPS

O O EL TIME	01111 5	
STK#	ПЕМ	EACH
111146	Premium Efficiency Diamond Aqua Sea 9250	\$ 899.00
111147	Premium Efficiency Diamond Aqua Sea 9500	625.00
111148	Super Amp Master 7200	755.00
111149	Super Aqua Sea 12500	1,075.00

Dolphin Pump Accessories

True Union Swing Check Valves (111150 & 111153)

- Can be used with all water types.
- No metal, pressure or flow restrictions as found with spring check valves.
- Can be removed for cleaning and service.

1-1/2" Enc osed Intake Strainer (111154)

- Flexible poly base.
- Insert into 1-1/2" PVC fitting or 1-1/2" thin wall PVC pipe.
- Top diameter: 3.8". Bottom diameter: 4.71".
- Strainer height: 4.87". Overall height: 8 12".

DOLPHIN PUMP ACCESSORIES

STK#	IT'E.M	EACH
111150	1-1/2" True Union Swing Check Valve	\$ 32.95
111153	2" True Union Swing Check Valve	49.95
111154	1 1/2" Enclosed Intake Strainer	46.95
111155	2" Machine Slotted PVC Intake Strainer	155.95
111151	1-1/2" EZ Primer/Strainer	149.95
111152	2" EZ Primer/Strainer	155 95



SEE FULL-LINE @ WWW TEKSUPPLY.COM







2" Machine Slotted Intake Strainer (111155)

- Can be used for direct 2" intake.
- Comes with solid cap and 2" x 1-1/2" reducer bushing.
- · Height: 11", including fitting

EZ Primer/Strainers (111151 & 111152)

- · Must be used in conjunction with Swing Check Valve when drawing waterup an incline.
- Protects pump from debris that can clog or damage the impeller.
- · Prevents noise from water cavitations in wet end, improving pump performance.
- Easy lid removal,



EZ-FLO Hose Bib & Drip Systems feed flowers, trees and shrubs without the need to constantly refill the tank.

- · Idea when you don't have a dedicated irrigation system, or when you want to separately address certain types of plants that require specialty fertilizers and supplements.
- Hose Blb Systems can be used by homeowners, nurseries or professional growers by simply attaching them to standard water faucets.
- Tanks are manufactured from Heavy Duty polyethylene plastic that is not designed to withstand constant water pressure. They need to be depressurized after each use to ensure long service life.
- There are many end devices that can distribute fertilizer and supplements, making this a very flexible system to use.
- Maximum pressure limit is 50 PSI in operating mode.
- Systems are available in two tank sizes: 3/4 gallon and 2 gallon
- EZ-FLO ensures that the proportion of fertilizer or supplement to water remains constant from the beginning of the cycle until the tank is depleted.
- Units have an adjustable cap with four basic settings, relating to the amount of fertilizer/supprement mixed with water,
- · Coupling connectors are available in 1" with socket x socket connections and 3/4" bushing adapter These PVC Schedule 40 couplings are 1/4" nylon barbed tubing that are used to connect the EZ-FLO System to the irrigation flow line (1/4" flexible tubing is provided with each system).

 A must have for your system is the Hose Vacuum Breaker, which prevents backflow into your drinking water using a brass anti-siphon bulb with stainless steel spring and screw

· Capacity: 107718 5 pounds water soluble 112246 10 ounds water soluble.

· Gallons to empty setting ratio: 107718:

(Slow) 1,000:1 - 750 (1) 500:1 - 375 (2) 250:1 - 188 (Fast) 100:1 ~ 75 112246: (Slow) 1,000·1 - 2,000 (1) 500:1 1,000


(2) 250:1 500

(Fast) 100:1 - 200









Line to sprinklers or emitters

ET.ELO HOSE BIR SYSTEMS AND ACCESSORIES

EE I DO HOSE	DID D 13 1 FIND MID MCCEDSONIES	
STK#	LIEW	EACH
107718	3/4-Gallon System	\$ 78.95
112246	2-Gallon System	105.95
112245	1" Sup Coupling Connector w/Ball valve	34,95
WF3380	Hose Vacuum Breaker	7.49

Fertilizing has never been easier. Heavy Duty Brass Siphon Mixer fertilizes as you water.

- This accurate proportioning device has been exclusively designed for small scale growers to dispense fertilizers, insecticides, fungic des and other water so uble chemicals through a hose
- · Heavy Duty brass construction, with backflow preventer.
- Average dilution ratio: 16:1
- Quickly and easily dispense one gal on of concentrate in as little as 5 minutes or less.
- · Requires 35 PSI, minimum.



DRACE SIBLION MIVED

88

DUNDO SILLION MIN	LER	
STK#	EACH	4 & UP
110093	\$40.95	\$35.95






MixRite Horticultural Injectors ensure precise dosing continually and economically.

- Ideal for fertigation, water treatment, supplementation, disinfection, line cleaning, installations and pH and EC control.
- Water driven proportioning injector for pumping an additive into a water line at a consistent rate over varying water pressure and flow rate.
- Easy to install and maintain. No electricity needed. Highly chemical and UV resistant.
- Ensures that nutrients are applied where needed.
- · On demand dispensing eliminates waste.
- · Spare Seal Kit included with every unit.





MIXRITE HORTICULTURAL INJECTORS

112766

112763

STK#	GPM	INLET/OUTLET	MAX. FLOW RATE	FLOW RANGE	PRESSURE RANGE	RATIOS	PERCENT	EACH
112763	11	3/4" BSPT	11 GPM	0.03 GPM to 11 GPM	2.9 PSI to 120 PSI	1:500	0.2%	\$ 275.00
112907	11	3/4" BSPT	11 GPM	0.088 GPM to 11 GPM	2.9 PSI to120 PS ₁	1.500 to 1.50	0.3% to 2%	515.00
112768	14	3/4" BSPT	14 GPM	0.044 GPM to 14 GPM	2.9 PSI to 120 PSI	1 500 to 1.50	D.3% to 2%	435.00
112766	22	1" NPT	22 GPM	0.88 GPM to 22 GPM	14.7 PS to 120 PSI	1:500 to 1:50	0.2% to 2%	675.00
112769	45	1-1/2" NPT	45 GPM	2 GPM to 45 GPM	14.7 PS to 120 PSI	1:500 to 1:50	0.2% to 2%	955.00
112767	110	2" NPT	110 GPM	9 GPM to 110 GPM	14.7 PS to 120 PSI	1 333 to 1 40	0.3 to 2.5%	2,245.00

Fertilizer Injector Systems de iver a finely tuned fertilizer mix to keep vegetables, perennials, bedding plants and crops of all kinds thriving.

- · The water-driven proportioning injectors automatically fertilize and maintain the proper pH every time you irrigate.
- · These energy efficient units do not require electricity
- Injector poards allow you to purchase pre-mixed fertilizers and pH adjusters or mix your own custom solutions to address specific needs.
- Your choice of Single or Double Injector Systems. Single Injector Systems are ideal for all-in-one fertilizer mixes and feature one pump for fertilizer and one for pH adjustments. Double injector Systems allow two-part fertilizer mixes to be utilized and feature two pumps for fertilizer and one for pH adjustments.
- · Easy to set up and install. Simply attach the unit to where your water line enters the growing space.
- Spare seal kits are included.



FERTILIZER INJECTOR SYSTEMS

STK# SYSTEM EACH 113483 Double, Three Pump \$1,809.00 113484 Single, Two Pump 1,239.00

Top-quality filter housings protect your equipment from damage due to water contamination.

- Industrial quality Filter Housings.
- · All housings NSF listed under Standard 42.
- Passes cyclic pressure test of 100,000 cycles from 0 PSI to 150 PSI line pressure without failure of housings.
- Passes 300 PSI hydrostatic test and 400 PSI burst test
- "umbo Blue" housing manufactured from reinforced polypropylene with 1" inlet and outlet.
- Standard Blue housings manufactured from reinforced polypropylene with 3/4" inlet and outlet.

 Clear Bowl housings have reinforced polypropyrene top with 3/4" inlet and outlet and SAN bowl



INDUSTRIAL-QUALITY FILTER HOUSINGS

Mounting

Bracket

5TK#	ITEM	RATE	SIZE	EACH
103401	Standard 10" Blue	15 GPM	3/4"	\$38.55
116004	Standard 10" Clear	15 GPM	3/4*	31 95
116000	Standard 20" Blue	15 GPM	3/4*	59.95
115997	Jumbo 10" B _i ue	20 GPM	3"	76.95
ACCESSO	R ES FOR FILTER HOUSING	S		
STK#		ITEM		EACH
103403	Mounting Bracket w	Mounting Bracket w/Screws for 103401		
116001	Mounting Bracket w/Screws for 116000 and 116002			12 95
116059	Mounting Bracket w/Screws for 115997			22 95
103405	Full Wrench for 1034	9.96		
116002	Full Wrench for 1160	200 and 116004		6 95
115998	Full Wrench for 1159			10 95
103404	Replacement O-Ring	g for 103401		4.39
116005	Replacement O-Ring	g for 116004		3 29
116003	Replacement O-Ring	g for 116000		719
115999	Replacement O-Ring	g for 115997		6 95

FLOW

Wrenches

INLET/

OUTLET

Chemical and bacteria-resistant polyester filter media makes these cartridges suitable for industrial use, and swimming pool, spa and well water applications.

- The durable, reusable, nonwoven polyester is pleated to maximize its dirt-holding capacity, extending the time between changes.
- Polypropylene core with vinyl end caps and polyethylene outer sheath.



PLEATED POLYESTER FILTER CARTRIDGES

TELATED FOLIESTEN TELET CARTINDOLS
2-3/4" X 9-3/4" FOR STANDARD 10" HOUSINGS

STK#	FILTER	EACH	25 & UP
WR1650	1 Micron	\$8.35	\$8.09
WR1651	5 Micron	8.35	8.09
WR1652	20 Micron	8.35	8 09
WR1653	50 Micron	8.35	8.09

4-1/2" X 9-3/4" FOR JUMBO, BIG WHITE/BLUE HOUSINGS

STK#	FILTER	EACH	8 & UP
WR1661	5 Micron	\$27.89	\$26.19
WR1662	20 Micron	27.89	26.19
WR1663	50 Micron	27.89	26.19

String Wound Filter Cartridges

- Economical, compact cartridges are made from wound polypropyrene string material
- · Easy to install and maintain.
- Rugged and durable, with max mum dirt holding capability



STRING WOUND FILTER CARTRIDGES 2-1/2" X 9-3/4" FITS MOST STANDARD 10" FILTER HOUSINGS

1 11 3 11163231	STATISTICS IN LIFET	16 110 CO 3114C 1	
STK#	FILTER	EACH	100 & UP
WR1036	5 Micron	\$6.29	\$6.11
WR1037	20 Micron	6.29	6.11
WR1040	30 Micron	6.25	5,99
WR1035	50 Micron	6.09	5.74

STR NG WOUND FILTER CARTRIDGES 2-1/2" X 19-1/2" FITS MOST STANDARD 20" FILTER HOUSINGS

STK#	FILTER	EACH	50 & UP
WR1960	5 Micron	\$13.89	\$12.44
WR1962	20 Micron	13.89	12.44
WR1964	30 Micron	13.89	12,44
STRING WOL	HND SHITED CARTON	DGES 4. 1/2" Y 0. 2	1.4N

STRING WOUND FILTER CARTRIDGES 4-1/2" X 9-3/4" FITS MOST RIG WHITE, RI UF AND IUMRO FILTER HOUSINGS

FITS MOST BIG WHITE, BLUE AND JUMBO FILIEN HOUSINGS					
STIC#	FILTER	EACH	30 & UP		
WR1950	5 Micron	\$19.05	\$17.44		
WR1952	20 Micron	19.05	17.44		
WR1954	30 Micron	19.05	17 44		
WR1956	50 Micron	19.05	17.44		

Complete Filter Kits improve poultry, livestock, commercial and residential water systems. Pressure gauges, shut-off valves and medicator hookups make cartridge changes easy.

■○ SEE FULL-LINE @ A REMANDERS SUPPLIES COM

- Filter removes abrasive particles that can cause water system damage.
- Kit comes complete with 50 micron wound filter cartridge and mounting bracket.







COMPLETE FILTER KITS

STK#	ITEM	SIZE	FLOW RATE	EACH
103547	10 st Standard Blue	3/4"	10 GPM	\$ 65.49
103546	10° Standard Clear	3/4"	10 GPM	64.15
102564	10° Jumbo Blue	1-1/2"	25 GPM	163.69
102563	10" Jumbo/Medicator	1-1/2"	25 GPM	190.95
103548	10° Standard Clear/Medicator	3/4"	10 GPM	109.99

Reliable Manual Plastic Disc Filters provide superior filtration with practically no maintenance necessary.

- Manufactured for increased chemical resistance.
- Highly effective multiple discring design captures and holds more debris.
- Cleaning is required less frequently compared to screen filters. Rings are easily removed for fast cleaning without the need for scrubbing.
- Both Replacement Ring Sets include discs, spine and spine extension.

2" Dual Lite Manua Disc Fifter

- Flow range: 40 GPM to 110 GPM.
- 120 mesh. 130 micron.
- Maximum pressure: 115 PSI
- 2" male inlet and outlets.

3/4" Manual Disc Filter Flow range: 1 GPM to 12 GPM.

 120 mesh. 130 micron. Maximum pressure: 140 PSI. · 3/4" male inlet and outlets.

Dimensions: 7 15/32"W x 5-22/32"L

113711

- Dimensions: 10-1/4"W x 16-15/16"L. - Ensure easy placement into your new or
- existing plumbing with our Schedule 40 PVC 2" S x FPT Special Reinforced Union (111580), sold separately. This union features Buna-N O-ring seal and special reinforced stainless steel collar. Maximum pressure: 235 PSI at 73°F.

1" Manual Disc Filter

- Flow range: 5 GPM to 26 GPM
- 120 mesh, 130 micron
- Maximum pressure: 140 PSI.
- 1" male inlet and outlets.
- Dimensions: 6-7/32*W x 9-11/32*L.

1-1/2" Super Manual D sc Fi ter

- F ow Range: 10 GPM to 52 GPM
- 120 mesh 130 micron
- Maximum pressure: 410 PSI.
- 1 1/2" male inlet and outlets
- Dimensions: 7 7/8"W x 14-1/2"L.

1580

113712

235.95

Granular Activated Carbon Filter Cartridges provide exceptional filtration and are a good option for high flow applications.

- Reduces bad taste and odors, as we i as chlorine.
- Filters are designed for optimal absorption, and they feature a post filter that limits carbon fines.
- Improves drinking water by removing volatile compounds. Constructed from NSF certified materials.
- These are a good option for point of use RO systems, wholehouse filtration, commercial RO pretreatment and much more.



116007 116006

GRANULAR ACTIVATED CARBON FILTER CARTRIDGES

STK#	SIZE	EACH	DISCOUNT PRICE
116006	2-3/4" x 20"	\$34.95	\$32.95 (25 & up)
116007	4-1/2" x 9-3/4"	38.95	36.95 (8 & up)

Protects system lines and emitters from dirt and debris in the water supply.

- Flush valve makes removing sediment quick and easy.
- Manufactured from tough ABS plastic.
- 150 mesh screens
- 3/4" and 1" Y-Filter both have male inlet and outlet.
- Replacement screens fit both size filters



MANUAL DISC FILTERS

112974

STK#	ITEM	EACH	5 & LP
116475	3/4" Manual Disc Filter	5 37.95	-
113711	1" Manual Disc Filter	91.95	\$ 85 95
116476	1-1/2" Super Manual Disc Filter	225.95	heet
111160	2" Dual Lite Manual Disc Fifter	279.95	267 95
SCH 40 PVC	2" S X FPT		
SPECIAL RE	INFORCED UNION		
STK#	EACH		10 & LP
111580	\$91.69		\$89.69
REPLACEMI	ENT RING SET		
STK#	ITEM		EACH
113712	1" Replacement Ring Se	o†	\$ 38.95

2" Replacement Ring Set


116476



LIFIENS	WITH LEGIT WALKE		
STK#	ITEM	SCREEN	EACH
WF1010	3/4" Y-Filter w/Flush Valve	SS	\$20.49
WF1020	3/4" Y-Filter w/Flush Valve	Poly	19.25
WF1025	1 ' Y Filter w/Flush Valve	SS	21.29
WF1030	1* Y-Filter w/Flush Valve	Poly	20.25
WF1011	Replacement Screen	55	7 09
WF1021	Replacement Screen	Poly	6.29

Brass ball valves have a blowout-proof stem and forged brass body.

- 150 WSP-600 WOG
- Good up to 350°F
- · Ful port.
- AGA 1/2" 3/W4", UL and FM 1/2" - 3/4"



Threaded ends.

Coated seats



RRASS RAIT VALV	T.C

(YL)

STK#	SIZE	EACH	10 & UP
WF3550	1/2*	\$ 10.09	\$ 9.69
WF3552	3/4"	13.49	12 69

Un'ons allow for fast repair.

111580

- Features Buna N O ring seal and special reinforced stainless steel collar.
- Maximum pressure² 235 PSI at 73°F.



WF3411

SCH 40 PV	C 5 X 5 I	UNIONS		
STK#	SIZE	EACH	10 & UP	
WF 341D	3/4"	\$ 5 15	\$ 485	
WF3420	1"	5.05	4.69	
112285	1-1/2"	15.95	14.95	
SCH 40 PV	CFXF	NOINU		
STK#	SIZE	EACH	10 & UP	
WF3411	3/4"	\$5.05	\$4.69	
SCH 40 PVC 5 X FPT SPECIAL REINFORCED UNION				
STK#	SIZE	EACH	10 & UP	
111580	2"	\$91.69	\$89.69	



Drain Stop Plus by Senninger® has innovative three-in-one design.

- Specially designed for overhead irrigation to prevent draining from applicators when system is shut down.
- Protects plants beneath applicators from damage due to overwatering
- Allows (ines to remain full to help expedite system start-up time
- Unique 3-mode design. Twist dial to select: Check-Open-C osed.
- Easy-clean feature for debris removal.
- High impact, engineering grade thermoplastic construction for durability
- Flow: 0.25 to 5 GPH
- Minimum opening pressure: 13.5 PSI
- Minimum closing pressure: 3.5 PSI.
- Maximum operating pressure: 50 PSI
- 1/2" MNPT inlet x 1/2" FNPT outlet

SENNINGER' DRAIN STOP PLUS

PEMMINGER	DAMIN STOP	PLU3
STK#	EACH	10 & UP
108010	\$6 19	\$5.85



Easy-to-install clamps ensure secure connection of hose and polyethylene tubing to a wide range of fittings.

- Idea for low-pressure irrigation systems in horticultural and landscaping.
- UV stabi ized for long life.
- Speedy Clamp (WF2410) is the only Double Row Toothed Clamp, ensuring a tight fit for all applications. Withstands pressures to 120 PSI and temperatures up to 302°F idea for 1/4° braided hose (WF1050A), sold separately
- Ratchet Clamps secure polyethylene tubing to a variety of barbed fittings.
 Use #18 Ratchet Clamp with our 1/2" Poly Tubing (110747A) and #23
 Ratchet Clamp with our 3/4" Poly Tubing (110741A/111627A). All Polyethylene Tubing sold separately.







				-	
PEEDY	CL	AI	vi	p	

DI PERMI	CEAUNI			
STK#	VENDOR S.ZE	USE WITH HOSE OD	EACH	100 & UP
WF2410	C	0.400° to 0.470"	\$0.65	\$0.55
RATCHET	CLAMPS			
STK#	VENDOR S.ZE	USE WITH TUBING OD	EACH	100 & UP
111697	#18	0.669° to 0.748°	\$0.47	\$0.43
111698	#23	0.866" to 0.945"	0.56	0.53

An improved method of connecting low pressure irrigation tubes and drip lines to polyethylene tubing and PVC mainlines.

- Easy to install, reducing both time and cost of installation
- Fittings feature collapsible barbs to prevent pull-out and reduce grommet damage during installation
- 16 mm x 16 mm barb outlet is ideal for use with our 1/2* polyethylene tubing, sold separately
- 19 mm x 21 mm barb outlet is ideal for use with our 3/4" polyethylene tubing,



TAKE-OFF	FITTINGS AND GROMMETS 111598		
STK#	ITEM	FACH	25 & UA
111597	16 mm x 16 mm Take-Off Fitting	\$0.95	\$0.85
111596	16 mm Grommet for 111597	0.55	0.49
111599	19 mm x 21 mm Take-Off Fitting	1.15	1.05
111598	19 mm Grommet for 111599	0.66	0.59

Control the activation and shut off of your water supply.

- Full portivalve.
- 1" union.
- Suitable for schedule 40 and 80 pipe.
- Rated at 150 PSI at 73°F.
- Unions can be taken apart to clean or replace internal parts.
- The Single Union Ball Valve (113695) comes with one socket and threaded end connector, while the True Union Ball Valve (113695) comes with two socket and threaded end connectors.



RED FLAG UNIONS

STK#	ПЕМ	EACH	10 & JP
113695	True Union Ball Valve	\$10.95	\$10.25
113696	Single Union Ball Valve	10 95	10.25



Pressure Regulator Kit features integral stainless steel strainer.

- Durable bronze body
- Reinforced EPDM diaphragm and EPDM valve disc. PSI pressure gauge and
- · 3/4" FPT inlet x 3/4" MPT outlet.
- · Features integral stainless steel strainer.
- Handles inlet pressures up to 400 PSI and water temperatures up to 180°F
- 10 PSI to 70 PSI.
- Compliant 2014 No-Lead Law.
- · Less than 0.2% lead when used with solder and flux.
- · Less then 0.25% lead when used with wetted surfaces of pipes, pipe fittings and fixtures
- Not for use with potable water

3/4" PRESSURE REGULATOR

_,		
STK#	ITEM	EACH
111316	Pressure Regulator Kit	\$99.95
116272	Pressure Regulator Kit	115.95
112694	Regulator only	87.95

- Less then 0 25% lead when used with wetted surfaces of pipes,

Includes our 10 PSI to 70

aT fitt ng for a complete

pressure regulator kit.

Includes our 0 PSI to 20

PSI pressure gauge and

aT fitt ng for a complete

pressure regulator kit.

116272

an iron body is code

pipe fittings and fixtures.



Only for use where

STK#	ITEM	EACH
111316	Pressure Regulator Kit	\$99.95
116272	Pressure Regulator Kit	115.95
112694	Regulator only	87.95

Designed for high ammonia environments.

- · Compact iron body pressure regulator.
- · Range from 0 PSI to 20 PSI. Factory set at 5 PSI.
- Ethylene propylene diaphragm.
- Initial pressure up to 300 PSI.
- Suitable for hot or cold water to 180°F
- · Less than 0.2% lead when used with solder and flux.

3/4" PRESSURE REGULATOR

21K#	EACH
112691	\$79.95

Reduces and regulates high inlet pressures.

- · Features threaded union inlet connection with gasket-FPT
- · FIP out et
- · Stainless steel strainer.
- Reinforced diaphragm.
- · Back-pass check feature allows for thermal expansion
- Fully adjustable from 10 to 70 PSI

WATER PRESSURE REDUCING VALVES

TOTAL ENGINEE	JOONE MEDOCIII	THEFT
STK#	SIZE	EACH
112694	3/4"	\$ 87.95
112689	1"	98.95
112690	2"	445.95

- Compliant 2014 No-Lead Law
- · Less than 0.2% lead when used with solder and flux.
- Less than 0.25% lead when used with wetted surfaces of pipes, p pe fitt ngs and fixtures.
- For use with potable water



Adapter fittings for all tanks

- Heavy-duty, high chemical-resistant polypropylene construction.
- · Double threaded adapter fitting may be threaded into the bulkhead from either side
- Avai able in 3/4" through 2" fema e NPT.
- A 3/16" wide EPDM sealing gasket is included.
- Replacement gasket for WF8581 is available (110265).



BULKHEAD ADAI	PTER FITTINGS	
STK#	SIZE	EACH
112964	3/4*	\$13 95
WF8582	1 [*]	14 75
112965	1-1/2"	15 95
112966	2 ⁿ	16 95
110265	Replacement Gasket for 112964	1.84



PLUMBING

Designed to be used with feed and drain watering systems.

Interior threads accept 3/4" standard pipe thread.

· Highly versatile fittings can also be used in aeroponic and drip applications.



111303

111200

RR WND I	LO HITINGS	111300	-
TK#	ПЕМ	EACH	
11300	1/2" Barbed Bulkhead Fitting	\$3.25	
11301	3/4" Barbed Bulkhead Fitting	3.55	- 14.1
11302	Bulkhead Extension	1.55	
11303	Bulkhead Screen	1.15	
11304	Bulkhead Fitting Washer	1.09	1113

Heavy Duty PVC Ball Valves handle water pressures up to 150 PSI.

- Fits Schedule 40 pipe.
- O-ring seal.
- Not for hot water use.



HEAVY DUTY	PVC BALL VALVES		
STK#	ITEM	EACH	10 & UP
WF3305	1/2" Threaded	\$ 4.65	\$ 4.35
WF3310	3/4" Threaded	5,59	5.19
WF3315	1" Threaded	7,39	6.85
WF3306	1/2" Slip	4.65	4.35
WF3311	3/4" Slip	6.05	5.55
WF3316	T" Slip	7.39	6.85
WE3511	1-1/2" \$1	11.85	11.05

Green Back® In-Line Valves feature straight-through flow.

- · Rapid guarter turn on off operation
- Single barb inlet and outlet.
- Operating pressure range 0 PSI to 45 PSI at a temperature to 100°F.



GREEN BACK" IN-LINE VALVES

STK#	S ZE	EACH
AC2800	1/2"	\$3.75
AC2802	5/8*	3.95
AC 2804	3/4"	4 99

Preset Pressure Regulators





Reduce water usage by 70% while providing precise watering right at plants' roots with Swan® Soaker Hose.

- Water weeps from holes to soak plants' roots, reducing evaporation and wasted water.
- Patented water restrictor in coupling to control flow on 50' length.
- Manufactured from 65% recycled rubber.







Fits 5/8" to 3/4" hose.

STK#	ľD	LENGTH	EACH
113879	3/8"	50'	\$ 22 9
113869*	3/8"	250'	101.9
#11			

hose after it's been damaged.

Flexibility makes this hose ideal for farm and commercial applications.

- Manufactured from two layers of PVC and one layer of reinforced polyester
- · Not for use with hot water
- 100 PSI working pressure.
 350 PSI burst pressure.
- Maximum continuous length is 250.
- · Priced per ft.

UNCOUPLED BLACK UTILITY/GARDEN HOSE



Make your own hose kit with our fittings.

Includes one male and one female 3/4" GH fitting.

BRASS HOSE FITTINGS

STK#	HOSE ID	FOR JSEW/	PER PAIR
103384	1/2°	WF6500A	\$5.85
103555	5/8"	WF6502A	6.69
103385	3/4°	WF6504A	8.05
103386	1"	WF6506A	9.89



Swan® Heavy Duty Garden Hoses affer strength, flexibility and powerful water flow.

- 400 PSI burst strength delivers powerful watering.
- Patented armor prevents kinking at the water source
- Lead free aluminum coup ings are crush proof up to 4,000 PSI and help avoid accidental damage.
- Available in 5/8" and 3/4" diameters. Fits all standard faucets and most water accessories
- Male and female repair couplings sold separately includes clamp.





113869

HOSE REPAIR COUPLINGS

HOSE REPAIR C	OUPLINGS	
STK#	ITEM	EACH
117425	Female Coupling	\$3.05
117426	Male Coupling	3.05

Hose Repair Couplings extend the life of your garden

WWW.GROWERSSUPPLY.COM 1.800.476.9715

SWAN' HEAVY DUTY GARDEN HOSES

STK#	ID	LENGTH	EACH
117420	5/8"	50,	\$47 95
117421	5/8"	75'	61 95
117422	5/8"	100	83 95
117423	3/4"	50'	58.95
117424	3/4*	75'	79 95







Stainless Steel Clamps

One-Ear Clamp





SCREW CLAMPS

STK#	SIZE	EACH	100 & UP
WF2480*	3/8" to 7/8"	\$1.05	\$0.95
WF2495*	1/4" to 5/8"	0.95	0.85
WF 2490	7/16" to 1"	1.05	0.95
WF2500	1/2" to 1-1/8"	1.05	0.95
WF2510	1/2" to 1: 1/4"	1.09	0.99
WF2515	3/4" to 1-1/2"	1.09	0.99
WF2520	3/4" to 1 3/4"	1.09	0.99
WF2540	2-1/4" to 4-1/4"	1,45	1,35
tFor use with our 1	1/4" 3/8" and 1/2" Braided Hose 1	For use with 1/4" Hose only	

ONE-EAR CLAMP

OME-EWY	LAMP		
STK#	SIZE	EACH	100 & JP
WF2450	for 1/4" [D Braided Hose	\$0.59	\$0.49

Clear Braided Hose will not kink or twist like ordinary hose.

Use braided hose with brass insert fittings.

- Maximum continuous length: 300'.

- Priced per ft.

CLEAR BRAIDED HOSE

	Н	OSE	BURST	MAXIMUM WORKING	PRICE	PER FT.
STK#	ID	OD	STRENGTH	PRESSURE	EACH	900' & UP
WF1050A*	1/4"	7/16"	350 PSI	250 PSI	\$0.75	\$0.61
WF1060A	3/8"	5/8"	275 PSI	225 PSI	0.79	0.69
WF1065A1	1/2"	3/4"	250 PSt	200 PSI	0.99	0.74
WF1067A	3/4"	1"	200 PSI	150 PSI	1.55	1.36
*Use Screw Clan	p (WF249	5).				
†Not for use wit	h our 1/2"	PVC Insert F	ittings			



Corrosion-resistant Hose Trolley Kits adapt to any size greenhouse or building.

- · All kits include hose, plus aircraft cable, stainless steel pulleys, hose supports, rope clip and turnbuckle.
- Hose nozzles remain clean, reducing the chance of spreading plant diseases while watering.
- Couplings are never stepped on or crushed.
- Can be used with existing hose bibs and nozzles.
- · Corrosion-resistant stainless steel and plastic for long life.

CORROSION-RESISTANT HOSE TROLLEY KITS

STK#	ITEM	EACH
WF4400	50' Kit	\$119.00
WF4410	75 Kit	149.00
WF4420	100' Krt	185 00
WF4405	Pulley Assembly Only	8.59

Eliminate stretching and stooping associated with hand watering.

- · Handi-Reach handles are compatible with all our water breaker nozzles.
- Constructed from extruded aluminum and brass with a foam-grip handle.
- · 3/4" male and female hose threads.
- 11 GPM Touch 'N Flow ProTValve offers unmatched flow and durability in a trigger valve. Features lightweight zinc cast body and rubber molded grip for durability.






HANDI-REACH WATER WANDS

ITEM STK# 24" Handi Reach 105831 105832 15.95 30° Handi-Reach 105833 36" Handi-Reach 16.95 111501 Touch 'N Flow Pro" Valve 17.95





LAWN & GARDEN

Take this sturdy hose wagon over the toughest terrain.

- Four 10" pneumatic tires help wagon go almost anywhere.
- Constructed of hefty 1° diameter tubular steel, with axles mounted under (not through) the frame for greater stability.
- Includes 72" of 1/2" feeder hose with brass couplers.
- Holds up to 300' of 5/8" garden hose.
- 15"L x 8"W x 6"D attached basket is ideal for holding your gloves, garden tools, sprayers and more.
- 25"W x 41"H x 39.5"L.

Hose Wagon Value Pack includes.

- · All Terrain Hose Wagon.
- 250"5/8" black, 3-ply ValuTek garden hose. Couplings included; assembly required.
- Pistol Grip Spray Gun.
- 28" Watering Wand.









Professional, full flow Water Breakers have 3/4" hose threads and offer gentle, fast or narrow pattern watering for all of your watering needs.

Pro Grade (105825)

 Constructed from cast aluminum with brass threads and offers a fast, gentle full flow that will not damage plants

Ultra-Soft Redhead (105826)

· Constructed from cycolac plastic and stainless steel. Offers a soft, full flow that is ideal for plugs, seedlings and tender young plants.

Pro Grade with Plastic Head (105827)

Constructed from high impact cycolac plastic and aluminum. Offers a gentle, yet fast full flow that will not damage plants or wash away so l

Narrow Pattern Water Breaker (105828)

 Constructed from high-impact cycolac plastic and aluminum and is designed for low or restricted water pressure/volumes. Ideal for containers and hanging baskets.

WATER BREAKERS

STK#	ITEM	GPM	EACH
105825	Pro Grade	11.1 @ 40 PSi	\$19.95
105826	Ultra-Soft Redhead	11.0 @ 40 PSI	17.95
105827	Pro Grade w/Plastic Head	11.1 @ 40 PSI	10.95
105828	Narrow Pattern	7.0 @ 40 PSI	10.95

Nine water flow styles.

05437

- · Nozzle adjusts to achieve nine flow styles, from fine spray to high pressure jet.
- Ergonomic, comfort-grip handle.
- Makes a great partner for our coil hoses.



STK# EACH 102810 \$29.39

Blasts dirt.

- 3/16" opening.
- Comfort grip.
- · Outdoor use with cold water only.



BRASS SWEEPER NOZZLE

112252

EACH

116017

Heavy Duty Pistol-Grip Sprayer

- Adjustable brass tip.
- Professional quality



PISTOL-GRIP SPRAY GUN STK#

\$12.95



1. Lay our Swan' Soaker Hose in place and secure with our Fabric Securing Staples, sold below. Soaker Hose is available in either 50'L 3/8" ID coupled or 250'L 3/8" ID uncoupled. Both come with a 7 year warranty. Soaker Hose targets the specific area that needs watering, offering precise, gentle soaking and eliminating water waste.



2. Place Weed Guard Ground Cover over the hose and secure with our Fabric Securing Staples. Our 3 oz. per sq. yd. Ground Cover is manufactured from UV-resistant black po ypropylene and has a long ife expectancy. Fabric Securing Staples are made of 11-gauge steel wire, are 6°L with a 1°W crown



 Make slits in the Weed Guard, which is pre-marked every 12" for easy plant alignment, measuring and cutting.

Easy Water 1-2-3 System allows water, nutrients and air to pass through, but stops the weeds. Increase your vegetable yield up to 75%.

Weeds compete with vegetables for water, light and nutrition. By taking control of these weeds, your production will reach full potential

Just sit back and enjoy your bountiful harvest, with no weeding or hand watering.

EASY WATER 1-2-3 SYSTEM

STK#	ITEM	EACH	DISCOUNT PRICE
103797	3' x 100' Roll Weed Guard	\$ 39.95	\$ 32.95 (6 & up)
103798	6' x 100 Roll Weed Guard	79.95	75.95 (6 & up)
103799	12' x 100' Rol Weed Guard	129.95	119.95 (6 & up)
113879	50'L 3/8" ID Coupled Soaker Hose	22.95	_
113869	250'L 3/8" ID Uncoupied Soaker Hose	101.95	_
115219	Fabric Securing Staples, Box of 100	22.95	_
111525	Fabric Securing Staples, Box of 1,000	109.95	_
*Countings r	secessary only when nurchasing 250'. Incounted Hose		

Simplify your irrigation and keep it functioning properly.

- The Hose Bib Assembly connects water or nutrient solution supply hoses to the supply header to filter out debris and sediment and ensures that water pressure stays within the proper PSI.
- Assembly features 3/4" Brass Adapter, Y-Filter Shut-off valve, (2) PVC Tee
 Fitting, (2) 3/4" PVC Bushing, 100 PSI Pressure Gauge, (2) 3/4" Nipple Adaptor,
 Pressure Regulator, 15 PS Pressure Gauge, 3/4" Adaptor, 3/4" Washer and
 Thread Sealing Tape.
- If reducing down to 1/2" tubing, additional fittings WF2070 and WF2372 are required and sold separately.
- Maximum flow rate: 5 GPM.
- For use with streamline 636 drip tape only.

HOSE BIB ASSEMBLY

STK# 113886 EACH \$64.95







Simple, economical and efficient watering method saves time and labor costs.

- · Mats use a capillary action to hydrate plants from the bottom up, enabling water to reach the root zones.
- · Plants grow more uniformly in size and have no leaf spotting as when they are watered from above.
- · Idea for use on your benches, flooring or ground.
- 100% needle-punched polypropylene, non-woven filter fabric is resistant to shrinking, tears, soil chemicals, puncture, ultraviolet exposure, rot and mildew
- Lightweight, easy-to-handle matting cuts easily and does not fray.
- Sold in 100 ft. lengths.

How to get started.

- 1. Ideat on your bench top or greenhouse flooring. Also can be used on the ground with our 1" x 3" Recycled Plastic Lumber as side framing.
- 2 For best results, your bench, ground or flooring area should be as leve as possible.
- 3. Cover area with our 6 oz., 12 mil mat underliner, black side up. This a lows the water to spread, but prevents dripping and water loss due to evaporation. Underliner will also extend the life of your matting and makes the system easy to clean.
- 4. Lay the Capillary Matting over the underliner. Overlap or tightiy join any adjacent pieces. Do not allow the matting fabric to hang over the edges.
- 5. We suggest soaking the fabric prior to setting out your plants. This ensures max mum capitlary contact immediately if possible, keep mats wet at all times. If not, wet at frequent intervals.
- 6. Works best with plastic pots.
- 7. Shown here using our Soaker Hose, available coupled in 50 ft. length and uncoupled in 250 ft. length.

CARLLIADY MATE AND ACCESSORIES

CAPILLARY MAIS AND ACCESSORIES						
ST'K#	ITEM	EACH	DISCOUNT PRICE			
106223	4" x 100 Capillary Matting	\$129 95	\$125.95 (6 & up)			
106224	6' x 100 Capi lary Matting	179 95	169.95 (6 & up)			
116632	5/8" x 2 1/2" x 8 Black Recycled Lumber	16.75	15.49 (50 & up)			
116633	5/8" x 2-1/2" x 12' Black Recycled Lumber	23.65	22.05 (50 & up)			
113879	50'L 3/8" ID Coupled Soaker Hose	22 95	_			
113869	250'L 3/8" ID Uncoupled Soaker Hose	101 95	_			
*Couplings (necessary only when purchasing 250' Uncoupled Hose.					

MAT UNDERLINER

		PRICE PER LINEAR FT.		
STK#	WIDTH	20'-599'	600' & UI	
CC2961	60 ¹¹	\$1.48	\$1.13	
CC2971	84"	2.02	1.59	
CC2005	144"	3.81	3 25	

Panels under 300 sq. ft. incur a small-panel charge of \$28.95 (5TK# CC3046).















Aad Misters and Emitters to AquaCool® Automatic Intermittent Cooling Systems,

360° Ad ust-A-F ow Sprinkler Emitter (WF4070)

1 to 25 GPH with a diameter of 4' to 25'.

10 to 32 NPT (thread size).

180 adjust-A-Flow Sprinkler Emitter (WF4075)

1 to 25 GPH with a radius of 4' to 10'.

10 to 32 NPT (thread size)

Droplet Emitter (WF4060)

- 1/2 GPH at 15 to 60 PSI.
- Positive 0 16" barb connection.

Mister (WF4065)

- Rated at 5 GPH at 15 PSI, 360° 3' diameter full-cone pattern.
- · 10 to 32 NPT (thread size)

SPRINKLERS AND EMITTERS

STK#	ITEM	EACH	100 & UP
WF4070	360° Adjust-A-Flow Sprinkler Emitter	\$1.85	\$1.69
WF4075	180° Adjust-A-Flow Sprinkler Emitter	1 59	1 45
WF4060	Droplet Emitter	0.39	
WF4065	Mister	1.25	1.15

High-volume sprinklers for large areas.

- Dual outlet, sealed flipper enhances performance.
- · Nozzle options are colored to identify flow
- FI ppers are color coded to identify normal or inverted use.
- 1/2" male pipe thread.
- 40 PSI.









Inverted Rotor Max


AC2765 AC2760 ROTOR MAX" SPRINKLERS

				THRUW		
STK#	ITEM	COLOR	GPH	DfA.	EACH	50 & JP
AC2760	Midi Sprinkler	Red	127	43'	\$6.45	\$6.15
AC2762	Inverted Rotor Max	Red	127	43'	5.45	6.15
AC2765	Inverted Rotor Max	Black	167	45'	6.45	6.15

Rotor Rain™ Mini Sprinklers can be used with all standard pipe fittings.

- Features low trajectory and large droplets.
- Durable construct on with UV-stabilized materials.
- Three color coded versions flowing from as low as 29.2 GPH to 76 GPH.
- 1/2" MPT
- Sprinkling diameter from 30' to 42'.
- Corrosion resistant.
- Features break off spray deflector that can be used with close in watering of immature trees.

ROTOR RAIN" MINI SPRINKLERS



Agri Drip™ Emitters

- · A turbulent flow path drip emitter, sealed to maintain preset discharge rates and uniformity
- · Pressure compensating emitters are used in applications where slopes and elevations exist.
- · Positive barb connection.
- · Suitable for most horticultural tree and row crops and landscaped gardens.



ACREODED" CHITTEDS

Adapter

STK#	TEM Pressure Compensating Drip Emitter	GPH	EACH	100 & UP
AC2750		1	\$0.61	\$0.55
AC2755	Standard Drip Emitter	1/2	0,49	0.39

Ideal for use with micro-irrigation systems, livestock soaking and cooling.

- Available in two lengths with either 1/2" MNPT adapter or Quick Thread adapter configurations.
- Accommodates all quick thread and any 10/32 thread micro-irrigation sprinklers and misters.
- Can be used in virtually any position ideal for suspending from ceiling, using on the ground and on bench tops.
- Sprinkler not included.

RIGID RISERS

		ADAPTER		
STK#	LENGTH	TYPE	EACH	DISCOUNT PRICE
AC2700	6 ^{rr}	1/2" MNFT	\$1.45	\$1.29 (50 & up)
107327	12"	Quick Thread	0,95	0.71 (100 & up)







FAROOR

Quick Thread Adapter 197331

Compression fittings increase the versatility of your AquaCool® Systems.

- Adapt any 3/4" MGH fitting to 1/2" compression with this handy fitting.
- Micro Adapter is used in conjunction with low pressure in cro-irrigation systems. Durable, JV-stabilized material ensures long life. Ideal for home gardens, landscaping, greenhouses and hanging baskets.

AQUACOOL' ACCESSORIES

	. ,,		
STK#	ITEM	EACH	DISCOUNT PRICE
WF1014	1/2" Comp x FGH Adapter	\$ 1.29	
107331	0.16' Quick Thread x Thread Adapter	0.19	\$ 0.12 (100 & up)
WF4790	Key Punch	2.19	_
FA8006	3/4" Loop Clamps, Bag of 100	11.09	10.65 (10 & up)

Protects system lines and emitters from dirt and debris in the water supply.

- Flush valve makes removing sediment quick and easy.
- · Manufactured from tough ABS plastic
- 150 mesh screens.
 3/4" and 1" Y Filter both have male inlet and outlet.
- · Replacement screens fit both size filters.



Y-FILTERS	WITH FLUSH VALVE		
STK#	ITEM	SCREEN	EACH
WF1010	3/4" Y-Filter w/Flush Valve	SS	\$20.49
WF1020	3/4" Y-Filter w/Flush Valve	Poly	19.25
WF1025	1" Y-Filter w/Flush Valve	SS	21.29
WF1030	1" Y-Filter w/Flush Valve	Poly	20.25
WF1011	Replacement Screen	55	7 09
WF1021	Replacement Screen	Poly	5.29

Install AquaCool® sprinklers, misters and drop et emitters into rigid PVC pipe with a Micro Spray Adapter.

 1/2" F x 10/32 (thread size of sprinklers and misters)



MICRO SPRAY A	DAPTER
STK#	
WF 1022	

EACH \$0.97

100 & JP \$0.85

An improved method of connecting low pressure irrigation tubes and drip lines to polyethylene tubing and PVC mainlines.

- Easy to install, reducing both time and cost of installation.
- · Fittings feature collapsible barbs to prevent pull out and reduce grommet damage during installation.
- 16 mm x 16 mm barb outlet is ideal for use with our 1/2" polyethylene tubing, sold separately.
- 19 mm x 21 mm barb outlet is ideal for use with our 3/4" polyethylene tubing, sold separately



TAKE-ACE	EITTIMES	AND	CDOMA	4ETC

STK#	ITEM	EACH	25 & UP
111597	16 mm x 16 mm Take-Off Fitting	\$0.95	\$0.85
111596	16 mm Grommet for 111597	0.56	0.49
111599	19 mm x 21 mm Take-Off Fitting	1 15	1.05
111598	19 mm Grommet for 111599	0.66	0.59

LAWN & GARDEN

Preset Pressure Regulators



	116473	,,,,,,	
PRESSURE	REGULATORS		
STK#	ITEM	PSI	EACH
109687	3/4" FPT x 3/4" FPT	10	\$ 13 59
113713	3/4" F x 3/4" F	43	12.42
115449	3/4" M x 3/4" MGH	25	12,69
115450	3/4" M x 3/4" F	25	12.69
116472	3/4" F x 3/4" M	35	25.95
116473	1-1/2" M × 1-1/2" M	35	55.95
116474	2" M x 2" F 4 Outlets	35	215.00
116610	3/4" F x 3/4" F. Low Flow	35	13.95

Green Back® In-Line Valves feature straight-through flow.

- Rapid quarter turn on off operation.
- Single barb inlet and outlet.
- Operating pressure range OPS to 45 PSI at a



GREEN BACK IN-LINE VALVES

STK#	SIZE	EACH
AC2800	1/2*	\$3,75
AC 2802	5/8"	3 9.5
AC2804	3/4"	4.99

Drain Stop Pous by Senninger® has innovative three-in-one design.

- Specially designed for overhead irrigation to prevent draining from applicators when system is shut down.
- Protects plants beneath applicators from damage due to overwatering.
- Allows lines to remain full to help expedite system start up time.
- Únique 3-mode design Twist dial to select: Check Open Closed.
- Easy-clean feature for debris removal.
- · High impact, engineering grade thermoplastic construction for durability.
- Flow: 0.25 to 5 GPH
- Minimum opening pressure: 13.5 PSi
- Minimum closing pressure: 3.5 PSI.
- Maximum operating pressure: 50 PSI.
- 1/2" MNPT inlet x 1/2" FNPT outlet.

SENNINGER' DRAIN STOP PLUS

STK#	EACH	10 & UP
108010	\$6.19	\$5.85





Ensure that every plant in your irrigation system receives the same amount of water and fertilizer, regardless of location, for a uniform, high-quality crop. Netafim™ offers the highest level of technology available.

- · Patented pressure differential system maintains uniform flow rate at different inlet working pressures, ensuring exact distribution of water and nutrients.
- · Check valve feature in drippers ensures that irrigation lines stay full and do not drain into the lowest lying plants.
- We offer all of the pieces necessary to create your customized irrigation system. We recommend our 1/2" (110747A) or 3/4"(110741A and 111627A).
 Polyethylene Tubing, sold seperately, for use as your supply line.

Woodpecker PC & PC Jr Dr ppers

{110412, 110405, 110406, 110409, 110410, 110411}

- Turbonet Technology improves dripper performance by widening the tooth pattern and maximizing the flow path velocity, preventing contaminants from clogging the dripper.
- Avail able in three flow rates: 0.5 GPH, 1.0 GPH and 2.0 GPH.
- Manufactured from high-quality polyethylene. Color coded bases for easy GPH recognition.
- Recommended operating pressure: 35 PSI. Recommended filtration: 155 mesh.
- Priced per Dripper Each Dripper has a minimum order quantity of 10.

Dripper Shut-Off Cap (110404)

- Easy-to-install, snap-on cap lets you turn off Irrigation at a specific dripper.
- Priced per cap, with a minimum order quantity of 10

Manifolds (110402, 110400, 110401)

- Flat manifolds are ideal for field applications because the low-profile design and durable construction resists damage from field workers
- Flat 2 Way Manifold (110402) allows for two dripper stakes. We recommend combining with our 1.0 GPH Woodpecker PC Drippers.
- Flat 4-Way Manifold (110400) allows for four dripper stakes. We recommend combining with our 2.0 GPH Woodpecker PC Drippers.
- Combine Stackable 4-Way Manifold (110401) with Flat 2-Way or 4-Way Manifolds to create additional configurations
- Priced per Manifold Each Manifold has a min mum order quantity of 10.

SuperFlex** UV White Polyethylene Tubing

- Avai able in 1/8" (110408A) and 1/4" (111046A).
- Idea! for use with drippers, dripper weights, dripper stakes and spray stakes on trees, shrub beds, potted plants and hanging baskets.
- UV and acid-resistant polyethylene resin material withstands the extremes of not and cold weather much better than vinyl
- Compatible with all brands and models of drippers that accept either 1/8" or 1/4" micro tubing
- Reflective, opaque white tubing prevents the growth of algae and produces cooler water temperatures, enhancing plant growth.
- . Sold only in increments of 100' or full 1,000' rolls. 1,000' rolls are priced per ft.
- Barb Connector, Barb Tee and Micro Valve allow you to connect two lengths of micro tubing. All sold separately.

Slimline EZ Close™ White Dr pper Weight (110413)

- Idea for hanging basket growers who need to reduce or eliminate hand watering labor costs.
- One-hand shut-off feature lets you turn off watering to individual baskets, preventing water and fert lizer waste
- When irrigation lines are more than 36"L, use with Woodpecker PC Drippers (110409, 110410 or 110411).
- Priced per Weight, with a minimum order quantity of 10.

Angled Arrow Dripper Stakes (110403 and 110407)

- Avai able in two sizes. 3-3/4"L for 4" to 5" pots, as well as hydroponic grow bags and blocks, and 6-3/8"L for larger pots.
- Applying water directly to pots with Arrow Stakes helps prevent the spread of disease and reduces the need for spraying, as pesticides are not washed off by daily watering
- Priced per stake. Each Stake has a minimum order quantity of 10.

1.0 GPH Angle Barbed Dripper Stake (110745)

- Unique flow channel down the length of the stake directs water into the container Features pointed end for easy container insertion
- We recommend pairing with our 1 GPH Woodpecker PC Jr. (110405) or PC Dr pper (110410).
- · Priced per stake

3.2 GPH Spray Stake and Assembly (110415 and 110416)

- Easy to Install. Simply pair 3.2 GPH Spray Stake with 36" Dripper Tube Assembly each sold separately, and connect to supply tubing
- Spray pattern angles slightly downward to spray the soil for uniform watering and maximum water retent on.
- Simple side-mounted, shut-off mechanism prevents water waste and accidental close-offs.
- · Priced per item. Each item has a minimum order quantity of 10

3 mm Flex Tube Adapter (110414)

- Converts Nipple Outlet Dripper to Barb Outlet Dripper.
- Priced per adapter, with a minimum order quantity of 10






110406

110414

110404





NETAFIM™ GREENHOUSE & NURSERY IRRIGATION COMPONENTS STK# ITEM

STK#	ITEM	EACH	DISCOUNT PRICE
110412	0.5 GPH Woodpecker PC Jr Dripper Red	\$ 0.45 (10-11,999)	\$ 0.35 (12,000 & up)
116606	0.5 GPH Woodpecker PC Jr. Dripper, Barbed - Red	0.49	0.40 {250 & up}
110405	1.0 GPH Woodpecker PC Jr Dripper Grey	0.45 (10-11,999)	0.35 (12,000 & up)
116607	1.0 GPH Woodpecker PC Jr. Dripper, Barbed Grey	0.49	0.40 (250 & up)
110406	2 0 GPH Woodpecker PC Jr Dripper Green	0.45 (10-11,999)	0 35 (12,000 & up)
116608	2 0 GPH Woodpecker PC Jr Dripper, Barbed Green	0.49	0.40 (250 & up)
110409	0.5 GPH Woodpecker PC Dripper Red	0.49 (10-249)	0.39 (250 & up)
110410	1.0 GPH Woodpecker PC Dripper Black	0.49 (10-249)	0.39 (250 & up)
110411	2.0 GPH Woodpecker PC Dripper Green	0.49 (10-249)	0.39 (250 & up)
116609	18 mm Insert Adapter, 1/2" MIPT	1.09	0.96 (100 & up)
110404	Dripper Shut-Off Cap	0.25 (10-249)	0.19 (250 & up)
110414	3 mm Flex Tube Adapter	0.19 (10-249)	0.11 (250 & up)
10402	Flat 2-Way Manifold	0.35 (10-99)	0.25 (100 & up)
110400	Flat 4-Way Manifold	0.35 (10-99)	0.25 (250 & up)
110401	Stackable 4-Way Manifold	0.35 (10-99)	0.25 (100 & up)
110408A*	1/8" SuperFlex "UV White Polyethylene Micro Tubing	10.49 (10-99)	0.15 (1,000' Roll, per ft.)
116471	1" Bright White Polyethylene Tubing	0.29	0.21 (25 & up)
110744	Barb x Barb Connector, 1/4" Micro Tubing	0.29	0.21 (25 & up)
111046A*	1/4" SuperFlex" UV White Polyethylene Micro Tubing	14.95	0.15 (1,000' Roll, per ft.)
111048	1/4" Barb Tee, Bag of 25	9.35	8.95 (10 Bags & up)
111047	1/4" Micro Valve, Bag of 10	12.45	11.09 (10 Bags & up)
111044	5 mm Tee, Thread x Barb x Thread	0.35	0.29 (250 & up)
110413	SI mline ÉZ-Close" White Dripper Weight	0.55 (10-24)	0.45 (25 & up)
110403	3-3/4" Angled Arrow Dripper Stake	0:25 (10-99)	0.19 (100 & up)
110407	6-3/8" Angled Arrow Dripper Stake	0.29 (10-99)	0.21 (100 & up)
110745	1 0 GPH Angle Barbed Dripper Stake	0.25	0.19 (250 & up)
110415	3.2 GPH Spray Stake - Plum	0.39 (10-49)	0.29 (50 & up)
110416	36" Spray Stake Dripper Tube Assembly	0.75 (10-24)	0.69 (25 & up)
110743	3 mm Punch	23.95	



Our tubing is manufactured to the highest standards for greenhouse, nursery and agricultural applications.

- Ideal for tree, vine, permanent row crop, greenhouse and nursery applications. Use with riser lines or in subsurface, surface and vinesuspension applications.
- · Manufactured from the finest low density polyethylene resin available.
- UV and acid-resistant polyethylene resin material withstands the extremes of hot and cold weather much better than viny
- Reflective, opaque white tubing prevents the growth of algae and produces cooler water temperatures, enhancing plant growth.
- Available in 1/8", 1/4", 1/2" and 3/4" sizes.

SuperFlex™ UV White Polyethylene Tubing

- Avai able in 1/8" (110408A) and 1/4" (111046A...
- Idea for use with drippers, dripper weights, dripper stakes and spray stakes on trees, shrub beds, potted plants and hanging baskets.
- Compatible with all brands and models of drippers that accept either 1/8" or 1/4" micro tubing.
- Sold only in increments of 100 or full 1,000' rolls. 1,000' rolls are priced per ft.
- Barb Connector, Barb Tee and Micro Valve allow you to connect two lengths of micro tubing. All sold separately, below.

1/2" and 3/4" Polyethylene Tubing and Accessories

- 1/2" Black Polyethylene Tubing (110747A): 0 600" ID/0 700" OD. Maximum working pressure: 51 PSI. Sold only in 100' increments or full 1,000' rolls 1,000' rolls are priced per ft.
- 3/4" Polyethylene Tubing (Black-110741A, White-111627A): 0.820" ID/0 940"
 OD. Maximum working pressure: 58 PS. Sold only in 100' increments or full 1,000' rolls 1,000' rolls are priced per ft.
- Joiners (110732/110728), Elbows (110733/110729) and Tees (110734/110730).
 Connect multiple lengths of polyethylene tubing. Double barb for increased retention and leak-proof seal.
- 3/4" Barb x MPT Adapter (111074): Connects 3/4" polyethylene tubing to FPT fittings
- Take-Off Fittings and Grommets (111597/111596/111599/111598): An improved method of connecting low pressure irrigation tubes and drip lines to polyethylene tubing and PVC mainlines. Use 16 mm fitting with 1/2" polyethylene tubing and 19 mm fitting with 3/4" polyethylene tubing.
- Ratchet Clamps (111697/111698) Ensure secure connection between barbed fittings and tubing
- End Plugs (110735/110731): For closing ends of polyethylene supply tubing.
- 3 mm Punch (110743): For installation of Woodpecker PC and PC Jr Drippers.
 3 mmGoof Plug (110762): Plugs holes from 3 mm Punches, Sold in bags of 10

POLYETHYLENE TUBING AND ACCESSORIES

STK#	ITEM	EACH	DISCOUNT PRICE
110408A*	1/8" SuperFlexT UV White Polyethylene Micro Tubing	\$10.49	\$ 0.15 (1,000° Roll, per ft.)
110744	Barb x Barb Connector, 1/4" Micro Tubing	0.29	0.21 (25 & up)
111046A*	1/4" SuperFlex" UV White Polyethylene Micro Tubing	14.95	0.15 (1,000' Roll, per ft.)
111048	1/4" Barb Tee, Bag of 25	9.35	8.95 (10 Bags & up)
111047	1/4° Micro Valve, Bag of 10	12.45	11.09 (10 Bags & up)
111044	5 mm Tee, Thread x Barb x Thread	0.35	0.29 (250 & up)
110747A*	1/2" Black Polyethylene Tubing	29.95	0.25 (1,000' Roll, per ft.)
110732	1/2" Joiner	0.39	0.34 (100 & пр)
110733	1/2" Elbow	0.55	0.49 (100 & up)
110734	1/2" Tee	0.65	0.58 (100 & up)
110735	1/2" End Plug	0.39	0.33 (100 & up)
110741A*	3/4" Black Polyethylene Tubing	45.95	0.35 (1,000' Roll, per ft.)
111627A*	3/4" White Polyethylene Tubing	86.95	0.95 (1,000' Roll, per ft.)
110728	3/4° Joiner	0.49	0.43 (100 & up)
110729	3/4" Elbow	0.79	0.71 (100 & up)
110730	3/4" Tee	0.95	0.88 (100 & up)
111074	3/4" Barb x MPT Adapter	1.69	1.65 (50 & up)
111597	16 mm x 16 mm Take Off Fitting	0.95	0.85 (25 & up.
111596	16 mm Grommet for 111597	0.56	0.49 (25 & up)
111599	19 mm x 21 mm Take-Off Fitting	1.15	1.05 (25 & up,
111598	19 mm Grammet for 111599	0.66	0.59 (25 & up)
111697	#18 Ratchet Clamp for 1/2" Tubing	0.47	0.43 (100 & up)
111698	#23 Ratchet Clamp for 3/4" Tubing	0.56	0.53 (100 & up)
110731	3/4" Plug	0.45	0.39 (100 & up)
110743	3 mm Purich	23.95	_
110762	3 mm Goof Plug, Bag of 10	1.49	-
*Sold only in 100' increment	ts or full 1,000' rolls. For 1.000' roll, remove A from STK#		

104 www.growerssupply.com 1.800.476.9715



Our Netafim™ Field Drip Irrigation Components feature Streamline™ 636 Drip Tape with Turbonet™ Technology for increased flow path velocity, improving dripper performance.

- increased flow path velocity, improving dripper performance.

 Idea for a wide variety of row crops, including tomatoes, melons, peppers and other vegetables.
- We offer all of the pieces necessary to create your customized field drip irrigation system. We recommend
 our 1/2" (110747A) or 3/4" Polyethylene Tubing (110741A and 111627A), sold separately for use as your
 supply line

Streamline 636 Drip Tape (110742C)

- Turbonet" flow paths have wider tooth patterns, maximizing velocity and eliminating clogging due to debris.
- · 8 mill thickness for seasonal or multi seasonal use, surface or shallow (up to 8") burial.
- 12" dripper spacing
- · 0.4 GPH/100' at 0% slope at 10 PS!.
- Manufactured from high-quality polyethylene, with injection-molded drippers.
- Priced per foot Sold only in 1,000' increments.

Twist-Lock Drip Tape Connectors (110736-110739)

- Unique design provides a secure, leak-proof connection. Larger threads for easy and fast hand installation.
 Chemical, UV and heat resistant.
- Twist-Lock 630 Series TWD x 0.4" Barb (110736): Connects drip tape to polyethylene supply tubing
- Twist Lock 630 Series TWD x 3/4" MPT Adapter (110772): Connects drip tape to garden hose.
 Use with 3/4" x 3/4" FGH x FPT Brass Garden Hose Fitting (112062), sold separately on pg. 220.
- Twist Łock 630 Series Tee (110737) Connects three lengths of drip tape to create perpendicular rows.
 For areas that are hard to reach from the supply line or for running dripper lines around obstacles.
- Twist-Lock 630 Series Coupling (110738). For repair and connecting two sections of drip tape.
- Twist-Lock 630 Series End Plug (110739): For closing end of drip tape row
- Twist-Lock 630 Series 0.400" Barb with Valve (110740): Connects drip tape to supply header tubing Valve allows you to turn irrigation on and off at supply header for specific dripper line.
- 8 mm Punch (110746): For installation of Twist-Lock 630 Series Barbs.

NETAFIM™ FIELD DRIP IRRIGATION COMPONENTS

STK#	ПЕМ	EACH	DISCOUNT PRICE
110742C*	Streamline 636 Drip Tape, per ft.	\$ 0.12	\$0.09 (9,000' & up)
110736	Twist-Lock 630 Senes TWD x 0.400" Barb	0.99	0,89 (100 & up)
110772	Twist-Lock 630 Series TWD x 3/4" MPT Adapter	0.75	0.71 (100 & up)
110737	Twist-Lock 630 Series Tee	1.45	1 29 (100 & up)
110738	Twist Lock 630 Series Coupling	0.59	0.54 (100 & up)
110739	Twist-Lock 630 Senes End Plug	0.55	0.47 (100 & up)
110740	Twist-Lock 630 Series 0.400" Barb with Valve	1.79	1,69 (100 & up)
110746	8 mm Punch	34.95	
#Sold only in 1	,000' rolls.		

This Hose Bib Assembly allows growers to easily filter water and maintain proper PSI, leading to α better functioning system.

- A great way to connect water or nutrient solution tanks to the supply header The assembly helps to firter debris and sediment.
- · Ensures water pressure stays within the proper PSI.
- The assembly features one 3/4" brass adapter, one Y filter, one shut off valve, two PVC tee fittings, two 3/4" PVC bushings, two 100 PSI pressure gauges, one pressure regulator, one 3/4" brass fitting, one 3/4" adapter, one 3/4" washer, one screw clamp and thread sealing tape.
- Maximum flow rate of 5 GPM.
- For use with streamline 636 drip tape only.

HOSE BIB ASSEMBLY

LIGGE DID HOSE	MOLI
STK#	EACH
116985	\$64.95

Create the perfect irrigation system with this Drip Tape Kit.

- Drip irrigation system with battery operated timer and filter,
- Kit includes timer, tubing, valves and 1000' of tape for custom drip irrigation systems.
- Hooks right to garden hoses.
- Enough tape and fittings to do 10 rows at 100' or 15 rows at 65'.
- Drip tape has 12" dripper spacing.
- 5 GPM max flow rate.
- Kit Includeds: 112244 Digital Timer, 113886 Hose Bib Assembly, 110738 Coupling (x5), 110730 Tee (x2), 110728 Joiner (x5), 110746 8MM Punch, 110742C 1,000° Drip Tape, 110739 End Plug (x15), 110729 Elbow (x2), 110731 Plug (x2), 110740 Twist Lock with valve (x15), 111627A 100° 3/4" Hose in white.



DRIP TAPE KIT

STK# EACH 117108 \$409.00



110728 Joiner



110746 8 MM Punch



110742C Drip Tape









-



Hase Bib

Assembly

110739 End Plug



110746

110738

THEAMUNE !

110742C

110736

110739

110740

110731 Plug



Effectively and efficiently control humidity in greenhouses and grow rooms with the DehuKing™ line of dehumid fiers.

- · These energy-efficient, free-standing units offer superior performance and are the most economical moisture-extraction solutions.
- · Utilizes the latest heat transfer refr gerant technology.
- · Specifically designed for rugged growing environments.
- Available in multiple sizes to meet the needs of any growing operation.



BIOTHERM DEHUKING" DEHUMIDIFIERS

				GALLONS 1	GALLONS	
STK#	ITEM	PHASE	VOLTS	PER HOUR	PER DAY	EACH
116832	1 Ton Dehumidifier	1	120	1.35	32.50	\$ 4,995.00
116832B	1 Ton Dehumidifier	1	230	1.40	34.00	4,995.00
116833	2 Ton Dehumidifter	1	230	2.70	64.38	9,595.00
116835	5 Ton Dehumidifier	T	230	6.50	156.00	30,399.00
116835B	5 Ton Dehumidifier	3	230	6.50	156.00	30,399.00
116835C	5 Ton Dehum:difter	3	460	6.50	156.00	30,399.00



Evaporative Through-Wall Coolers provide economical and trouble-free cooling that will provide long-lasting comfort with minimum maintenance.

- These window-mounted coolers offer more cooling power at minimum energy costs.
 Metal cabinet construction and polyester appliance finish for protection.
- · Comes fully assembled, plug and play 115 V
- · All Evaporative Through Wail Coolers include 2 speed motor, pump, installation kit and Natural Aspen pads.
- 10 year warranty against leaks due to rust out. 1 year warranty on all parts.







112856

EVAPORATIVE THROUGH-WALL COOLERS

Parit Office	4)		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	- Bay 11 h had		
STK#	CFM	HP	AMPS	SQ. FT.	DIMENSIONS	EACH
112852	3,000	1/4	6.3	400-600	25"H x 28"W x 28"D	\$ 955.00
112853	3,500	1/3	6.3	600-800	32"H x 28"W x 28"D	1,315.00
112854	4,000	1/3	6.3	700-1,000	36"H x 28"W x 28"D	1,595.00
112855	4,500	1/3	8.0	700-1,200	36"H x 34"W x 34"D	1,379.00
112856	5,000	1/2	8.0	1,200-1,600	36"H x 34"W x 34"D	1,775.00





112852 112853



AquaCool® Evaporative Cooling Systems are the most durable, dependable and easy-to-use systems on the market today

- These systems offer a natural method of cooling and moisturizing the air
- Available in twenty stock sizes to accommodate all needs. Custom sized systems are also available.
- Systems come complete with Evaporative Cooling Pad, a uminum distribution (top and bottom), aluminum end panels, 1/3 HP submersible sump pump and plumbing kit.
- Evaporative Cooling Pads are designed to achieve the most effective and efficient evaporative cooling possible. These corrugated, cellulose pads are crafted from 100% premium grade, virgin kraft paper and offer maximum stability and long life. Consistent in performance, Evaporative Cooling Pads are highly absorbent and easily cleaned. Replacement Evaporative Cooling Pads are available below. Ask your National Account Manager about special
- Proven to be one of the most cost-effective methods for maintaining proper growing conditions, healthy poultry, hog, dairy, ivestock and warehouse buildings. These systems cost 50% less than traditional A/C systems, can be used anywhere and will cool the same sized area. You will see a 16° to 20° temperature drop.

Evaporative Cooling End Wall Framing simplifies installation.

- Holds evaporative cooling systems securely in place.
- Reduces installation time.
- Frames come sized to each specific system.

ORDERING, EVAPORATIVE COOLING SYSTEM

- 1. Total CFM of Required Fans = Volume of Build ng x 1.3 (air exchange per minute). To calculate building volume, use the following formula, remembering to add the gable area into the end wall area: Total Volume of Building = End Wall Area x Length of Building.

 2. Total Area of Cooler = Total CFM of Required Fans/400 (400' per minute)
- To calculate the area of the cooler required, size the cooler by selecting a suitable height and length to equal the area. Round cooler size to even 1 ft. multiples in height and length. Reservoir size for coolers = 1 gailon per sq. ft
- 3. Minimum water flow rate is 0.8 GPM per sq. ft. for 6" system

AQUACOOL' EVAPORATIVE COOLING SYSTEMS

		3 H		4'H		5'H		6'H
LENGTH	STK#	EACH	STK#	EACH	STK#	EACH	5TK#	EACH
15	108997	\$1 905.00	108994	\$1,965.00	109002	\$2,095.00	109003	\$2,295.00
20	108998	2,215.00	108995	2,395.00	109001	2,385.00	109004	2,645.00
25	108999	2,369.00	108996	2,579.00	109000	2,755.00	109005	2,995.00
30	116649	2,719.00	116651	2,965.00	116653	3,165.00	116655	3,459.00
35	116650	3.139.00	116652	3,259.00	116654	3,299.00	116656	3,755.00

AQUACOOL" EVAPORATIVE COOLING END WALL FRAMING

	3	Н	41	Н		5'Hi		6'H
LENGTH	STK#	EACH	STK#	EACH	STK#	EACH	STK#	EACH
15	108997F	\$725.00	108994F	\$ 665.00	109002F	\$ 705.00	109003F	\$ 765.00
20	108998F	729.00	108995F	725.00	109001F	755.00	109004F	785.00
25	108999F	975 00	108996F	929.00	109000F	949.00	109005F	985.00
30	116649F	889.00	116651F	965.00	116653F	1,039.00	116655F	1,129.00
35	116650F	1 199.00	116652F	1,139.00	116654F	1,175.00	116656F	1,239.00



Cool-N-Klean is a fantastic cleaner, and it's the perfect solution for cleaning evaporative cooling systems and water walls.

- A high-foaming, acidic cleaner that works well with cool cell pads and hard environmental surfaces. It's considered a breakthrough in improving cool cell pad ife and cooing efficiency.
- Helps to control scale and organic fouling.
- · For water pipes, cool cell pads and hard environmental surfaces. Perfect for greenhouses, as well as poultry, swine and dairy operations.
- Approved by evaporative cooling pad manufacturers.
- 1 gallon.

COOL-N-KLEAN

STK#	EACH
116827	\$27.95



6" Replacement Evaporative Cooling Pads

- Highly absorbent and easily cleaned
- Premiumi grade, virgin kraft paper ensures superior efficiency with even air and water flow.
- 4º pads also availab e upon request.
- Call your National Account Manager for special Truckload Prices.

6" REPLACEMENT EVAPORATIVE

COOLING PADS				
STK#	HEIGHT	EACH		
116868	3'	\$23 95		
116867	41	29 95		
116869	5'	35.95		
116870	6'	41.95		





WWW.GROWERSSUPPLY.COM 1.800.476.9715

Breathable Wall Light Traps and our innovative Blackout Kits maintain controlled airflow in your greenhouse or grow room without sacrificing blackout environments.

The Breathable Wall Light Traps

- Ideal for any light deprivation needs.
- Allows for nearly 100% airflow while blocking all light, creating a well-ventilated blacked out environment.
- · Enables you to build with blackout material Section off rooms, create knee walls or use on exterior walls to prevent light from entering your grow space
- Call one of our greenhouse specialists for custom sizes.
- This kit is available preassembled. To order an assembled kit, add A to the end of your STK#.

Blackout Fan Kit

- Includes Breathable Wall Light Traps.
- 113393, 113394, 115595 and 113419 comes with ValuTek* Slant Wall Exhaust Fans. The heavy-duty fans are galvanized to fight corrosion and ensure a long life. The energy efficient motor is completely enclosed and features solid motor mounting for quiet operation.
- 116114 utilizes the Canarm Exhaust Fan with Aluminum Louver. It features a totally enclosed motor and heavy-gauge aluminum blades within a rugged steel housing.
- This kit is available preassembled. To order an assembled kit, add A to the end of your STK#.

Blackout Shutter Kits

- Includes Breathable Wall Light Traps and adapter plenum.
- Comes with motorized Keenan and Meier 3100 Series shutters.
- Dependable and durable construction for a long life.
- · Can be used for intake or exhaust, with either manual or thermostatic controls, which are sold separately
- · Includes a 120 V AC motor

BLACKOUT SHUTTER KITS

STK#

115424

115425

115426

115427

- 115424 & 115595 includes adapter plenum.
- This kit is available preassembled. To order an assembled kit, add A to the end of your STK#.

EACH

1.525 00

1.599 00

939 00

\$2,639 00

BLACKOUT FAN KIT

	BREATHABLE			
STK#	WALL	FAN	EACH!	PREASSEMBLED
113393	6' x 6'	48°, Single Speed	\$2,589.00	\$3,199.00
113394	6' x 6'	48", Dual Speed	2,805.00	3,239.00
115595	6' x 6'	42", Single Speed	2,269 00	2,559.00
113419	4' x 4'	36", Single Speed	1,675.00	1,939.00
116114	3' x 3'	24", Variable Speed	1,205.00	1,345.00

To order an assembled kit, add A to the end of your 5TK#

SIZE 6 x 6'Wall w/48"Shutters 4 x 4'Wall w/36"Shutters

4 x 4'Wall w/48" Shutters

3 x 3'Wall w/36" Shutters

2' x 2'Wall w/24" Shutters To order an assembled ldt, add A to the end of your 5TK#



	EIGHT INA			
PREASSEMBLE	D STK#	SIZE	EACH	PREASSEMBLED
\$2,665.00	116161	6' x 6'	\$1,359.00	\$1,459.00
1,649.00	116156	5' x 5'	939.00	1,035.00
1,969.00	116151	$4^{1} \times 4^{7}$	729.00	815.00
1,045.00	116146	3' x 3'	519.00	595.00
785.00	116140	2' x 2'	315.00	385.00
	To order an asse	embled kit, add A	to the end of your !	STK#



Exhaust Fans



Canarm Exhaust Fan with Alumium Louver

Breathable Wall Light Traps



ValuTex" Motorized Heavy-Duty **Aluminum Shutters**

Outside Air Inflation Systems

5 A Manual Speed Controller (CR2200)

- · Hot days-reduce the speed of the blower.
- Cold or windy days—increase the speed of the blower

OUTSIDE AIR INFLATION SYSTEMS

STK#	ITEM	EACH
117120	60 CFM Inflaction System	\$179.95
115842*	148 CFM Inflation System	405.95
102913	Dwyer Mark I Manometer	78.15
CR2200	Manual Speed Controller	57 95
110095	Replacement Motor for 110094	88.95
109843	Replacement Motor for 115842	95.95
*Includes 6' hose	Optional 4' hose (110096) sold separately.	

Manometer (102913)

- · Allows the greenhouse operator to monitor the air pressure between the layers of poly.
- Air pressure between layers should be 0.15" on hot days and 0.30" on cold windy days.







102913

115842

Inflation System Replacement Blowers

- Heavy Duty design.
- High-efficiency operation.
- Adjustable air inlet damper.



INFLATION SYSTEM REPLACEMENT BLOWERS

STK# **VOLTS** AMPS HP **CFM** HZ RPM **EACH** 115 \$85,95 109842 60 0.42 60/50 3,030 1/25 109843 148 1.37 60/50 3,160 95 95 115





(ŲL)

Protect your exhaust fans with a plastic hood.

- Rugged polyethylene with UV prohibitors.
- Weatherproof.
- Opening dimensions for CF1830: 24.5"W x 23"H OD 21.5"W x 21.5"H ID
- Opening dimensions for CF185: 30.75"W x 29.25"H OD 27.75"W x 27.75"H ID

POLYETHYLENE HOODS FOR EXHAUST FANS

	FITS		
STK#	FAN SIZES	EACH	4 & UP
CF1830	Up to 18"	\$123.95	\$11 9 95
CF1835	20" 24"	172.95	169 95

Excellent commercial-grade multipurpose exhaust fan.

- Rugged steel housing, with durable baked ename finish.
- · Totally enclosed ball-bearing motor
- Heavy gauge aluminum blades.
- Thermal overload protection.
- Aluminum Louver Shutter Fans have OSHAapproved chrome guards. Plastic Louver Shutter Fans have OSHA-approved painted guards.
- 115/230 V· CF1755, CF1760, CF1762, CF1770, CF1772, CF1774.
- · 115 V: CF1750, CF1765.

EXHAUST FANS WITH SHUTTERS

STK#	SIZE	HP	RPM	CFM @ 0" SP	CFM/WATT @ o* SP	FULL LOAD AMPS	EACH	4 & UP
		R SHUTTER		0 0 0.		, (1711 2	D 141	70,01
	INI COOME	NOTOTIEN	13					
CF1750*	10"	1/20	1,550	690/580	4.72	1.2	\$239.00	\$225.00
CF1755†	12"	1/4	1,625	1,650	7.50	2.2/1 1	335.00	319.00
CF1760†	16*	1/4	1,625	2,370	9.15	2.6/1.3	409.00	389.00
CF1762†	18"	1/3	1,625	3,150	8.07	3.7/1 9	435.00	409.00
CF1765*	20°	1/3	1,745	3,440/2,300	10.2/10.5	4.3	445.00	425.00
CF1770†	24"	1/3	1,100	5,050	13.2	4.4/2 2	465.00	445.00
*Two speed. †	Vanable spee	d.	_	-				
PLASTIC L	OUVER SI	HUTTERS (S	SINGLE SP	EED FANS)				
CF1772	30"	1/3	1,100	8,000	11.5	4.6/2.3	\$635.00	\$605.00
CF1774	36*	1/2	850	12,000	13	6,0/3.0	679.00	649.00



Air flow


ENVIRONMENTAL

Rear View



Blackout Fan Kits allow you to maintain a fresh environment for your crops without any light leaks.

- These high airflow capacity fan kits are available in 42" and 53" sizes.
- Fans are outfitted with compact light traps that promote proper air exchange without allowing light to enter the structure through the fan.
- Kits feature mechan cally operated shutters that feature gaskets that guarantee full closure.
- Fans run on a 1-1/2 HP, 115/230 V motor
- Low maintenance and durable design. The bottom panel has four holes that
 allow water and moisture to drain
- Kits are available with and without I ght traps for growers that already have light traps.
- Kits come assembled





	Back	Front
BLACKOUT FAN K		
STK#	ITEM	EACH
116790BOÄ	53" Fan w/ Light Trap	\$2,885 00
1167918OA	42° Fan w, Light Trap	2,535 00
116790FOA	53" Fan w/o Light Trap	1,619.00
116/91FOA	42" Fan w/o Light Trap	1,315.00



Front View

Improve growing conditions with a constant, gentle airflow around plants, reducing disease and mildew.

- Can be run variable speed with one of our auto or manual speed controls.
- OSHA approved white guards are polyester bonded, powder coated for long life.
- Manufactured with 115 V totally enclosed motor.
- Equipped with swivel mounting bracket and 9 ft. cord with 3 prong plug for fast, easy installation.
- 1/10 HP 1.0/0.5 A.
- . Fans can be rewired to run at 230 V.
- Safe for higher ambient temperatures.
- Some assembly required.




VALUTEK" HORIZONTAL AIRFLOW FANS

STK#	SIZE	CFM @ 0"SP	EACH	4 & UP
111933	12"	1,500	\$145.95	\$135.95
111939	20*	3,300	165.95	157.95

Improve your ventilation with our motorized aluminum shutters.

- May be used for either intake or exhaust, with either manua or thermostatic controls, not included.
- Kit includes 110/220V motors
- Power shutter replacement motor with hardware available below.



MOTORIZED HEAVY DUTY ALUMINUM SHUTTERS

117045

STK#	SIZE	EACH
109812	12"	\$209.00
109813	18"	219.00
109814	24 [#]	235.00
109815	30"	269.00
109816	36"	325.00
109817	48"	465.00

ALUMINUM SHUTTER ACCESSORIES

STK#	ÍTEM	SIZE	EACH
109101A	Power Shutter Replacement Motor	110/220 V	\$156.95
117045	Replacement Spring		4.95

Enhance airflow with our adjustable aluminum louver shutters and a Liberty Louver Opener.

- Adjustable aluminum shutters direct fresh air in, while letting hot air out.
- Vanes can be adjusted with our Liberty Automatic Opener.
- Operating range is easily adjustable
- Solar-powered louver opener automatically opens and closes shutters as the temperature changes.
- It is recommended that the cylinder from the opener be removed during the winter months.
- Arm not included.





ALUMINUM SHUTTERS

STK₽	SIZE	EACH
105110	120	\$ 75.95
105111	18"	105 95
105112	24"	135.95
105113	30"	139.95

SOLAR-POWERED LIBERTY LOUVER OPENER

STK# EACH 105109 \$79.95

Cover shutters and exhaust fans, eliminating insects and pests, without hindering ventilation.

- Maintain maximum airflow, while providing a controlled environment free of pests.
- HDPE anti-virus screen features 51 x 25 mesh and natural colors.
- · 12% shade factor.
- An environmentally-friendly option to fight pests and reduce the need of pesticides.
- UV stabi ized.
- Screens are I ghtweight and easy to install with poly atches.

INSECT SCREEN KITS

INSECT SCREEN	IMI3	
STK#	USED FOR	EACH
115106F	24° Exhaust Fan	\$585 95
1151065	24" Motorized Shutter	585.95
115107F	36" S ant Wall Exhaust Fan	605 95
11510 <i>7</i> \$	36" Motorized Shutter	605 95
115108F	48" Slant Wall Exhaust Fan	809.95
115108S	48" Motorized Shutter	809.95

Constructed from white, exterior-grade PVC material for a maintenance-free exhaust shutter.

- No rust, no corrosion means these shutters are easy to clean and never require painting
- · Aerodynamic design offers improved fan efficiency
- Welded poly framework with corner braces.
- Curved blade shape ensures tight seal when shutter is closed.

POLY EXHAUST SHUTTERS

I O'LI LYCII	ACCULATION AND AND AND AND AND AND AND AND AND AN		
STK#	SIZE	ROUGH OPENING	EACH
106043	12" x 12" Single Panel	12.5" x 12.5"	\$ 47.29
106044	16" x 16" Single Panel	16.5" x 16.5"	57.55
106045	20" x 20" Single Panel	20.5" x 20.5"	63.35
106046	24" x 24" Single Panel	24.5" × 24.5"	75.35
106047	30" x 30" Double Panel	30.5" × 30.5*	165.95
106048	36" x 36" Double Panel	36.5" x 36.5"	115,79
106049	42" x 42" Double Panel	42.5" x 42.5"	161.15
106050	48" x 48" Triple Panel	48.5" x 48.5"	182.99
106051	54" x 54" Tuple Panel	54.5" x 54.5"	227.65
	· ·		

Effortlessly control airflow with durable 3100 Series Dampers.

- · Aluminum back draft dampers are engineered for strength and durability.
- · Flanged mount frame.
- Blades are sealed with full-length, vinyl weather stripping
- Multiple sizes to suit your needs
- A profile of 1-1/8" allows dampers to fit in just about any wall
- 113906 and 113907 have a maximum airflow 2,400 FPM.

 Motors have a cable pulley, so no delay timer is needed for fan.

 1139064 & 113907 require two motors (115224)





3100 SERIES DAMPERS

S⊤K#	SIZE	EACH
115465	12 ¹¹ x 12 ¹¹	\$ 73.95
115440	16" x 1 6 "	89.29
115888	18" x 18"	107.55
115466	24" x 24"	131.95
113903	30" x 30"	179.95
113904	36" x 36"	219.95
115889	42" x 42"	303.45
113905	48" x 48"	385 95
113906	54" x 54"	495.95
113907	50" x 60"	585.95
3100 SERIES DAMP	ER MOTOR	
STK#		EACH
115224		\$155.95

Achieve maximum ventilation with a high-output Slant Wall Exhaust Fan.

- · Helps control humidity, reduces disease and provides suffic entifreshair within your warehouse facility.
- Heavy-duty, 18-gauge galvanized construction for durability and long life
- 3-winged galvanized fan blade. 115724 features a 5 wing galvanized
- Galvanized wire mesh guard with plastic guard clips that reduce noise.
- · High performance, industrial strength aluminum shutters with tie bar to reduce shutter flapping.
- Energy-efficient, totally enclosed motor with automatic thermal protection.
- Single phase
- Solid motor mounting for increased motor life and a quieter operation.
- Fans are hard wired and do not come with power supply cord.
- · 2 year manufacturer's motor warranty
- Our DuroStat® 2-stage, 2-speed corrosive environment thermostat (CR2031) is especially designed for use with 2-speed fans, giving precise, automatic control. Sold separately.





VALUTEK":	SLANT	WALL	EXHAUST	FANS
-----------	-------	------	----------------	-------------

STK# 116191	SIZE 36"	DRIVE Direct	HP 1/2	SPEED 1	VOLTS 115/208 230	AMP5 5.2/2.8 2.6	CFM @ 0.05* SP 10,024	EACH \$ 809.00	4 & UP
115724	42"	Belt	Ţ	T	115/208-230	9,4/4.9-4.7	15,410	1,285.00	\$1,215 00
116190	48"	Belt	1	1	115/208-230	.4/4 9-4.7	20,100	1,175.00	
116045	48"	Belt	1	2	208/230	6 9/4.2-6.8/4 5	19,700	1,225.00	1,15900

Aluminum Exhaust Shutters offer maximum weather seal.

- Heavy aluminum extrusion frame with precision-milled corners.
- Nylon bearings, solid shafts and interlocking blades for maximum. weather seal.
- All shutters come complete with tie bar to eliminate shutter flapping and locking open.
- Double panel units constructed with rigid "T" section center

ALUMINUM EXHAUST SHUTTERS

FILCHMAN	Chillian prioriting		
STIC#	SIZE	ROUGH OPENING	EACH
1168B3	12" x 12" Single Panel	125" x 125"	\$ 66.95
116884°	16" x 16" Single Panel	16.5" x 16.5"	83.19
116885*	18" x 18" Single Panel	16.5" x 18.5*	91.29
116886"	20" x 20" Single Panel	20 5" x 20.5"	101.45
116887"	24" x 24" Single Panel	24 5" x 24.5"	117.69
112193	30" x 30" Single Panel	30 5" x 30.5"	125.95
112194	36" x 36" Double Panel	36 5" x 36.5"	165 95
112195	40" x 40" Double Panel	40.5" x 40.5"	195.95
112196	42" x 42" Double Panel	42.5" x 42.5"	205.95
112197	48" x 48" Double Panel	48.5" x 48.5"	225.95
112198	54" x 54" Double Panel	54.5" x 54.5"	245.95
112199	60" x 60" Double Panel	60.5" x 60.5"	315.95
*Includes felt for	noise reduction and to prevent free	ezing.	

116884



116191

Remove and control condensation while improving air quality. These high-performance exhaust fans are designed for use in horticultural and agricultural applications, as well as factories, warehouses, garages, attics and restaurants.

- Highly efficient shutter style exhaust fans offer improved cooling and ventilation for superior air circu ation.
- Rounded guard design prevents excessive vibration and adds rigidity for quiet operation.
- OSHA spaced guards feature industrial gray polyester powder coating.
- Heavy Duty aluminum shutters have reinforced corners for increased reliability.
- Weather stripping on louvers provides maximum seal and prevents rattling.
- Sizes 12" 24" are pre-wired with 9' grounded cord. 115V
- 12" 20" fans have 3 speeds and 24" fans have 2 speeds Variable speed capable models available in all sizes.
- Motor type: TEAO, IP55 rating. Fans are UL 705 certified.









Premium Solar Vent Opener can l'ft up to 65 lbs.

- Constructed from long-lasting stainless steel, brass and aluminum.
- Adjustable for different opening heights and mountable two different ways, taking up as little space as possible within your greenhouse.
- The volume-expanding wax within the hydraulic cylinder will endure any temperature (hot or freezing), working independently of the power grid for continuous temperature monitoring.
- Recommended for use in temperatures up to 140°F
- · 2 year manufacturer's warranty
- It is recommended that the vent cylinder be removed during the winter months.

SOLAR VENT OPENER

STK# 106119MS EACH \$185.95



Support passive ventilation and save money on a regular basis with this greenhouse guillotine vent.

- Allows air to naturally flow into greenhouses, creating a cooler environment. with fresh air
- Runs on a motor that allows growers to open or close the vent at any time.
- Quiet operation
- Constructed from 8 mm twin-wall polycarbonate and an easy-to-operate motor
- Can be installed on existing greenhouses.
- Support kit available for hanging insect netting.
- Available in 4' and 5' heights, as well as 15', 20', 25', 30' and 35' widths.



GUILLOTINE VENT

STK#	SIZE	EACH
GSGV04X15	4'H x 15'W	\$2,579.00
GSGV04X20	4'H x 20'W	2,815.00
GSGV04X25	4'H x 25'W	3,459 00
GSGV04X30	4'H x 30'W	3,569.00
GSGV04X35	4'H x 35'W	3,735.00
GSGV05X15	5'H x 15'W	2,879.00
GSGV05X20	5'H x 20'W	3,085.00
GSGV05X25	5'H x 25'W	3,989.00
GSGV05X30	5'H x 30'W	4,179.00
G5GV05X35	5'H x 35'W	4,425.00



Match these End Wal Vent Kits with an evaporative cooling system to create an environment where crops can flourish.

- Promote healthy airflow and consistent temperatures.
- These kits a low you to customize your GrowSpan growing structure to meet your exact environmental needs.
- Automated des gnireduces labor requirements and simplifies your operation.
- Easily integrate into GrowSpan S500, S1000 and S2000 greenhouses.
- End Wall Vent Kits work great with our 8mm Twin-Wall Polycarbonate.

END WALL VENT KITS

STK#	ITEM	EACH	STK#	ITEM	EACH
GSVEN015LD3	15'L x 3'H	\$3,235.00	GSVEN015L05	15°L x 5°H	\$3,909 00
G5VEN020L03	20'L x 3'H	3,405.00	GSVEN020L05	20' L x 5'H	4,109.00
GSVEN025L03	25'L x 3'H	3,569.00	GSVEN025L05	25' x 5'H	4,325.00
GSVEN030L03	30'L x 3'H	2,985.00	GSVEN030L05	30'_x 5'H	4,535.00
GSVEN035L03	$35'L \times 3'H$	3,935.00	GSVEN035L05	35' L x 5'H	4,755.00
GSVEN015L04	15'L×4'H	3,559.00	GSVEN015L06	15' ₋ x 6'H	4,309.00
GSVEN020L04	20'L x 4'H	3,735.00	GSVEN020L06	20'. x 6'H	4,515.00
GSVEN025L04	25'L x 4'H	3,925.00	GSVEN025L06	25' x 6'H	4,749.00
GSVEN030L04	30'L x 4'H	4,135.00	GSVEN030L06	30' ⊾ x 6'H	4,985.00
GSVEN035L04	35'L x 4'H	4,329.00	GSVEN035L06	35'⊾x 6'H	5,229.00



Solar-Powered Vent Opener keeps plants healthy.

- · Allows solar-powered control of either top or side mounted window vents.
- Adjustable opening temperature of 60°F to 75°F and an 18° max mum opening
- · Soundless wax motor reacts to solar sensors, opening vent just enough, allowing for a guieter, more relaxing environment.
- Works independent of power grid to continuously monitor greenhouse temperature
- Recommended for use in temperatures up to 120°F.
- Lifting capacity 15 lbs.
- · It is recommended that the vent cylinder be removed during the winter months

STK# **EACH** 4 & UP

REPLACEMENT CYLINDER FOR SOLAR POWERED VENT OPENER STK# EACH \$29.00 113665






Achieve maximum ventilation on hot and humid days with a high tunnel roof vent.

- · Unique roof installed ventilation system provides a chimney effect movement of hot air out of the tunnel.
- Vent is constructed of a durable 8 mm clear polycarbonate twin-wall panel mounted on a sturdy, white powder-coated aluminum frame that measures 32" x 17". (Actual inside opening is 30" x 15")
- Opens and closes automatically within preset temperature ranges.
- To maximize ventilation, the vent should be installed as high on the roof as possible.
- We suggest a vent be placed approximately every 15 ft. to 20 ft. to reach the ultimate effective roof ventilation
- · It is recommended that the cylinder from the automatic opener be removed during the winter months.
- · Installation of panel may require some field framing to support panel if used in a nonrigid panel installation.

GREENHOUSE/HIGH TUNNEL AUTO VENT

STK# 107523 EACH \$255.00



WWW.GROWERSSUPPLY.COM 1.800.476.9715

4 & UP



Link4 iGrow Controllers are the latest in greenhouse environmental automation. Control and integrate a variety of equipment in your greenhouse with one easy-to-use system.

- Precision controls allow you to improve crop quality and lower energy costs.
- Exclusive 2 year manufacturer's warranty and 24/7, 365 days per year support.

iGrow 800 Integrated Panels with Link 4 Standard (116417)

- The iGrow 800 Controller and a UL approved contactor panel in one.
 Pre-wired units eliminate wiring errors in the field.
- Features an extra output, so instead of eight, growers can run nine different pieces of greenhouse equipment from this controller
- Get all the benefits of the iGrow 800 Controllers, plus easier installation with reduced costs.
- Panel features a VC option for controlling vents and curtains, as well as the S module, which allows you to monitor your equipment from a computer, smartphone or IPhone.
- Comes In a Nema 4 enclosure, which is made from powder coated white steel

iDrive 300 Motor Controller (112824)

- The iDrive 300 Motor Controller is compact, powerful and versatile motor controller designed to operate vents, curtains, 2 speed fans and other multi-function motor applications.
- Designed to work with nearly any industrial motor you'll find out there, the iDrive 300 gives you the ability to interface your motor to any common electronic controller, thermostat or manual control

iDrive 150 DCP" Dual DC Motor Controller (116252)

- Based off of the Drive 300", this controller features simi ar components and design, ensuring users get a controller of the highest quality
- Several features make this controller ideal for DC motors, including voltage adjustments for line losses, R compensation, torque controls and more.
- Single phase, 120 VAC and a 15A fuse to provide internal electronic protection
- 24 VDC, which is variable from 0 VDC 36 VDC.
- Three wire limit switch design
- Power relays.

iGrow 1800 Controller (117301)

- Ideal for large greenhouses and operations.
- The unit has 12 indoor outputs with expansion capability.
- IGrow 1800 special features include PC configuration, sensor back up, anticipatory heating and cooling and more
- · Multi button keypad allows the unit to be easily programmed and operated
- Control capabilities include alarm via Linkconn software, heating systems, pumps, CO2 injectors, fans, fertigation injectors, lights, irrigation, louvers, vents, shade, cooling systems, fog systems and much more.
- The iGrow 1800 also has advanced settings that allow growers to set eight daily set points, flexible conditional controls, intelligent irrigation start delays, advanced pump control, positive pressure control user differentiated access control and daily light integral lighting mode.
- Linkconn software sold separatly

Link4 Controller Accessories

- Indoor Dig tal Temperature and Humidity Sensor (111142): Jpgrade for iGrow 800 Controllers. Offers high precision for relative humidity and temperature readings. Housed within a protective shield that safeguards against radiation and reflected heat. Measures 30°F to 150°F and 0% to 95% relative humidity.
- Weather Station (112231): Get the most accurate reading of weather conditions right on your IGrow Controller Includes high-precision sensors for light (0 to 2,000 W/m2), wind speed (3 to 175 mph) and direction (+/-2%), temperature (30°F to 150°F) and rain (0.01°). Housed in specially designed end osures and radiation shields, it is able to detect the most minute changes in weather conditions to fulf-blown storms.
- 112231 is compatible with 800 series controllers.
- iPonic D.I.S.M. Digital integrated Sensor Module (115467) effortless y
 monitors temperature, humidity, CO² and light. This module comes with a
 16 ft. cord to connect to our Link4 hydroponic controllers



LINK4 GREENHOUSE ENVIRONMENTAL CONTROLLERS

STK#	ITEM	EACH	LINK4 CO	ONTROLLER ACCESSORIES	
116417	(Grow 800 Integrated w/Link4 Standard	\$4,235 00	STK#	ITEM	EACH
112824	iDrive 300 Motor Controller	885.00	111142	Indoor Digital Temperature and Humidity Sensor	\$ 495.00
116252	iDrive 150 DCP* Dual DC Motor Controller	885.00	112231	Weather Station for 800 series	2,399.00
117301	iGrow 1800 Controller	7,719.00	115467	Link4 Iponic D.I.S.M. Digital Integrated Sensor Module	649.95

Improve plant quality, while increasing production with Johnson Gas CO2 Generators. These generators automatically provide the carbon dioxide needed to meet maximum growing potential for only pennies per day.

Outfit your AutoVent Low Voltage Motor Controller with

the Wind Sensor and Rain Sensor for added automation

· Prevent damaged plants and keep plastic from blowing away with the

Prevent overwatering and keep your interior dry with the rain sensor.

- · Easy to install in any greenhouse, without expensive duct work.
- · COz s diffused evenly throughout greenhouse. No supplemental fans required.
- · Small size for easy movement.

CO2 GENERATORS

and control.

wind sensor

STK#

111081

111082 111114

- · Constructed from high quality steel for corrosion resistance and long life
- Controls subject to rigorous testing during production to ensure safe and proper operation.

ITEM CO2 Generator

CO2 Generator

24 V Transformer

- · Automatic gas shut off in case of pilot failure.
- Based on one air exchange per hour, 1,500 ppm can be obtained per unit in a 4,800 sq. ft. greenhouse or an equivalent 50,000 cu ft. volume.
- Transformer is required for operation. Can operate up to three units with one transformer. 115 V/24 V, 40 VA.

EACH

\$995.00


995.00

1 year manufacturer's warranty





- User friend y, easy-to-understand, 4.3" color touchscreen interface.
- Powers and controls two 24 VDC curtain motors.
- Controls two banks of heaters or fans.
- Easily reconfigured for any other combination of heaters, fans or curtains
- Lower your heating costs by using time of day temperature mode.
- Time of day light deprivation mode.



FUEL TYPE

Propane

Natural Gas

AUTOVENT LOW VOLTAGE MOTOR CONTROLLER WIND & RAIN SENSORS

STK#	ITEM	EACH
116640	Rain Sensor	\$265.95
116641	Wind Sensor	229.95



AUTOVENT LOW VOLTAGE MOTOR CONTROLLERS

STK#	INPJT POWER	EACH
116637	120/240 V	\$1,269.00
116638	12 V Battery Input	1,475.00
116639	12 V Solar Panel & Battery Input	1,879.00

Automatically control your humidity levels.

- Range: 20% RH to 80% RH
- Differential: 8% RH Maximum.
- Made of impact-resistant. thermoplastic.
- · Color White with dark characters.
- Contacts close upon decrease in relative humidity
- . Load rating at 120 V AC.



PREWIRED	HUMIDISTAT

STK# **SWITCH** FLA LRA **EACH** 104300

The Humidistat Humidity Switch is ideal for controlling humidification equipment.

- Sensor can be used with all Sensaphone models to accurately detect a high or low humidity level
- · When the humidity level reaches a user set threshold, this device causes your Sensaphone to activate an alarm
- Range: 10% RH to 80% RH.
- Made of high impact white plastic
- Hardwired connection.
- Multiple sensors may be wired to a single input.
- Operates in temperatures from 32°F to 95°F.

HUMIDISTAT HUMIDITY SWITCH

STK# EACH 117468



Combine economy with solidstate circuitry for infinite variable fan speed control.

- Dial with on/off switch gives you full control.
- Securely mounted on sturdy PVC double electrical box.





SOLID-STATE MANUALVARIABLE SPEED CONTROLLERS

STK#	AMPS	VOLTS	EACH
CR2180	10	120	\$ 87 95
CR2182	10	240	91 95
CR2190	15	120	105.95
CR2192	15	240	111.95

An economical manual speed controller for harsh environments.

- Watertight, corrosion-proof plastic enclosure
- 5 A rating, 120 √ only
- Not for use with motors over 1/4 HP.



MANUAL VARIABLE SPEED CONTROLLER STK# EACH CR2200 \$57 95

Customize your ventilation with our manual speed controllers.







CF1844

Vari-Speed





MANUAL CEATING FAN CONTROLS

- WINTED TO THE	CEIEIGO I MIG COIGITO				
				# OF FANS PER	l .
STK#	ITEM	AMPS	VOLTS	CONTROL	EACH
102322	Solid State, 2 Way	5	120	4	\$59.95
CF1842	Solid State Control	3	120	2	22.95
CF1844	Solid State Control	5	120	4	40.95
CF1848	Solid State Control	10	120	8	66.95
CF1850	Solid State Control	10	240	8	81.95
HA1550	Solid State Control	15	120	12	85.95
CF1851	Solid State Control	15	240	12	87.95
440					
110	WWW.GROWERSSU	PPLY.COM	1.800	.476.9715	

Automatic fan speed adjustment to meet varying seasonal conditions.

- Temperature range: 35°F to 95°F
- Idle speed adjustment: 20% to 75%.
- · Not for use with motors over 1/2 HP.
- 8.5 A.
- · Does not shut off.





QUANTEM VARIABLE SPEED CONTROLLERS			
STK#	VOLTS	EACH	
CR2155	240	\$148.95	
CR2156	120	150.95	

Automatic fan control even in moisture-prone conditions.

- NEMA 4X
- Idle speed adjustment: 25% to 85% and stop.
- Temperature range: 35°F to 95°F
- 8.5 A full load rating.
- Three-second kick start.
- 120/240 V





QUANTEM VARIABLE SPEED CONTROLLER STK# EACH CR2150 \$172.95



3-WING FIBERGLASS REINFORCED POLY FAN BLADES

		SHAFT	MAX.	BLADE	
STK#	SIZE	DIA.	RPM	PITCH	EACH
CF1808	20°	1/2"-5/8"	1,725	45°	\$77.95
CF1810	24"	1/2"-5/8"	1,725	40°	87.95

ALUMINUM REPLACEMENT FAN BLADES SHAFT MAX.

SIK#	SIZE	DIA.	KPM	l.	PITCH	EACH
112104	1.20	1/2*	1,72	5	45°	\$40.95
GALVANI	ZED REPLA	CEMENT FA	N BLADES			
		SHAFT	MAX.	BLADE	# OF	
STK#	SIZE	DIA.	RPM	PITCH	BLADES	EACH

		SHAFI	MAA.		# 00	
STK#	SIZE	DIA.	RPM	PITCH	BLADES	EACH
112105	36™	5/8"	650	420	3	\$ 95.95
112106**	36"	1*	825	32°	4	131.95
111682**	48"	1 "	760	34°	3	135.95
*Direct Orige	#FRolt Dring					



BLADE

Contro- two environmental devices from one station.

- FLA (inductive): 12/10
- Two separate thermostats in one housing.
- · Stainless stee spiral sensors.
- Set range, 50°F to 100°F(5°C to 40°C) with a differential of 2.5°F



NEMA 4X DOUBLE THERMOSTAT

STK# EACH CR2149 \$121.95 NEMA 4 THERMOSTAT

easy to read.

STK# CR2095

20 & UP

\$115.95

EACH \$46.95 20 & UP \$43.95

EACH

\$83.95

The Series TSW Weatherproof Digital Temperature Switch ensures precision readings for superior environmental control

- Durable construction combined with weatherproof housing makes this instrument an idea, option for indoor and outdoor applications. Unit features a temperature range of 58°F to 302°F
- and includes temperature probe. Thermostat ensures accurate readings for control
- of heaters, fans and more. · Easy to install and integrate in operations.
- · Bright easy to read, LED display shows current output status and temperature.
- Unit features multiple conduit knockouts to give options for ideal conduit entry placement.
- Single stage unit.

115456

Enclosure temperature limit is 32°F to 104°F.

Clear flip cover keeps dial clean and

· Controls heating or cooling from 30°F to 110°F. Stainless steel coil ca ibrated for accuracy Dual voltage: 16 FLA at 120 V, 8 FLA at 240 V. Waterproof enclosure with clear flip cover.

automatic control of your heating, cooling and ventilation systems.

- Temperature range 30°F to 110°F
- Includes 8' cord for hanging where you want it.
- Clear flip cover keeps dial clean and easy to read.
- Stainless steel sensing coil
- Dual voltage: 16 FLA at 120 V, 8 FLA at 240 V.
- Cord is wired for 120 V





SERIES TSW WEATHERPROOF DIGITAL TEMPERATURE SWITCH STK#

EACH \$125.95

Prewired thermostat ensures accurate

PORTABLE WATERPROOF PREWIRED THERMOSTAT

soil and temperature control. - Ideal for controlling soil heat cables.

- Water proof enclosure with 8' power cord and 5' temperature sensor.


- 1,400 W

STK#

CR2045

12 FLA at 120 V.

40°F to 100°F temperature range.



Extra-long sensing coil provides accurate control of all

5' stainless steel remote tube with 6" nickel-plated sensor.

- 120/240 V, SPDT, 12 FLA at 120 V.
- NEMA 4 watertight enclosure.
- 40°F to 100°F (5°C to 40°C) temperature range.



WATERTIGHT THERMOSTAT WITH REMOTE TUBE SENSOR

STK# CR2147

EACH \$82.95 20 & UP \$75 95

WITH REMOTE TUBE SENSOR STK# 104280

WWW.GROWERSSUPPLY.COM 1.800.476.9715

\$105.95



Precise cycle timing saves energy costs and improves heating and cooling.

- Totally electronic control from 0 to 60 minutes.
- · Most accurate percentage timer on the market.
- NEMA 4X polycarbonate waterproof enclosure can be used in harsh agricultural environments as we i as outdoors.
- 30 A.
- Can be used to control fans, heaters, misters and any device required to cycle on and off.
- 50/60 Hz
- Prewired Electronic Percentage Timer comes complete with our Cooper Arrow Hart AutoGrip corrosion-resistant plug and connector

ELECTRONIC PERCENTAGE TIMER

 STK#
 VOLTS
 EACH
 6 & UP

 102719
 120/240
 \$125.95
 \$119.95

PREWIRED ELECTRONIC PERCENTAGE TIMER

 STK#
 VOLTS
 EACH
 6 & UP

 109646
 120
 \$139.95
 \$129.95



102719

109646

Heavy Duty Indoor Digital Timer offers flexible setting options and worry-free operation.

- Automatic internal clock with battery backup and low-battery indicator. Timer will automatically
 adjust for Daylight Savings Time and changing dawn and dusk times for specific locations.
- · Random setting turns lights on and off at different times for added security
- LED display that lists time of day, day of week, events, modes and output status indicator
- Input. 60 Hz, 102 to 132 V AC and 2.5 W max.
- Output 15 A, 1,800 W resistive and inductive, 1,000 W tungsten, 1/3 HP.
- Two LR44 batteries included. Also includes two grounded receptacles and grounded plug.
- Twenty-eight on/off settings
- Manufacturer's limited one year warranty.

HEAVY DUTY DIGITAL TIMER

STK# 112531 EACH \$55.95

Specifically designed for the control of plant growth in greenhouses and related environments.

- With the filp of a switch, manage humidifying and dehumidifying equipment, including exhaust fans and foggers, in an indoor environment or zone.
- · Fully integratable with other atmospheric controllers and timers.
- Black anodized, brush finish aluminum housing
- · Humidity differential: 5% RH.
- Operating temperature: 32°F to 140°F (0°C to 60°C).
- 120/115 V AC with 15 A max mum switching capacity
- 60 Hz
- 14 AWG, SJT rated, 6 piggyback plug and power cord
- It is recommended that a surge protector be used.



Integrated cooling thermostat and dehumidistat remove excess or unwanted heat and humidity.

- Four integrated outlets turn on and off at the same time when triggered by the temperature or humidity settings on the dials.
- Plug in and control circulation fans, exhaust fans, cooling systems or dehumidifiers in greenhouses and almost any other indoor environment.
- Best suited for environments with no carbon diox de enrichment.
- Black anodized, brush finish aluminum housing.
- Thermostat differential: 7°. Humidistat differential 7% RH
- Operating temperature: 32°F to 120°F (0°C to 50°C)
- 120/115 V AC with 15 A maximum switching capacity
- 50/60 Hz
- 14 AWG, SJT rated, 6' power cord with three connectors
- It is recommended that a surge protector be used.



VENTILATION AND HUMIDITY CONTROLLER

STK# 105425 EACH \$265.95



STG# 105424

EACH \$155.95

Ideal for all industrial, commercial and residential applications. Choose the 24-hour time control best suited for your needs.

- · Type 1 NEMA enclosures are intended for generalpurpose indoor use, primarily to provide a degree of protection against contact with the enclosed equipment or locations where unusual service conditions do not exist.
- NEMA 3R enclosures are suited for both indoor and outdoor use and are rain, ice and sleet proof
- · Includes one set of tripper pins. Additional sets are available below.
- Series B1: 1 to 12 "On/Off" operations per day with minimum on/off Times of 1 hour.
- Series B2: With see-thru cover 1 to 12 "On/Off" with minimum on/off times of 1 hour
- 96 operations (48 on/48 off) every 24 hours. On/off times of 15 minutes.

24-HOUR TIME CONTROLS

SERIES

B1

Bſ

B1

B2

B2

B2 B3

B3

STK#

109076

109080

109072

109078

109082

109075

109077 109079

109081*

With 7-Day Skipper







		81		B2	D3	
	SWITCH	RA	TING		NEMA	
MODEL	TYPE	AMP	HP	VOLTS	ENCLOSURE	EACH
T101	SPST	40	2	125	1	\$ 99.95
T103	DPST	40	2	125	T	115.95
T104	DPST	40	5	208/277	T	99.95
T101PCD82	SPST	40	2	125	3R	95.95
T103PCD82	DPST	40	2	1.25	₃R	139 95
T104PCD82	DPST	40	5	208/277	3R	109.95
T1905	SPDT	20	1/2	125	T	135.95
T1906	SPDT	20	1/2	208/277	1	195.95
T1975R	SPDT	20	1/2	125	3R	325.95

Time control made simple. · Prewired, 24-hour time control, with 1 to

- 12 ON/OFF operations per day Minimum ON/OFF times of 1 hour.
- Switch type: SPST
- 15 A, 2 HP, 125 V
- NEMA 3R enclosure s intended for general purpose indoor use.
- Includes one set of tripper pins.



PREWIRED 24-HOUR TIME CONTROL STK#

CR2380

EACH

\$145.95

BATTERY-OPERATED 2-DIAL DIGITAL TIMER

Battery-Operated, 2-Dial Digital Timer can

ideal for locations without a power source.

Start-interval dial allows ten watering interval options.

Duration dial allows eight watering duration options

Easy to install and works with any standard faucet

from every 2 hours to once per week

Automatic operation conserves water

from 2 to 120 minutes

 One button sets time of day and the other sets watering time. Runs on 3 AA batteries not included

be set to do your watering for you and is

STK# 112244

or hose

EACH \$66.95

24-Hour Electronic Time Switch features flexible, "to-the-minute" scheduling, automatic daylight savings time adjustment and dependable performance for minimized maintenance.

- Holds up to 96 set points or events (49 ON/48 OFF).
- Automatic voltage detection for easy installation.
- Multi-volt operation from 120-277 VAC.
- Straightforward 24-hour control, with 7-day operation featuring off-day and holiday exceptions.
- Durable NEMA 3R plastic enclosure with clear cover Does not have a ground terminal.

WARNING: Cancer and Reproductive Toxicity - P65Warnings.ca.go

 In the event of a power outage, maintains scheduling for 100 hours.



HP

EACH 1 HP/2 HP \$315.95 Trippers and Pins

For use with our Intermatic Timers.



TRIPPER:	S AND PINS		
STK#	FOR USE WITH	QUANTITY	EACH
109073	Series B1 & B2	1 ON/1 OFF	54.29
109083	Series R3	12 Pack Pips	4.29

24-HOUR ELECTRONIC TIME SWITCHES WITH SEE-THRU CASE STK# MODEL **SWITCH TYPE** CIRCUITS

AMP 116744 ET2115CE SPDT 30

Developed especially for hanging from brooder stoves in poultry house applications or anywhere a thermometer is needed.


- · Manufactured from thermoplastics for corrosion resistance and durability.
- Large, easy-to-read scale.
- Convenient hanging hole provided. Can also be surface mounted
- Size: 6" x 2"
- Ranger -20°F to 120°F (-30°C to 50°C)

6" HANGING THERMOMETER

100 & JP CATORO \$4.25

Read room temperature and relative humidity from a distance.

- Records min/max temp, and humidity.
- "F/"C switchable.
- Can be wall mounted or used as a desktop unit.



Measure wind speed, air velocity, temperature, humidity and light intensity with this all-in-one packet meter.

- Idea: for factory, commercial and industrial buildings, marine activities, crop dusting, fire fighting, mining ventilation, education, animal husbandry, agriculture, horticulture, weather studies, environmentalists, and more
- Easy-to-use, 6-button touch pad.
- Anemometer function measures air velocity in ft/min,m/s, km/h and knots.
- · Ensure safe temperature, lighting and ventilation of Itvestock enclosures.
- Measures relative hum/dity from 10% to 80%
- Light sensor measures from 0 Lux. to 20,000 Lux.
- Measures temperature from 32°F to 122°F (0°C to 50°C).
- Size: 6.14" x 2.36" x 1.29"
- Requires 9 V heavy-duty battery, not included.

FARMTEK' POCKET WIND/ WEATHER/LIGHT METER

STK# **EACH** 103868 \$166.45

Measures air, water and surface temperature easily.

- Data hold feature
- "F/"C switchable.
- Temperature range: 40°F to 300°F (40°C to 149°C)
- On/off switch
- · Auto power off.
- Min/max temperature feature.
- Pocket clip and protective cover included
- Water resistant.
- Probe length: 5*

DIGITAL POCKET THERMOMETER

EACH STK#

Large dial with bold, easy-to-read numerals.

- · Clearly marked scales and large, tapered, red pointer.
- Measures up to 140°F accurately.



12" WHITE EXTREME HEAT THERMOMETER STK# **EACH** CA1165

WWW.GROWERSSUPPLY.COM 1.800.476.9715

Dwyer® Manometer reduces cost, maximizes vent lation and improves animal health.

- · Dwyer Mark II Manometer has a curved, inclined vertical tube that provides higher ranges with more easily read increments at low readings.
- Portable and compact, can be moved anywhere.
- · Manufactured from Indestructible molded white styrene.



DWYER' MARK II MANOMETER

102913

7º 130

100

16

40 ⊪ Ub...

20

- 1

- 20

FACH \$78.15

Infrared laser technology is quick, easy and accurate. Just point and shoot.

- Lightweight, pocket sized and easy to use.
- Laser and LCD backlight function.
- Easily select operating modes or adjust parameters.
- Fixed emissivity range, 0.95.
- "F/"C switchable.
- Measurement range⁷ 76°F to 932°F (-60°C to 500°C).
- Distance: 12:1
- Requires 2 AAA batteries, included.
- Comes complete with belt-looped carrying case.



Wired Mini Digital Panel Meter

- Large, clear display
- Easy panel mounting
- °F/°C switchable.
- Temperature range: 58°F to 392°F (-50°C to 200°C)
- Waterproof sensor has a 3.28' long wire and a 1.4" long stainless steel probe.
- 1.5 V battery included.



MINI DIGITAL PANEL METER STK#

EACH

Manufactured from thermoplastics for corrosion resistance and durability.

EACH

57.85

- Convenient hanging hole provided. Can also be surface mounted,
- Large, easy-to-read sca e.

15" THERMOMETER STK# CA101



WARNING: Cancer and Reproductive Toxicity - P65Warnings.ca.gov

Ų

La Crosse Technology Weather Stations allow you to stay on top of your work or business by providing detailed and essential weather information.

- · Portable, compact stations fit just about anywhere.
- Clear, functional design with easy-to-read digital display

Wireless Thermometer (116185)

- · Displays indoor and outdoor temperature in Fahrenheit and Celsius and Indoor humidity.
- Records HI/LO temperatures.
- · Shows temperature trend indicators with time.
- Hang on a wall or leave freestanding.
- · Features both a signal strength indicator and low battery notification



Wireless Weather Station (113876)

- Indoor and outdoor temperature and humidity readings, as well as immimum and maximum records for both.
- Programmable temperature alerts.
- Displays six moon phases.
- Features a 12 and 24 hour time display and calendar
- Alarm with snooze.
- Sensor signal strength indicator
- Low-battery indicator.



113876

MEVIHER 2 IVII	ONS	
STK#	ITEM	EACH
116185	Wireless Thermometer	\$ 18.95
113876	Wireless Weather Station	45.95
113872	Wireless Color Forecast Station	75.95
117165	Professional Weather Center	175.95

ENVIRONMENT

Wireless Color Forecast Station (113872)

- Clear and eye-catching color display with dynamic forecast icons that allow for quick and immediate readings.
- Indoor and outdoor temperature and humidity readings, as well as minimum and maximum records for both.
- Temperature and humidity trend indicators.
- Programmable temperature alerts.
- Displays heat index and dew point
- 12 and 24 hour time display, alarm with snooze and calendar.
- USB charging port on the back of the unit.
- Adjustable backlight.
- Low battery indicator

113872

Professional Weather Center [117165]

- Displays hourly and daily forecast with six dynamic color icons.
- Temperature and humidity readings with customizable alerts and Hi/Lo records with time stamps. Indoor temperature range of 32°F 99°F (0°C - 37°C), outdoor temperature range of 40°F - 140°F (40°C - 60°C) and an indoor/outdoor humidity range of 10% - 99%.
- Features a wind sensor with a range of 0 mph to 111.8 mph (0-180 kph).
- Rain sensor reads accumulation from 0" 393.6" (0-9,999 99 mm).
- Displays foliage changes seasonally.
- Features 12/24 hour time settings, a calendar that displays day, month, date and year, as well as a full day of the week display.
- Transmission can reach up to 400
- Station displays have 5 levels of adjustable backlight and programmable auto dim.
- Sensor and Wi-Fi connection indicator.
- Comes with full range adjustable kickstand, but can also be hung
- Low battery indicator.



117164

Dual display shows temperature and humidity readings instantly.

- · Displays high, low or current temperatures, with minimum and maximum reading memories.
- °F/°C switchable
- Measuring range: 32°F to 122°F (0°C to 50°C)
- Displays relative humidity from 20% to 99%.
- Features mounting keyhole, foldaway stand and Velcro strip.
- · Requires one AAA battery, included

MINI DIGITAL TEMPERATURE AND HUMIDITY METER

STK#	EACH
1B2447G	\$37.45

Compost Thermometers, each with easy-to-read 3" dial, are hermetically sealed and recalibratable

EACH

\$ 99 95

131 95

- Choose 18" or 36" stem x 0.375" dlameter
- · Range O°F to 200°F
- 304 stainless stee external parts.
- Acrylic window.

STK#

112094

112095

· Features pointed tip for easy insertion.

COMPOST THERMOMETERS

- 1/2" NPT connection.
- · For effortless insertion, we recommend the optional compost thermometer handle. Handle is detachable and threaded to fit 1/2" NPT male connection.

112094







Track high and low temperatures for any time period.

- How cold did it get overnight?
- · What was yesterday's high?
- Set any time period.
- 40°F to 120°F.
- Shows current temperature too.

HI-LOW MEMORY THERMOMETER

STK# **EACH** 10 & UP **CA100** \$16.19

Be prepared for all types of weather.

- Stores both minimum and maximum temperatures.
- Desktop or wall mount.
- °F/°C switchable
- Indoor temperature range: 4°F to 158°F (20°C to 70°C).
- Outdoor temperature range: 58°F to 158°F (-50°C to 70°C)
- AAA battery included.
- Size: 4" x 2-1/2".

OUTDOOR/INDOOR MIN/MAX TEMPERATURE STATION STK# EACH 112822

ITEM

18" Compost Thermometer

36" Compost Thermometer

Handle for Thermometers



HydroCycle has designed light kits that provide Vertical NFT Systems with even and effective lighting.

- Includes 6,500 K and 3,000 KT-5 full spectrum bulbs.
- · Does not include wiring, Junction boxes or timers.
- Light Kits are sold separately and need to be installed by a licensed electrician

HYDROCYCLE VERTICAL LIGHT KIT

STK# ПЕМ EACH 10' Light Kit 5' Light Kit 112920 \$2,485.00 115162 1.425.00

PARLucent Two-Lamp T5 High-Output Fixture is 'deal for use in hydroponic growing systems, greenhouse applications, warehouses, barns and more.

- Powder-coated, high gloss white paint finish with UV inhibitors.
- · Heavy duty, cold rolled steel fixture body.
- High power factor. Programmable start electronic ballast.
- 120/277 V.
- Dimensions 46.12" x 2.38" x 1.25"
- Lamp type 54 W, High Output T5.





DADITICENT TWO I AND TS CITTUDE

PARILOCKIMI INIO	Leaning 1 3 1 13 1 13 10 10 L	
STK#	EACH	20 & U
112623	\$95.95	\$85.95

The LED Vapor Tight fixture is perfect for growers or for use in wet, damp locations.

- · LEDs are housed in an injection molded polycarbonate that ıs light grey
- 9,500 Lumens.
- CRI > 80
- Features a clear lens
- Easy installation. Can be mounted on the ceiling or hung with a suspension chain. A stainless-steel mounting bracket is included, does not come with power cord.
- 120/277V
- 9.45"W x 4.33"H x 49.80"L.
- 82 W.
- IP65 rated.

LED VAPOR TIGHT FIXTURE

STK# 4 & LP 116181 \$265 95 \$237.95











Gain more control over your plants with this dimmable, HPS, double-end grow light and fixture.

- Features a professional 1,000 W, high-frequency electronic ballast, and the dimming function allows you to provide plants with the perfect amount of light.
- · The combination of high light efficiency and the 96%, high-efficiency aluminum horticultural reflector leads to a superior fixture that minimizes wasted light
- Low power consumption
- Completely silent no humming or buzzing.
- · Microprocessor controlled with electronic safety circuit with open circuit and short circuit protection. Fixture is completely sealed and features a waterproof plug.
- Fixture comes with 1,000 W Double End Bulb.
- Optional hanging bracket sold separately.

DARLITCENT DO. IDI C. END CIVTURE

PAREOCEITI DOODE	E END I MICKE	
STK#	ITEM	EACH
113830	Double-End Fixture	\$465.00
113826	1,000 W Double-End Bulb	115.00
109270	Hanging Bracket	19.00

PARLucent T5 LED Fixtures are an environmentally friendly, energy-efficient option that still provides plenty of illumination.

- Use less energy than tradition lamps, saving money on utilities, and last up to 50,000 hours
- · Fixtures come with 28 W lamps
- 120 V 277 V
- 5000 K, nominal lumen output of 2800.

46" Wet Location Fixture - 2 Lamp (113846)

- Electronic ballast,
- Rapid start.
- · Can be wall mounted, ceiling mounted or suspended celling mounted.

46" Strip Light - 2 Lamp (113847)

- Programmable-start electronic ballast,
- Compact design makes it great for tight spaces and growing systems.

46" High Bay F xture - 4 Lamp (113849)


SEE FULL-LINE

GROWERSSUPPLY.COM

- High reflection, aluminum design.
- Universal input electronic ballast.
- Pendant-chair mounted.
- Heavy duty wire guard included.

46° High Bay F xture - 6 Lamp (113850)

- High reflection, aluminum design.
- Universal input electronic ballast.
- · Pendant-chain-mounted.
- Heavy-duty wire guard included.







113847



PARLUCENT TS LED FIXTURES

	, , , ,		
STK#	ITEM	EACH	20 & UP
113846	46' Wet Location Fixture - 2 Lamp	\$169.95	\$165 9 5
113847	46' Strip Light 2 Lamp	155.95	149 95
113849	46' High Bay Fixture 4 Lamp	269.95	265 95
113850	46" High Bay Fexture ~ 6 Lamp	375.95	369.95

PARLucent T5 Fluorescent Lamps are excellent for both starting seedlings and full-term growth.

- 3,000 K is best for budding and flowering, 6,500 K ensures maximum plant growth. We recommend a combination of both for continuous optimal growing conditions.
- 5/8" in diameter
- CRI, 85. Average rated life, 24,000 hrs.
- Initial lumens, 4,740.
- Mini blp n base
- Priced per lamp. Sold in packaged quantities of 10 or 25.

PARLUCENT TS FLUORESCENT LAMPS

	COLOR	10 PACK*
STK#	TEMP	PRICE
110577	3,000 K	\$11.15
110578	3,500 K	11.15
110579	4,100 K	11.15
110580	6,500 K	11.15
*Add P10 to the end of yo	ur STK# to indicate 10 pack.	





PRICE PER LAMP	
25 PACK	25 PACK
PRICE	DISCOUNT PRICE
\$10.95	\$10.19 (4 pks & up)
10.95	10.19 (4 pks & up)
10.95	10.19 (4 pks & up)
10.95	10.19 (4 pks & up)



Save on energy costs without sacrificing lighting by using this PARLucent T5 LED Lamp.

- This environmentally friendly PARLucent T5 LED lamp allows you to save on utilities
- costs by using less energy than traditional lamps, and it lasts 50,000 hours.

 45-7/10" tube is compatible with programmable start T5 electronic ballasts and T5 fixtures sold separately.
- · Does not contain mercury
- 120 V to 277 V.
- . 28 W.

 Nominal lumen output of 2,800 K.

PARLU	CENT	ΓT5	LED	LAMP
-------	------	-----	-----	------

	THE OLIVE TO LED ATTIVITY						
STK#	KELVINS	EACH	50 & UP				
115204	3,000	538.95	\$35 95				
113820	5,000	38.95	35.95				
115205	6,400	38.95	35.95				





Energy-efficient, 48" rapid-start T8 Fluorescent Tube Lamp offers superior lighting and over 20,000 hours.

- Medium bipin base.
- · Compatible ballasts are required.

- Approximate initial umens: 2,800.
- CRI 75. MOL: 47 78".
- Priced per lamp.

DDICT DED LAND

- Sold in packaged quantities of 10 or 25

48" T8 FLUORESCENT TUBE LAMP

		PRICE PER LAMP		
	COLOR	10 PACK*	25 PACK	25 PACK
STK#	TEMP	PRICE	PRICE	DISCOUNT PRICE
112840	4,100 K	\$5.49	\$5.15	\$4.49 (4 pks & up)
et il Proper al la company	Triangle Control of the Control of t			

T8 Full-Spectrum Fluorescent Tube Lamps simulate natural sunlight, offering optimum visual comfort.

- Medium bipin base,
- Compatible ballast required.
- MOL: 47 78"

- Priced per lamp.
- Sord in packaged quantities of 10 or 25



48" T8 FULL-SPECTRUM LAMPS

				APPROX.				'RICE PER LAMP	•
			AVG RATED	INITIAL		COLOR	10 PACK*	25 PACK	25 PACK
STK#	BULB	WATTS	LIFE HOURS	LUMENS	CRI	TEMP	PRICE	PRICE	DISCOUNT PRICE
112841	Ť8	32	30,000	2,660	80	5,000 K	\$10.49	\$10.35	\$9.15 (4 pks & up)
112839	T8	32	24,000	2,850	85	6,500 K	10.49	10.35	9.15 (4 pks & up)
*Add P10 to ti	he end of your S	TK# to indicate 10 pa	ick.						



Reap all the benefits of natural sunlight, without any harmful UV rays, while saving up to 60% on energy costs.

- Die-form, cold-rolled steel housing with white powder-coated finish.
- Precision formed aluminum reflector ensures maximum I ght output
- · Universal input electronic ballast.
- Durable fixture is resistant to corrosive environments, making it suitable for most applications.
- · Pendant chain mounting.
- · Heavy-duty wire guard included
- Rapid-start feature
- Start ng temperature: 0°F.
- Power supply cord is not included. We suggest using our Pig Tail Power Supply Cords.
- Lamps are sold separately. Please note type and quantity needed for each fixture. We recommend our energy-efficient fluorescent tube lamps, sold separately.







STK#	LAMP TYPE	LAMP QUANTITY	VOLTS	LENGTH	EACH	20 & UP
111523	32 W T8	6	120/277	4B*	\$149.95	\$139.95
111521	54 W T5	4	120/277	45"	155 95	149 95
111522	54 W T5	5	120/277	45"	265.95	255.95



Energy-saving Vapor-Tight/Wet-Location Fixtures are ideal for use in all harsh environments. Designed for damp or wet locations indoors and outdoors, these low-profile fixtures are ideal for all lighting applications.

- · Suitable for wall mount, celling mount or suspended-ceiling mount
- 117427 features sturdy polycarbonate housing with eight secure latches and lightweight, durable prismatic polycarbonate lens with UV inhibitors.
- 108257 and 108256 feature injection-moded polycarbonate housing with die-form, cold-rolled steel reflector and diffused polycarbonate shade.
- Electronic ballast.
- Rapid start feature with a starting temperature of 10°F.
- Lamps are not included. We recommend our High-Performance T5 and rapid-start T8 lamps, sold separately.



48" WET-LOC	ATION FIXTURES					108257
	LAMP	LAMP				
STK#	TYPE	QUANTITY	VOLTS	EACH		20 & UP
117427	32 W T8	2	120	\$ 105.95		\$ 76.95
108257	32 W T8	2	120/277	95 95		89 95
108256	54 W T5	2	120/277	115.95		102.95
WARNING: Cano	er and Reproductive Toxicity - P6	5Warnings.ca.gov		WWW.GROWERSSUPPLY.COM	1.800.476.9715	125

WARNING: Cancer and Reproductive Toxicity - P65VVarnings.ca.gov



Digital ballast accepts both Metal Halide and High Pressure Sodium Lamps. Designed especially for greenhouses and hydroponic systems, these PARLucent fixtures offer outstanding uniformity and superior light levels.

- · Available in both 400 W and 1,000 W, these energy-efficient fixtures feature high light output with low energy consumption.
- Designed to withstand damp, corrosive environments and to promote healthy plant growth
- Extruded a uminum housing with aluminum reflector
- Save over 30% on energy usage compared to magnetic ballasts.
- · Constant output of power
- Completely silent operation.
- Metal Hal de/High Pressure Sod um convertible.

- Metal Hal de: Best light source if little or no natural light is available. Promotes vigorous leafy growth. Functions as a primary light source.

 High Pressure Sodium. Best light source if used in conjunction with natural light. Promotes budding and flowering. Functions as a supplementary light source.

Includes 8' power supply cord, lamp and hanging brackets.

Replacement lamps available below.



PARLUCENT GREENHOUSE		

STK#	ITEM	VOLT	EACH	12 & JP
109278	400 W Fixture w/HPS Lamp	120	\$229.95	\$215,95
109277	400 W Fixture w/HPS Lamp	240	229.95	215.95
109279	400 W Fixture w/MH Lamp	120	229.95	215.95
109280	400 W Fixture w/MH Lamp	240	229.95	215.95
109282	1,000 W Fixture w/HPS Lamp	240	389.95	375.95
109284	1,000 W Fixture w/MH Lamp_	240	379 95	365.95

DADLLICENT DEDLACEMENT LAAADC

PARLUCE	MI REPEAU	CIMICIA L L'A	MICO				
STK#	WATTS	TYPE	BULB	BASE	LUMENS	EACH	DISCOUNT PRICE
113646	400	HPS	ET-18	Mogul	50,000	\$26.95	\$24.94 (25 & up)
113641	400	MH	BT-37	Mogul	36,000	31.95	29.94 (12 & up)
113647	1,000	HPS	ED-25	Mogul	130,000	58.95	53.69 (6 & up)
113643	1,000	MH	BT 58	Mogul	110,000	46.95	43.69 (12 & up)

RECOMMENDED	
Primary Light	Secondary Light
100 W = 15'x 1.5'	25'x25'
250W = 3'x3'	5' x 5'
$400W = 5' \times 5'$	8' x 8'
1,000 W = 8' x 8'	10' x 10'

Implement an effective lighting plan with these PARLucent ceramic metal halide lights.

- · Grow healthy, profitable crops. These lights are ideal for any greenhouse and hydroponic lighting application.
- · PARLucent Ceramic Metal Halide Lights are completely silent. There is no annoying humming, buzzing or any other high-pitched noises.
- Dimmable ballast allows growers to obtain the perfect lighting for their operation.
- Working temperature of 14°F to 104°F
- These I ghts feature a soft start and internal RF shielding
- Designed with multi-aspect protection circuitry.
- · High power factor and low harmonic.
- Customers can choose from 120 V and 240 V lighting.
- Replacement bulbs available.

315W PARLUCENT CERAMIC METAL HALIDE LIGHTS

STK#	VOLTAGE	EACH
115930	120	\$569.95
115931	240	569.95

315W PARLUCENT CERAMIC METAL HALIDE BULB

115727




Great for warehouses and other large indoor areas.

- Clear un versal burn.
- Color-rendering index of 65.
- Items ending in * are pu se-start fixtures.

METAL HALFDE LAMOS

WEIAT HATIDE TAMA?								
		NOMINAL		AVG. RATED	APPROX.	COLOR		
STK#	BASE	WATTS	BULB	LIFE HOURS	LJMENS	TEMP	EACH	DISCOUNT PRICE
113637	Mogul	175	BT-28	10,000	12,000	4,200 K	\$24.95	\$22.44 (12 & up)
113638*	Mogul	175	ED-2B	15,000	14,000	4,000 K	25.95	23.69 (12 & up)
113639	Mogul	250	BT-28	10,000	22,000	4,400 K	24.95	22 44 (12 & up)
113640*	Mogul	250	ED-28	20,000	19,000	4,000 K	20.95	18.69 (12 & up)
113641	Mogul	400	BT-37	20,000	36,000	4,000 K	31.95	29.94 (12 & up)
113642*	Mogul	400	ED-37	20,000	35,000	4,000 K	19.95	17.44 (12 & up)
113635	Medium	175	ED-28	10,000	14,000	4,000 K	19.95	17.44 (12 & up)
113636*	Medium	175	ED-17	15,000	14,000	4,000 K	25.95	23.69 (12 & up)
113643	Mogul	1,000	BT-56	12,000	110,000	4,000 K	46.95	43.69 (12 & up)
113644#	Mogul	1,000	ED-120	8,000	99,000	4,000 K	48.95	44.94 (12 & up)
109091	Mogul	1,500	BT-58	3,000	170,000	3,400 K	65.95	63.95 (6 & up)





(Ų)

Economical high bay lighting for barns, warehouses, riding arenas, garages, gyms and more.

- Choose tight focused 19" aluminum reflector (112557) or evenly diffused 22' prismatic refractor (112558)
- Quad voit ballast securely mounted in a uminum die-cast housing.
- Use in buildings with ceiling mounts above 15.

VALUTEK* 400 W METAL HALIDE HIGH BAY LIGHTS

STK#	ЛЕМ	EACH	20 & LP
112557	19 ⁸ Aluminum Reflector	\$149.95	\$139.95
112558	22" Prismatic Refractor	185.95	173.95

These Equipment Hanging Kits are perfect for circulation fans, light fixtures and more.

- A convenient and simple way to hang tools and equipment, while also giving structures a clean and organized appearance.
- . The kits are great for safely running e-ectrical cords and wires.
- Designed for strength, each 10' section of the Equipment Hanging Kit can support up to 50 lbs. of equipment.
- Easy to install and a great option for new or ex sting greenhouses.

EQUIPMENT HANGING KIT


STK#	ITEM	EACH
117081	120° C Channel with 5-ot	\$22.19
117082	Light Hanging Channel Splice	2.59
FAK37	THRD Rod 1/2-13 Zinc 3'	6.95
FAME09B	Bulk Flatwash 1/2" Zinc Standard USS	0.31
FALB08B	Nut 1/2-13 Zinc, Grade 2 Each	0.34
FAG398B	Hex Cap 1/2 x 1-1/2 Zinc	0.57

Increase safety, brighten up those outdoor areas.

 Please note: High Intensity Discharge I ghting, commonly called HID lighting, requires a special fixture and ballast for each type and wattage. The bulb wattage must be matched to the ballast rating. Using the incorrect bulb in a ballast can result in problems such as overheating and bulb damage which may result in premature ballast failure.

VALUTEK" HIGH PRESSURE SODIUM LAMPS

		NOMINAL			APPROX.		
5	STK#	WATTS	BULB	BASE	LUMENS	EACH	DISCOUNT PRICE
1	113648	70	ED-17	Medium	6,300	\$10.49	\$ 8,69 (50 & up)
1	113649	100	ED-17	Medium	9,500	17 95	16.86 (12 & up)
1	113645	150	ED-17	Medium	15,800	19 95	17.44 (12 & up)
1	113647	1.000	FD-25	Modul	130,000	58.95	53.69 (6.8 up)











Poly Dump Cart's tow hitch arm doubles as a dumping handle.

- Large, 600 lb. capacity, 10 cu. ft. tub is made of rugged poly, so it will never rust
- Fasy to clean even after hauling manure, son, yard waste and more
- Large diameter handle for pushing by hand, or pull by universal 1/2" pin hitch using ATV, car or truck.
- Tow hitch arm, with stabilizing caster, extends 21.5" and controls the dump function. Folds under and out of the way when used as a cart.
- Rol s easily on 4" x 16" pneumatic tires with 19 mm axle. Dump bed measures 37"W x 11 8"D x 47.6"L.
- Overall size: 37"W x 69"L.

EZ-HAUL POLY DUMP CART

STK# **EACH** 103870 \$235 95



Haul a little, haul a lot. EZ-Haul does it all.

- Sturdy 6 or 8 cu, ft. carts practically roll themselves.
- Move flowers, tools, firewood, shrubs, yard waste and more.
- Tough poly tub will never rust or corrode
- Easy-grip tubular steel handle.
- Both carts have 3/4" axies with 2.125" x 20" pneumatic t res
- Capacity: 220 lbs.

EZ-HAUL PREMIUM POLY GARDEN CARTS

STK#	SIZE	EACH	2 & UP
109919	6 Cu Ft	\$149.00	\$135 DO
109918	8 Cu. Ft.	159.00	155.00





Heavy Duty construction makes these Monster Carts ideal for moving all types of materials up to 2,000 lbs.!

- · Transport plants, soil, wood chips, mulch, pots and more.
- Expanded metal, powder-coated frame has a 2" lip.
 Expanded metal deck thickness 3.5 mm.
- Auto-type steering and pneumatic wheels offer optimal stability and make it easy to pull and maneuver these carts anywhere
 Diamond punched bed allows debris and water to pass through.
- 1,750 lb. capacity and 2,000 lb. capacity Monster Carts are ideal for pulling with your ATV, lawn or garden tractor Unique, easy-grip, comfort-cushioned pull handles easily convert into a hitch.

110487

- Bed size: 20"W x 38"L.
- · 4" x 13" pneumatic tires.
- Capacity: 1,500 lbs.

110486

- Bed size: 24"W x 48"L.
- 5" x 13" pneumatic tires.
 Capacity 1,750 lbs

110488

- 8ed size: 30"W x 60"L
- 5" x 15" pneumatic tires.
- Capacity: 2,000 lbs.



MON2 LEK	CARIS			
STK#	BED SIZE	CAPACITY	EACH	6 & UP
110487	20"W x 38"L	1,500 lbs.	\$309.95	\$299 95
110486	24"W x 48"L	1,750 lbs.	455 95	439 95
110488	30"W x 60"L	2,000 lbs.	635 95	615 95













Ideal for use on the farm, in the yard, in the nursery or garden center.

 Auto-type steering and 5" x 13" pneumatic tires make it easy to pull and maneuver this multi-purpose wagon over the toughest terrain or through narrow greenhouse alsles.

Heavy-duty, durable solid poly bed, with removable front and side rails for your overs.zed loads and a removable basket for smaller items.

Easy to pull behind your ATV, lawn or garden tractor. Unique Digrip handle converts to a trailer hitch

Capacity 800 bs.

 Bed dimensions: 30"W x 7-1/2"D x 46-1/4"L





STK# 109912A

EACH \$255.00

\$245.00



Move twice as much with this EZ-Haul Double-Deck Wagon.

- Expanded metal, powder-coated decks have 2" lips
- 18" risers between decks. Auto-type steering
- 3.5" x 10" pneumatic tires.
- Capacity 330 bs.
- Size: 20"W x 38"L



EZ-HAUL EXTRA-LARGE DOJBLE-DECK WAGON 6 & UP STK# 110052 **EACH** \$229.95 \$219.95



The perfect choice for all your chores.

• Extra large 5" x 13" pneumatic tires and auto type steering make for smooth operation.

Expanded metal deck with fold down, removable sides, is diamond punched to allow debris and water to pass through

Capacity 750 bs,

Size: 24"W x 48"L.



EXPANDED METAL DECK WAGON WITH FOLD-DOWN SIDES

108678

EACH \$269.95 2 & UP

Super-tough Nursery and Greenhouse Wagons to I easily over all terrain with pneumatic tires.

- Expanded metal powder-coated frame with 2" side lip.

Flat Bed Metal Wagon has tight turning radius on extra-large deck.

Auto-type steering makes maneuvering a breeze

- 3.5" x 10" pneumatic tires.
- Capacity: 700 lbs.
- Size 24"W x 48"L.

- Greenhouse and Nursery Wagon has direct steering.
- 3.5" x 10" pneumatic tires.
- Capacity: 1,000 lbs.
- Size 20"W x 38"L.

EZ-HAUL GREENHOUSE AND NURSERY WAGON

6 & JP EACH WD8045 \$205.95 \$199.95

6 & JP

\$229.95

EZ-HAUL FLAT BED METAL WAGON

STK# EACH 108675 \$239.95





LAWN & GARDEN

Haul tools, plants, mulch, compost, fertilizer, feed and even the kids in this smooth-riding All-Purpose Plastic Wagon.

- Idea: for retail garden centers. Easily manuevers in your greenhouse a sles. Rolls smoothly on 10"
- pneumatic tires.
- never rust or corrode and measures 23°W x 39°L.



STK# 107001

 Heavy-duty płastic tub will Capacity: 330 lbs. **EACH** 6 & JP

This durable, maintenance-free poly dump cart is ideal for all your hauling jobs around the yard, farm or nursery. Move plants, firewood, fertilizer, mulch, grain, feed, hay and landscape materials with ease.

- Balanced dumping feature maximizes stability over any terrain.
- Maintenance free poly bed won't rust or corrode and washes clean easily.
- Rolls smoothly on 10" pneumatic tires.
- · Capacity: 440 lbs.
- Bed dimensions 20.86°W x 37"L x 9.06°D.



GROWERS SUPPLY GARDEN DUMP CART

WARNING: Cancer and Reproductive Toxicity - P65Warnings.ca.go

STK# **EACH** 6 & JP 109722 \$185 95



Avoid pain and in ury from stooping, kneeling or squatting.

- · Rugged 4-wheel Rolling Work Seat takes pressure off back, knees and ankles.
- Great for gardening, washing and waxing cars, painting, carpentry and more
- Use indoors and out.
- Comfortable, contoured seat swivels, so you can face in any direction.
- Heavy duty, welded 1" steel tube frame holds up to 300 lbs.
- · Four smooth-riding, 10" pneumatic rubber tires maneuver on any surface
- 14"W x 31"L. Seat is 18" from ground

ROLLING WORK SEAT

STK#

108681

EACH \$145.95

This tough little wagon is your all-terrain helper.

Unique wheel system makes this garden cart easy to maneuver Rear wheels are 4" x 16" ball bearing pneumatic for smooth rolling. Front tires are 10° pneumatic swivel for maneuverability. Capacity: 750 lbs. Expanded metal deck measures 24"W x 48"L.

EZ-HAJL 4-WHEEL GARDEN CART


2 & UP STK# 108676 \$325 95 \$315.95

Move heavy, dry loads with the ease of a wheelbarrow.

- · Flat deck makes it easy to load and unload bags of fertilizer, topsoil, mulch and more.
- Wheelbarrow style makes transporting up to 660 lbs. a breeze

Expanded metal powder coated deck has a 1" lip.





WHEELBARROW STYLE CART

STK# WD8120 **EACH** \$245.95

Ideal for hauling wood, compost, fertilizer, almost anything you need moved around the farm, ranch or greenhouse.

- Tapered tub a fows for easy dumping.
- Durable metal construction holds up under demanding jobs.
- Easy rolling 4" x 16" tires.
- Load capacity: 300 lbs. (6 bushels) Bucket dimensions 24"W x 11"D x 37"L

32" maximum width (from outside tire to outside tire).



2 & LP STK# 103392 \$235.95

"Wheel" fix your wagon.

- Are your wagon wheels "tired out"? Choose the replacements that you need.
- Smooth-running, ball-bearing operation.
- Use with FZ-Haul Wagons or Carts or most other brands.
- Engineered tough to hold up to rugged use on the farm, nursery, greenhouse or backyard.



EACH

49.45

49.95



103948 WHEELS

SIZE STK# 2.125" x 15-1/2" 2.125" x 20" 103948 103776 110024 2.125° x 20°

BEARING ID 16 mm/0.6299° 17 mm/0.6692° 10 mm/0.394*

FOR WAGON General Utility \$33,45 109918/109919 109630

Heavy Duty Fixed and Swivel Casters



HEAVY DUTY F.XED AND SWIVEL CASTERS

STK#	SIZE	FOR WAGON	EACH
103790*	5" Swivel	103780	\$24.05
110220 [†]	6" Swivel	110217	24.95
110219	6" Fixed	110217	25 95
106109	6" Swivel	General Utility	26 95
103443**	10" Swivel	108676	41 22
*Ruchings/sheaves	tRoller hearings #*Pner.matic	wheel	



Why break up a set, team them up and save even more.

- · Get the frame and deck together and put them to work around the farm or backyard.
- Remove the deck when you want to adjust the frame's length.

EZ-HAUL UTILITY WAGON/TRAILERS WITH HITCH AND DECK

STK#	CAPACITY	EACH	2 & UP
103447	1,500 lbs.	\$765.00	\$735.00
103862	3,000 lbs.	1,549.00	1,489.00

Save on utility wagon/trailer and expanded metal deck, available in two sizes.

Buy the deck....

102487

- Perfect accessory for the Utility Wagon/Trailer with Hitch (103446), shown at right.
- Heavy Duty Expanded Metal Deck measures 48°W x 72°L.

- Same Heavy Duty expanded metal as Expanded Metal Deck (102487), but bigger.
- Deck measures 73.6'W x 118"L.
- Teams up with our EZ Haul Giant Utility Wagon (103865).



EZ-HAUL EXPANDED METAL DECKS

21.70	DED SILE	EUC. I	200
102487	48"W x 72"L	\$445.95	\$411.25
103864	73.6"× 118"L	675.95	649 95
EZ-HAUL UI	FILITY WAGON/TRAILERS	WITH HITCH	
STK#	CAPACITY	EACH	2 & UP
103446	1,500 bs.	\$555 00	\$535.00
103865	3.000 bs.	965.95	929.95

Buy the frame .

103446


- Adjustable length steel frame can hau up to 1,500 lbs. on 6.5" x 16" pneumatic t res.
- Connect two or more together with 46" steel handle in front and trailer hitch in back.
- Size: 30"W frame adjusts from 50" to 78" long.
- Use alone or with our Expanded Metal Deck (102487).

- All the advanced features of Trailer with Hitch (103446) and more.
- · Hauls up to 3,000 lbs. on 9" x 18" pneumatic flotation tires.
- Hitch two or more trailers together and pull with tractor or ATV
- Size: 54"W frame (inside wheel to inside wheel) adjusts from 71-1/2" to 98-1/2" long.



Excellent replacement wheels for any equipment needing a large pneumatic tire.

Idea for wagons, carts, handtrucks and wheelbarrows.



REPLACEMENT WHEELS

STK#	S ZE	BEARING ID	FOR WAGON	EACH	STK#	SIZE	BEARING ID	FOR WAGON	EACH
110025	3.5" x 10"	16 mm/0.6299°	10 9 722	\$32.95	108679	5" x 13"	16 mm/0.6299"	108678	\$38.95
103445	3.5" x 10"	16 mm/0.6299"	WD8045/108675/110052	32.95	111307	5" x 15"	18 mm/0.7087°	110488	37 95
100756	$4" \times 10"$	15 mm/0.5950"	General Utility	27.39	103448	6.5" x 16"	19 mm/0.7480°	103446/103447	47.69
103945	4" x 13"	16 mm/0.6299"	General Utility	31.69	103863	9" x 18"	25 mm/0.9842"	103865	103 95
103946	A" > 16"	16 mm (0.6290"	103970	38.05					



Create your own bench system with this economical expanded metal bench top.

- All you need to do is supply the legs. Use cinder blocks or build your own with your supplies or our conduit, sold seperately
- Frame edges are constructed from 17 gauge hot dipped, galvanized steel.
- The 13-gauge, 1-1/2" x 1" mesh, expanded metal top allows for a ricirculation and water drainage.
- Assembly required.
- Size: 4'W x 8'L.

EXPANDED METAL BENCH TOP PANEL W/FINISHED EDGES

5TK# 106075

PolyMax® Bench Panels allow maximum air circulation around plants and reduce cleaning time and labor costs.

- Easy to clean Withstands high pressure washings and disinfectants.
- Durable, lightweight material will not rot, rust or corrode.
- Ideal drainage. No water or soil buildup
- 24" x 48" black panels with 7/8" x 7/8" square openings
- Slats can be easily cut to any dimension

· Bench sold separately

- Nonoverlapping Style
 Slats do not overlap on the 2' sides.
- · Interlock on the 4' sides for ease of assembly and strength.
- In addition to end supports, slats must have a center support
- · For decks or pensing wider than 4 ft.



Overlapping Style

- · Stats overlap on the 2' sides, utilizing a sing e support member.
- interlock on the 4' sides for easy assembly and strength.
- · For decks or pens of any width.



POLYMAX' GREENHOUSE BENCH PANELS

I WELLIAM IN				
STK#	STYLE	EACH	50-19 9	200 & UP
HA2215	Overlapping	\$36.95	\$34.95	\$32.95
HA2217	Nonoverlapping	40.95	38.95	36.95










Make your own greenhouse benches with our durable and economical galvanized wire mesh.

- High-tensile steel wire mesh with pure zinc ga vanizing.
 Mesh pattern allows for greater light, better air circulation and improves heating efficiency.
- 1"x 1" mesh is 14 gauge and will hold 10" to 12" pots with 2 ft. supports.
- 1" x 2" mesh is 14 gauge and will hold 4" pots, 6" pots or 8" pots with 2 ft. supports.

 2" x 2" mesh is 14 gauge and is great for flats and trays and is
- most economical.
- · Easy drainage means bench stays dry and disease free, and there is no rust or rot
- · Roll ength 100 ft.



GALVANIZED WIRE MESH

	PRICE	DER BOLL
	PRICE	PER ROLL
WIDTH X MESH	EACH	4 & UP
24" x 1" x 1"	\$185.95	\$169.94
36" x 1" x 1"	259.95	241 19
48" x 1" x 1"	315.95	294.94
60" x 1" x 1"	385.95	366 19
72" x 1" x 1"	435 95	41494
24" x 1" x 2"	159 95	147.44
36" x 1" x 2"	205.95	184.94
48" x 1" x 2"	259.95	241 19
60" x 1' x 2"	299.95	281 19
72" x 1" x 2"	355 95	334 94
48" x 2" x 2"	205 95	183.69
72" x 2" x 2"	259.95	241 19
	36" x 1" x 1" 48" x 1" x 1" 60" x 1" x 1" 72" x 1" x 1" 24" x 1" x 2" 36" x 1" x 2" 48" x 1" x 2" 60" x 1" x 2" 72" x 1" x 2" 48" x 2" x 2"	WIDTH X MESH

Great way to finish off your EZ-Grow Professional Greenhouse Bench.

- 13-gauge expanded metal with diamond openings and unfinished edges.
- Hot dipped, galvanized finish protects the panel from corrosive environments.





EXPANDED METAL BENCH TOP PANELS

STK#	SIZE	EACH	25 & J
107016	2'W x 8'L	\$40.95	\$38 99
107017	4'W x 8'L	105.95	99.93









Premium Greenhouse Benches come with one or two levels, and can easily be connected to run the entire length of a commercia greenhouse.

- · Frames are manufactured from 1.25", 14-gauge galvanized structural steel with extruded aluminum 4" side rails and soft, finished corners for attractive appearance and worker safety
- Durable, economical and efficient for any greenhouse application
- Assembled with staintess steel fasteners and topped with durable expanded metal
- · For a custom-designed system contact your know edgeable Greenhouse Specialist.
- Multi-Level Benches create additional space to disp ay plants without increasing the bench's footprint. All Multi-Level Benches come with a 24"W top tier.
- Benches are 32" tall.

STATIONARY PREMIUM GREENHOUSE BENCHES


	8.1		10°L			121
WIDTH	STK#	EACH	STIC#	FACH	STK#	EACH
2"	112412\$2X08	\$549.00	11241252X10	\$645.00	11241252X12	\$825 00
4"	11241454X08	709.00	112414S4X10	865 00	11241454X12	1,175.00
5'	112415S5X08	949.00	112415S5X10	1,029.00	112415S5X12	1,265 00
6 ^r	112416S6X08	995.00	112416S6X10	1,109.00	11241656X12	1,329.00
MULTI LEVE	STATIONARY GREENHOU	JSE BENCHES				
	8'L		10'L			12 Ľ
WIDTH	STK#	EACH	STK#	EACH	STK#	EACH
36"	112413S3X08T22	\$1,159.00	112413S3X10T22	\$ 1,305.00	11241353X12T22	\$1,589.00
4B"	11241454X08T22	1,189.00	112414S4X10T22	1,409.00	112414S4X12T22	1,889.00

EZ-Grow Professional Greenhouse Bench Kits are the perfect addition to any greenhouse.

- · We ve teamed up our most popular benches and top panels.
- Lightweight aluminum frames have sturdy legs with 4" x 4" galvanized foot plates
- 13 gauge expanded metal top panels have diamond openings.
- Hot dipped, galvanized finish protects the top panels from corrosive environments.
- 1=1/2" x 1" mesh size is ideal for air circulation and water drainage.
- Height: 28-1/4°.
- Assembly required

EZ-GROW BENCH KITS

STK#	SIZE	EACH	25 & LP
104250	2'W x 8'L	\$305 95	\$299 95
104251	4'W x 8'L	405 95	399.95



- Lightweight, extruded aluminum frame
- 6" heavy-duty swivel casters allow for easy moving from one work area to the next, saving you time and money.
- Height: 35-3/4", includes casters.
- Assembly required

Two great bench tops to choose from, depending on your application,

- 13 gauge expanded metal bench top has 1-1/2" x 1" diamond openings that allow for air circulation and water drainage. Hot dipped, galvanized finish protects from corrosive environments.
- The indestructible white PolyMax' bench top is maintenance free and weatherproof Fasy to clean, it makes a great addition to your workshop area.

BENCH ON WHEELS

ESC. 14 C. L. 1 CO. 14	401100000000			
STK#	SIZE	TYPE	EACH	25 & UP
106069	2'W x 8'L	Expanded Metal	\$485.00	\$479.00
106070	2'W x 8'L	PolyMax*	465.00	459 00
106071	4'W x 8'L	Expanded Metal	585.00	579 00
106072	4'W x 8'L	PolyMax*	549.00	545.00









Our Rolling Greenhouse Benches allow you to easily maximize growing space and promote a more organized operation.

- · Grow more in the same space. Rolling Greenhouse benches allow operations to improve functionality by creating moveable aisles and allowing operations to quickly change their layout.
- Benches roll with a maximum load of 27 lbs. per sq. ft.
- These benches ensure the utmost durability in any growing environment. The bench frames are constructed from 1.25", 14-gauge galvanized steel and the 4" side rails are made from extruded aluminum.
- Designed with soft, finished corners for an attractive appearance and improved safety.
- · Features stainless steel fasteners that are topped with expanded metal.
- 17 1/2" cantilever.
- For custom benches, contact a Greenhouse Specialist at extension 1265.
- Benches are 32" tall.
- Trellis kits are available in matching sizes
- Custom leveling for sloped ground is available.
- Easy-to-use crank systems are available. These systems allow for benches and trays to be moved and managed with minimal effort. Optional crank kit sold below.

DOLL INC.	CDEENIUGI	SE RENCHES

ROLLING	GREENHOUSE BE	:NCHE2								
	18'L		30	řL .	42'L		54'l		66'L	
WIDTH	STK#	EACH	STK#	EACH	5TK#	EACH	STK#	EACH	STK#	EACH
5	116275R5X18	\$1,895.00	116275R5X30	\$2,665 00	116275R5X42	\$3,509.00	116275R5X54	\$4,275.00	116275R5X66	\$5,159.00
6'	116276R6X18	1,995.00	_11627686X30	2,745 00	116276R6X42	3,679.00	116276R6X54	4,519.00	116276R6X66	5,469.00
ROLLING	GREENHOUSE BE	NCHES WIT	TH TRAYS							
	18 L	- 1	30	/L	42L		54'L		66'L	
WIDTH	STK#	EACH	STK#	EACH	STK#	EACH	STK#	EACH	STK#	EACH
5	116305T5X18	\$1,809.00	116305T5X30	\$2,635.00	116305T5X42	\$3,485 00	116305T5X54	\$4,185.00	116305T5X66	\$4,975 00
6	116306T6X18	1,995.00	116306T6X30	2,745.00	116306T6X42	3,679.00	116306T6X54	4,519.00	116306T6X66	5,469.00
	GREENHOUSE BE	NCH TREL	ISES							
	16'L	I	30	ľL	42°L		54'L		66'L	
WIDTH	STK#	EACH	STK#	EACH	STK#	EACH	STK#	EACH	STK#	EACH
5	116285TRL5X18	\$1,895.00	116285TRL5X3	0 \$2,665.00	116285TRL5X42	\$3,509.00	116285TRL5X54	\$4,275.00	116285TRL5X665	5,159.00
6	116286TRL6X18	545 00	116286TRL6X3	849 00	116286TRL6X42	1,155.00	116286TRL6X54	1,315 00	116286TRL6X66	1,789 00
PIER KITS	S FOR ROLLING BI	ENCHES								
	18'L		30'L		42'L		54'L		66'L	
STK#	EACH	STK#		EACH STK	t	EACH	STK#	FACH	STK#	EACH
11637 9 P1	8 \$639.00	116379	P30 §	945.00 <u>1</u> 163	179P42	51,255.00	116379P54	\$1 785.00	116379P66	\$2,095.00
GREENH	OUSE BENCH CRA	NK SYSTEM	1							
STK#				Γ	TEM					EACH
116861			(rank System for	Benches Under 4	O'				\$ 119.00
116862					Benches Over 40'					199.00
				*-						

NEW Easily connected for quick expansion, Ebb & Flo trays provide various length options for greenhouse growers.

- · End and middle trays are easily interlocked to expand and meet the needs of any greenhouse or grow room.
- Manufactured with durable ABS plastic with built in UV inhibitors, which minimizes fading and yellowing from grow lights.
- Available in 4', 5' and 6' widths for both end and middle tray options.
- · Quick valve feature allows for easy drainage
- Sump options 117365, 116069 and 116072 feature a lower channel for natural drainage
- Quickly seal with Ebb & Flo Tray Sealing Compound (116074).
- All of the 5'W trays (116068, 116069, and 116070) are 79" long.
- All of the 6'W trays (116071, 116072, and 116073) are 60" long.

STAAL PLAST EBB & FLO TRAYS FOR ROLLING TABLETOP PREMIUM BENCHES

SIMME PLAST ED	ID OF LEG TUNES LOW WOLTHUR INDEFINE LUCK LUCK	TAKOM BENCHE
STK#	ITEM	EACH
117364	4' W Ebb & Flo End Tray w/o Sump	\$75.9
117365	4' W Ebb & Flo End Tray w/Sump	75 9
117366	4' W Ebb & Flo Middle Tray	75 9.
116068	5" W Ebb & Flo End Tray w/o Sump	89 9
116069	5' W Ebb & Flo End Tray w/Sump	89 9
116070	5' W Ebb & Flo Middle Tray	89 9
116071	6' W Ebb & Flo End Tray w/o Sump	79 9.
116072	6' W Ebb & Flo End Tray w/ Sump	79 9
116073	6' W Ebb & Flo Middle Tray	79.9.
116074	Ebb & Flo Tray Sealing Compound	10.9
11643 6	Plastic Filter	4.0





If you're tired of bending over to tend to your Dutch buckets, you'll love these benches. The Dutch Bucket Low Profile Bench lifts your buckets to the perfect height, but its list of uses doesn't end there.

- Benches come with optional leveler feet that can add height to the bench and enable you to slope the bench
- Great for any greenhouse need that requires a low-profile bench, you can create
 your ownit ered display, display taller plants at eye level and more
- Made from galvanized, 1.5" steel tube and galvanized expanded metal. The benches have been constructed without welds to reduce the risk of corrosion.

DUTCH BUCKET LOW PROFILE BENCH

DO:CH DOCKEL C	ON PROPIEE DESCRI	
STK#	S ZE	EACH
115050	12*W×72"L×7*H	\$159.95
115051	12"W × 144"L × 7"H	275.95
113179	19"W x 144"L x 7"H	339.95
113180	19"W x 72"L x 7"H	199.95





Get your propagation tray moving. Quickly transport and transplant seedlings and plants, so that you can spend less time preparing and more time growing.

- 48"W x 96" _ grow bench and tray on casters allows your propagation tray to glide throughout your growing space.
- The frame is made from corrosion-resistant, galvanized steel tube and is strong
 enough to hold 1,000 lbs. when stationary or 300 lbs. while moving. Frame can
 be easily assembled on site.
- To accommodate taller plants and grow I ghts there is an optional Trellis and Light Bar frame (313205)
- Bulb sold separately.

ROLLING BENCH AND TRAY

STK#	ITEM	EACH
113204	48" x 96" Roiling Bench with Tray	\$1,185.00
113205	Rolling Bench Light Bar and Treilis	185.00



These Three-Tier Greenhouse Benches were designed to facilitate propagation, allowing your crops to get a strong start.

- The Three-Tier Greenhouse Benches come with flood and drain trays.
- Ultra-durable construction allows these benches to withstand any growing environment. The frames are constructed from 1.5% 14-gauge galvanized steel and the 4" side rails are made from extruded a uminum
- Corners are made from plastic, which eliminates hard, sharp corners and provides a finished appearance
- Each tier features a continuous tray with a sumplend for flood and
- There is 25" between tiers, so growers have pienty of room to hang grow rights.
- The benches are 8'-3" tall and come with adjustable leveling feet.

THREE-TIER GREENHOUSE RENCHES

THINKE THEN CHIES	CONTRACAC DEMENTS 3	
STK#	SIZE	EACH
116541	5"W x 13".	\$4,309.00
116542	5'W x 18'L	5,395.00
116543	5'W x 30'L	7,959.00
116544	5'W x 42'L	10,415.00
116545	5'W x 54'L	12,959.00





PolyMax® Bench Systems will last a lifetime.

- Available in two sizes as either a complete system with legs or as a bench top only
- Frame and legs are manufactured from our 1.5" square USA made, triple-galvanized steel tubing that is rust and corrosion resistant.
- Indestructible PolyMax® Bench Panels allow maximum air circulation around plants and reduce cleaning time and labor costs. This durable, yet lightweight material will not rot, rust or corrode. Easy to clean and able to withstand high-pressure washings and disinfectants, offering ideal drainage no water or soil buildup.
- Height of complete Bench System with legs 30°H
- Create any length system you need. Simply start with our 4' x 8' PolyMax® Bench with legs (108293SE). Our "Add-On" Benches are available in 8' sections only and allow you to expand your growing area at any time. Add on multiple bench units to achieve the desired length that best suits your growing needs.

POLYMAX' BENCH SYSTEMS

		BENCH	TOP ONLY
STK#	SIZE	EACH	4 & UP
108292	2' x 8'	\$389.95	\$379.95
108293	4' x B'	465.95	459.95

*Add 5 to the end of the STK# when ordering the complete Bench System.



BENCH SYSTEM W/LEGS* EACH 4 & UP \$289.95 \$285.95 695.95 685.95

POLYMAX' CONTINUOUS BENCH SYSTEM ADD-ON STK# EACH \$529.95 \$539.95 1082935E1 *8' Add On Bench Section cannot be used independently Must be used with STK# 108293S.





Let a versatile EZ-Grow Multi-Tiered Display Unit solve your "limited space" problem.

- Designed for a wide variety of applications, these display units are ideal for sidewalk displays, garden centers, greenhouses, grocery and
- Expanded metal bench top and Heavy Duty casters come with each unit
- The modular design allows you to achieve unlimited lengths by
- Display unit has a capacity of 21 #1020-style flats. Comes complete with four shelves. Bottom shelf can be removed, as shown above, to allow for under unit storage.

EZ-GROW MULTI-TIERED DISPLAY UNIT

STK# SIZE EACH 2 & UP 104319 72"W x 26-3/4"D x 50"H \$395.00 \$375 00





Display and transport hanging plant baskets.

- Display up to 32 hanging baskets on this durable, attractive Plant and Display Rack.
- Free 5" casters let you roll unit between greenhouse and outdoor d splay area.
- Save loading/unloading costs. Just wheel fully loaded rack out each day
- A frame design ensures stability at any load level.
- 1-1/2" OD, powder-coated, sturdy white metal pipe.
- Fast, one person, snap-button assembly.
 Dimensions. 72"W x 73"D x 87"H (height includes casters).

EZ-GROW PLANT AND DISPLAY RACK WITH CASTERS

STK# EACH 2 & UP 103780 \$319.00



Save valuable space in your nursery or greenhouse. Ideal for mobile retail displays.

- · Standard unit will hold over 48 sq. ft. of seedlings, potted plants and flowers.
- · Heavy Duty, powder-coated metal frame.
- . Includes six adjustable wire shelves, each with room for four 10" x 20" flats.
- Add up to 16 more shelves (110218, each sold separately below), providing an additional 125 sq. ft. of display area.
- Link two or more Display Racks together. Hitch and tow bar are standard with each unit.
- Maneuvers easily and smoothly through narrow greenhouse aisles on heavy-duty 6" casters (2 fixed and 2 swivel).
- · Replacement casters are available below
- Capacity: 600 lbs
- Dimensions: 56"W x 21"D x 82"H (height includes casters).



110218

EZ-HAUL TRANSPORT AND DISPLAY RACK

STK#	ITEM	EACH	50-99	T00 & UP
110217	Transport & Display Rack	\$379.00	\$357.00	\$337.00
110218	Additional Shelf	33.95	30.95	29.95
REPLACEN	MENT CASTERS			
STK#	ITEM			EACH
110219	б" Fixed	1		\$25.95
110220	6" Swive	el		24.95



Versatile, attractive indoor/outdoor plant display comes with free casters.

- Three levels of expanded metal shelves for flats.
- Purlin holds up to six 10" hanging baskets.
- A standalone or portable greenhouse bench/outdoor d splay
- Four FREE removable 5" casters let you move it virtually anywhere
- 1-1/2" OD powder-coated deep tawny colored steel frame.
- Configure two units back-to-back for attractive center aisle display.
- Dimensions: 72-1/4"W x 39"D x 94"H (height includes casters).

EZ-GROW 3-LEVEL PLANT AND DISPLAY BENCH

STK# **EACH** 103854 \$419.00

2 & UP \$399.00










Polycarbonate **U-Profile**





H-Channel



A uminum H-Channel

102921A

Gable Flash

DHRnn4/ DH8007



Simplify assembly with these aluminum and polycarbonate Channels and Profiles.

- Helps keep out dirt, insects and moisture.
 Allows for a finished, professional look.
- H-Channel: Use to join two polycarbonate sheets together.
- U-Channel: Use to cap off top and bottom of polycarbonate sheets
- Channels and Profiles simplify assembly and offer a professional, finished

Gable Flash (104546):

Use on end bows when end walls are covered with polycarbonate.

End Cap (104548)

Use around doors, vents and fans. For use with 8 mm polycarbonate only.

55" Ridge Cap (CG96174).

Manufactured from 24-gauge galvanized sheet metal and offers a finished, professional appearance to your greenhouse.

POLYCARBONATE FASTENING SYSTEM

STK#	ITEM	FOR USE WITH	EACH	50 & UP
111928	Polycarbonate H-Channel &L	8 mm & 10 mm	\$22.95	\$21.45
111930	Polycarbonate U-Profile 12'L	8 mm & 10 mm	20.95	1B.95
111929	Polycarbonate H Channel 12'L	8 mm & 10 mm	30.95	28.85
113236Z096	Aluminum H-Channel 8'L	8 mm	45 95	23.95
104213	Aluminum U-Profile 81.	8 mm	12 95	11.59
TD4546	Gable Flash 8'L	_	18.95	16 95
104548	End Cap 8'L	8 mm	16.95	14.49
102198A	0.10" Spring 6.5'L	-	3 05	2.79
CG96174	Ridge Čap 55"L	-	35.00	29.00

Polycarbonate Fastening Accessories keep dirt and moisture out, while eliminating condensation and mold.

Self-Drilling Tek Screw (FA4474A)

- Zinc plated.
- Size: #12 x 1-1/2".
- Cuts its own threads in steel.
- Sold in packaged quantities of 100.

Flame-Retardant Foil Tape (DH8004/DH8007)

- Extremely aggressive adhesive.
- Conforms to irregular surfaces,

Galvanized Washer (102921A)

- Ensures weathertight fastening.
- 1" OD Neo Bonded Galvanized Washer will accept #8-14 screw.
- Sold in packaged quantities of 100

POLYCARBONATE FASTENING ACCESSORIES

STK#	ITEM	FACH	DISCOUNT PRICE
DH8004	2-1/2' x 150' Foil Tape	\$23.95	\$22.95 (24 & up)
DH8007	1° x 150' Foil Tape	10.09	9.69 (24 & up)
102921A	Galvanized Washer	6.49	5.99 (10 & ap)
FA4474A	Zinc-Plated Tek Screw	9.58	8.49 (10 & up,


SIN#	LIEM	FACH	DISCOUNT PRICE
DH8004	2-1/2' x 150' Foil Tape	\$23.95	\$22.95 (24 & up)
DH8007	1° x 150' Foil Tape	10.09	9.69 (24 & up)
102921A	Galvanized Washer	6.49	5.99 (10 & up)
FA4474A	Zinc-Plated Tek Screw	9.58	8.49 (10 & up,

Create a tight seal for your polycarbonate greenhouse roof with our Premium Two-Piece Gasket Roofing System.

- Ideal for use with our 8 mm polycarbonate
- Durable Roof Mullion Gasket Base and Cap Systems are manufactured from 6063-T6 grade aluminum for durability.



	THE CONTRACT TO CONTRACT TO THE CONTRACT TO TH		•
STK#	ITEM	EACH	250 & UP
111601 Z096	8 Roof Mullion Base Gasket System	\$25.95	-
111601Z144	12' Roof Mullion Base Gasket System	29.95	_
111601	24' Roof Mullion Base Gasket System	56.95	_
113370	Double Strand EPDM Gasket, per ft.	1.85	\$1,62
111604Z096	8' Roof Mull on Cap Gasket System	19.95	
111604DZ144	12' Roof Mul ion Cap Gasket System	45.95	↔
111604D	24' Roof Mul ion Cap Gasket System	75.95	





This UV-resistant greenhouse material is 12 times lighter than glass. These easy-to-handle, lightweight sheets are a breakthrough in greenhouse technology, and they can be used to provide crops with lighting or as a blackout option.

- · Also widely used for construction, rain shields and soundproofing applications.
- · Will not film over after long exposure to sunlight.
- Tough, practically shatterproof, 8 mm polycarbonate material maintains light transmission over years of use.
- · Hollow, twin-wall construction gives superior insulating capabilities for better heat retention and lower fuel costs.
- Weighs only 1.5 KG/m2—1/12 the weight of glass.
- · Virtually no UV penetration.
- · Highly flame resistant, with a flashpoint of 1,166°F.
- · 10 year warranty.

8 MM TWIN-WALL POLYCARBONATE*

STK#	SIZE	COLOR	EACH	50 & UF
117020Z096	47-1/4" x 96"	Blackout	\$ 86.95	-
116049	47-1/4" x 96"	Clear	95.95	\$ 89.95
116050	47-1/4" x 120"	Clear	119.95	109.95
116051	47-1/4" x 144"	Clear	145.95	135.95
116052	71-1/4" x 96"	Clear	145.95	135,95
116053	71-1/4" x 120"	Clear	179.95	169.95
116054	71-1/4" x 144"	Clear	215.95	205.95

*Additional packing charges applicable. Maximum sheets per package are 50.











Keep dirt, dust and bugs out with Vent Tape for polycarbonate.

- · Apply to bottom of polycarbonate sheets.
- For optimum efficiency, couple with our flame-retardant Foil Tape (DH8004, sold separately) that should be applied to the top of your polycarbonate sheets.




WHITE VENT TAPE

STK#	SIZE	EACH	DISCOUNT PRICE
104774	1" x 36 yd.	\$33.19	\$31.19 (36 & up)
104438	2" x 36 yd.	66.95	54,95 (24 & up)



ENVIRONMENTAL



- 5 mil, 18 month, tri-layer Black/White film is UV stabilized to last up to two full years when used under greenhouse roof.
- Excellent tear and puncture resistance.

Reflective Film:

Reflects light to lower leaves for more efficient use of greenhouse transmitted light for both ground and bench crops. Crops grown in conjunction with reflective film covers have lower root zone temperatures, which is very important during summer production.

- . Use as either a reflective bench covers or to create a blackout environment.
- Also ideal as an airtight animal feed storage for hay and corn silage.
- · Available in full rolls only.

Blackout Film:

When used with the white surface away from the crop, film provides maximum light blockage. Control the photo period of greenhouse crops for selected plant species, such as orchids and other tropical plants and flowers, to imitate flower bud production. Keeps the plant environment warm, maintains better heat distribution, without heat buildup or stress and will reduce your energy costs.

5 MIL BLACK/WHITE REFLECTIVE FILM

STK#	ROLL SIZE	EACH	2 & UP	STK#	ROLL SIZE	EACH	2 & UP
108597	25'W x 150'L	\$399.95	\$385.95	108605	50'W x 100'L	\$535.95	\$515.95
108599	32'W x 100'L	345.95	335,95	108608	60°W × 100°L	639.95	615.95
108602	40'W x 100'L	425.95	409.95	109907	66'W x 100'L	705.95	679.95

Custom Blackout Tarps provide exceptional light deprivation with quality fabric to ensure total darkness.

- Tarps are made from medium weight light deprivation fabric that is woven from high density polyethylene slit tapes and coated to ensure complete blackout conditions.
- · Enhanced UV protection.
- Dirt shedding LDPE coating.
- Ultra-durable construction features 180 lbs/in Warp and 125 lbs/in Weft.
- 50 lbs/in Tongue tear.
- · 275 psi Mulien burst strength.
- 116998 is sold by the foot. 117068, 117069 and 117070 are sold by the square foot.



> COLORS

5.2 OZ BLACK/WHITE CUSTOM BLACKOUT TARPS

THE THE PLANT	IN ITTILE COSTONI DEACHOOT IAM S			
STK#	ITEM	EACH	DISCOL	JNT PRICE
116998	5.2 oz. Woven Coated B/W Light Deprivation 144"	\$5.25 (1'-599')	\$4.49 (600' & up)	_
117068	Custom Tarp 5.2 oz. Woven B/W Light Deprivation	2.12 (1'-999')	1.68 (1,000'-2,999')	\$1.55 (3,000' & up)
117069	Custom Tarp W/Grommets 5.2 oz. Woven B/W Light Deprivation	4.66 (1'-999')	4.28 (1,000'-2,999')	3.94 (3,000' & up)
117070	Custom Tarp W/Pockets 5.2 oz. Woven B/W Light Deprivation	4.66 (1'-999')	4.28 (1,000'-2,999')	3.94 (3,000' & up)



Excellent durability and light transmission.

- Ideal for both single and double-layer greenhouse applications.
- Copolymer tri-layer construction provides superior strength and high light transmission.
- 55% opacity keeps the light shining through.
- · UV stabilized for up to four years of film life.
- · Available in full rolls or custom-cut lengths.

SUN MASTER' WHITE 6 MIL 4 YEAR GREENHOUSE FILM

STK#	ROLL SIZE	EACH
108648	24'W x 110'L	\$429.00
108649	32'W x 110'L	545.00

CUSTOM-CUT SUN MASTER' WHITE 6 MIL 4 YEAR GREENHOUSE FILM

CONTRACTOR OF		RATIAL IN STREET	- 1	
		PRICE PER LINEAR FT.		
STK#	WIDTH	1'-199'	200'-999'	1,000'& UP
108691	40'	\$6.79	\$6.49	\$5.65
108693	48'	7.59	7.19	6.69
Contain subles	anthor conden EOO Immora	سيحاد لمسجد السمس	n = £ £13.00	



Low-cost solution to your greenhouse fabric needs.

- This Heavy Duty, woven polyethylene features an anti-condensate additive on one side that reduces moisture buildup and dripping.
- · 85% light transmission.
- · Designed to stand up to just about any climate.
- Resists rips and tears.
- UV additives allow the fabric to maintain its strength, ensuring a dependable greenhouse fabric with a long life.
- Available in 5.2 oz., 11 mil and 7.5 oz., 16 mil.
- 144" wide, priced by the linear foot.
- · Made in the USA.

GREENHOUSE FABRIC

		PRICE PER LINEAR FT.	
STK#	ITEM	EACH	DISCOUNT PRICE
115995	5.2 oz., 11 mil Greenhouse Fabric	\$4.08	\$3.51 (600' & up)
115996	7.5 oz., 16 mil Greenhouse Fabric	5.35	3.96 (500' & up)



Sun Master® Pull-and-Cut Clear Greenhouse Film offers 92% light transmission and repels dust and dirt to keep the light shining through.

- Ideal for both single and double-layer greenhouse applications.
- Strong copolymer resin for excellent durability.
 Tri-layer construction gives maximum physical properties and superior film life.
- · High clarity, 6 mil 4 year covering contains UV protectors.
- · Special-cut lengths mean you get the exact amount you need.
- · Priced per linear ft.

SUN MASTER® 6 MIL 4 YEAR CLEAR GREENHOUSE FILM

STK#		PRICE PER LINEAR FT.	
	WIDTH	1'-199'	200'-999'
108654	6'	\$0.93	\$0.84
108655	10'	1.49	1.41
108656	20'	3.02	2.82
108657	28"	4.21	3.89
108658	36'	5.45	5.06
108659	40'	6.05	5.61
108660	42'	6.39	5.88
108661	48'	7.23	6.66
110028	56'	8.29	7.96
110029	64'	9.39	9.01

Custom-cut lengths under 50'L incur a small-panel charge of \$12.00.



Infrared retention and anti-condensate additives mean superior diffusion rates, heat retention and tensile strength. This premier 6 mil thermal film offers huge savings on energy costs.

- · Co-extruded copolymer resin tri-layer construction offers maximum physical properties for superior film life.
- Infrared (IR) additives provide excellent diffusion and absorb and reradiate infrared heat back down to the crop during the evening hours, saving as much as 30% on heating costs.
- 88% light transmission.
- 52% diffused light transmission means improved, more uniform plant growth.
- Drip control additive is incorporated throughout the film and provides superior condensation control.
- UV stabilized for up to four years of film life.
- Available in full rolls or custom-cut lengths.

SUN MASTER' INFRARED ANTI-CONDENSATE THERMAL GREENHOUSE FILM

STK#	ROLL SIZE	EACH	
108633	24'W x 100'L	\$405.00	
108635	32'W x 100'L	505.00	

CUSTOM-CUT SUN MASTER' INFRARED ANTI-CONDENSATE THERMAL GREENHOUSE FILM

STK#	PRICE PER LINEAR FT.			
	WIDTH	1'-199'	200'-999'	1,000' & UP
109093	20'	\$3.39	\$3.25	\$3.12
109094	28'	4.75	4.56	4.38
109095	36'	6.95	6.67	6.41
109096	40'	6.75	6.48	6.22
109097	42'	7.99	5.95	5.45
109098	48'	8.29	6.79	6.19
110030	56'	9.85	8.49	7.55

Custom-cut lengths under 50'l. incur a small-panel charge of \$12.00 (5TK# CC3055).





CALL TODAY TO PLACE YOUR ORDER 1.800.476.9715

Monday-Friday, 7:30 am - 5:30 pm CT SAME DAY SHIPPING on all in-stock items when ordered by noon CT, M-F.

Price changes may occur due to a shift in the cost of goods or a production error. We reserve the right to change prices.











PRSRT STD U.S. POSTAGE PAID ESAPCO

PRINTED IN USA-G1305-1



Catalog Pricing Expires 5.27.22

SUSTONER :





WWW.GROWERSUPPLY.COM 1.800.476.9715





SHOP AT WWW.GROWERSSUPPLY.COM FOR OUR FULL LINE OF PRODUCTS